Package 'wehoop'

August 24, 2026

Title Access Women's Basketball Play by Play Data

Version 3.0.0

Description A utility for working with women's basketball data. A scraping and aggregating interface for the WNBA Stats API <https://stats.wnba.com/> and ESPN's <https://www.espn.com> women's college basketball and WNBA statistics. It provides users with the capability to access the game play-by-plays, box scores, standings and results to analyze the data for themselves.

License MIT + file LICENSE

URL https://wehoop.sportsdataverse.org, https://github.com/sportsdataverse/wehoop

BugReports https://github.com/sportsdataverse/wehoop/issues

Depends R (>= 4.1.0)

Imports cli (>= 3.0.0), data.table (>= 1.15.0), dplyr (>= 1.0.0), httr2 (>= 1.0.0), janitor, jsonlite, lifecycle, lubridate, glmnet, magrittr, Matrix, progressr (>= 0.6.0), purrr (>= 1.0.0), Rcpp (>= 1.0.7), RcppParallel (>= 5.1.4), rlang (>= 1.0.0), rvest (>= 1.0.0), stringdist (>= 0.9.0), stringi (>= 1.7.0), stringr (>= 1.4.0), tidyr (>= 1.2.0)

Suggests arrow (>= 6.0.0), cachem (>= 1.0.0), crayon (>= 1.3.4), curl (>= 4.3.0), DBI, DT, ggplot2, ggrepel, gh (>= 1.0.0), glue (>= 1.4.0), knitr, memoise (>= 2.0.0), piggyback (>= 0.1.2), rmarkdown (>= 2.6.0), RSQLite, stats, testthat (>= 3.0.0), tibble (>= 3.0), tictoc, usethis (>= 1.6.0), xml2 (>= 1.3)

Config/testthat/edition 3

Encoding UTF-8

LazyData true

Config/roxygen2/version 8.1.0

NeedsCompilation no

Author Saiem Gilani [aut, cre, cph] (ORCID: <https://orcid.org/0000-0002-7194-9067>), Geoffery Hutchinson [aut]

Maintainer Saiem Gilani <saiem.gilani@gmail.com>

Repository CRAN

Date/Publication 2026-08-24 18:40:02 UTC

Contents

.players_on_court . . . 7
bart_wbb_game_schedule . . . 8
bart_wbb_ratings . . . 8
bref_wnba_player_stats . . . 9
bref_wnba_standings . . . 10
bref_wnba_team_stats . . . 11
check_status . . . 12
csv_from_url . . . 12
espn_basketball . . . 12
espn_basketball_player_core . . . 13
espn_wbb_athletes_index . . . 15
espn_wbb_award . . . 16
espn_wbb_calendar . . . 17
espn_wbb_coach . . . 19
espn_wbb_coaches . . . 20
espn_wbb_coach_record . . . 21
espn_wbb_coach_season . . . 22
espn_wbb_conferences . . . 24
espn_wbb_franchise . . . 25
espn_wbb_franchises . . . 26
espn_wbb_game_all . . . 27
espn_wbb_game_odds . . . 29
espn_wbb_game_official_detail . . . 31
espn_wbb_game_play . . . 32
espn_wbb_game_player_box . . . 33
espn_wbb_game_play_personnel . . . 35
espn_wbb_game_probabilities . . . 36
espn_wbb_game_propbets . . . 37
espn_wbb_game_team_linescores . . . 38
espn_wbb_game_team_roster_entry . . . 40
espn_wbb_injuries . . . 41
espn_wbb_leaders . . . 43
espn_wbb_news . . . 44
espn_wbb_player_awards . . . 45
espn_wbb_player_career_stats . . . 46
espn_wbb_player_eventlog_v2 . . . 47
espn_wbb_player_info . . . 49
espn_wbb_player_overview . . . 51
espn_wbb_player_seasons . . . 54
espn_wbb_player_stats . . . 55
espn_wbb_position . . . 56

espn_wbb_positions . . . 57
espn_wbb_powerindex . . . 58
espn_wbb_rankings . . . 59
espn_wbb_scoreboard . . . 60
espn_wbb_seasons . . . 61
espn_wbb_season_awards . . . 62
espn_wbb_season_group . . . 64
espn_wbb_season_groups . . . 66
espn_wbb_season_info . . . 67
espn_wbb_season_leaders . . . 69
espn_wbb_season_ranking . . . 70
espn_wbb_season_rankings . . . 71
espn_wbb_season_type . . . 73
espn_wbb_season_types . . . 74
espn_wbb_season_week . . . 75
espn_wbb_season_weeks . . . 76
espn_wbb_standings . . . 78
espn_wbb_team . . . 79
espn_wbb_teams . . . 81
espn_wbb_team_injuries . . . 82
espn_wbb_team_news . . . 83
espn_wbb_team_record_detail . . . 84
espn_wbb_team_schedule . . . 86
espn_wbb_team_season_roster . . . 87
espn_wbb_team_season_statistics . . . 88
espn_wbb_team_stats . . . 90
espn_wbb_tournament . . . 91
espn_wbb_tournaments . . . 92
espn_wbb_tournament_season . . . 93
espn_wbb_tournament_seasons . . . 94
espn_wbb_venues . . . 95
espn_wbb_week_ranking . . . 97
espn_wbb_week_rankings . . . 98
espn_wnba_athletes_index . . . 99
espn_wnba_award . . . 101
espn_wnba_calendar . . . 102
espn_wnba_coaches . . . 103
espn_wnba_coach_season . . . 104
espn_wnba_conferences . . . 106
espn_wnba_draft . . . 107
espn_wnba_draft_athlete_detail . . . 108
espn_wnba_draft_pick . . . 109
espn_wnba_draft_rounds . . . 111
espn_wnba_franchise . . . 112
espn_wnba_franchises . . . 113
espn_wnba_freeagents . . . 115
espn_wnba_futures . . . 116
espn_wnba_game_all . . . 117

espn_wnba_game_odds . . . 119
espn_wnba_game_official_detail . . . 121
espn_wnba_game_play . . . 122
espn_wnba_game_player_box . . . 123
espn_wnba_game_play_personnel . . . 125
espn_wnba_game_probabilities . . . 126
espn_wnba_game_propbets . . . 127
espn_wnba_game_team_linescores . . . 128
espn_wnba_game_team_roster_entry . . . 130
espn_wnba_injuries . . . 132
espn_wnba_leaders . . . 133
espn_wnba_news . . . 134
espn_wnba_player_awards . . . 135
espn_wnba_player_career_stats . . . 136
espn_wnba_player_eventlog_v2 . . . 138
espn_wnba_player_info . . . 139
espn_wnba_player_overview . . . 141
espn_wnba_player_seasons . . . 144
espn_wnba_player_stats . . . 145
espn_wnba_position . . . 147
espn_wnba_positions . . . 148
espn_wnba_powerindex . . . 149
espn_wnba_scoreboard . . . 150
espn_wnba_seasons . . . 151
espn_wnba_season_awards . . . 153
espn_wnba_season_group . . . 154
espn_wnba_season_groups . . . 156
espn_wnba_season_info . . . 158
espn_wnba_season_leaders . . . 159
espn_wnba_season_ranking . . . 160
espn_wnba_season_rankings . . . 162
espn_wnba_season_type . . . 163
espn_wnba_season_types . . . 164
espn_wnba_season_week . . . 165
espn_wnba_season_weeks . . . 167
espn_wnba_standings . . . 168
espn_wnba_team . . . 169
espn_wnba_teams . . . 171
espn_wnba_team_injuries . . . 172
espn_wnba_team_news . . . 174
espn_wnba_team_record . . . 175
espn_wnba_team_record_detail . . . 176
espn_wnba_team_schedule . . . 177
espn_wnba_team_season_roster . . . 179
espn_wnba_team_season_statistics . . . 180
espn_wnba_team_stats . . . 181
espn_wnba_transactions . . . 183
espn_wnba_venues . . . 184

espn_wnba_week_ranking . . . 185
espn_wnba_week_rankings . . . 187
fox_basketball_league_leaders . . . 188
fox_wbb_teams_all . . . 189
fox_wnba_pbp . . . 190
fox_wnba_team_roster . . . 191
helper_espn_wbb_pbp . . . 193
helper_espn_wnba_pbp . . . 194
hhs_teams . . . 194
hhs_team_roster . . . 195
hhs_team_stats . . . 196
load_ncaa_wbb_pbp . . . 197
load_wbb_pbp . . . 203
load_wnba_pbp . . . 208
load_wnba_player_impact . . . 214
load_wnba_stats_leaguedash . . . 215
load_wnba_stats_rosters . . . 217
load_wnba_team_crosswalk . . . 224
most_recent_wbb_season . . . 226
most_recent_wnba_season . . . 226
most_recent_wnba_stats_season . . . 227
ncaa_wbb . . . 227
ncaa_wbb_NET_rankings . . . 228
ncaa_wbb_teams . . . 228
parameter_descriptions . . . 229
parquet_from_url . . . 230
progressively . . . 230
rds_from_url . . . 231
update_wbb_db . . . 231
update_wnba_db . . . 233
update_wnba_stats_db . . . 234
wbb_player_crosswalk . . . 235
wbb_schedule_crosswalk . . . 236
wbb_team_crosswalk . . . 237
wehoop_loaders . . . 238
wnba_alltimeleadersgrids . . . 238
wnba_assistleaders . . . 243
wnba_assisttracker . . . 245
wnba_boxscoresummaryv3 . . . 246
wnba_boxscoretraditionalv2 . . . 247
wnba_boxscoretraditionalv3 . . . 250
wnba_commonallplayers . . . 255
wnba_commonplayerinfo . . . 256
wnba_commonplayoffseries . . . 257
wnba_commonteamroster . . . 258
wnba_cumestatsplayer . . . 259
wnba_cumestatsplayergames . . . 260
wnba_cumestatsteam . . . 261

wnba_cumestatsteamgames . . . 262
wnba_data_pbp . . . 264
wnba_draftboard . . . 265
wnba_draftcombinestats . . . 266
wnba_drafthistory . . . 268
wnba_fantasywidget . . . 269
wnba_franchisehistory . . . 271
wnba_franchiseleaders . . . 272
wnba_franchiseleaderswrank . . . 273
wnba_franchiseplayers . . . 274
wnba_gamerotation . . . 275
wnba_homepagewidget . . . 276
wnba_infographicfanduelplayer . . . 278
wnba_leaguedashlineups . . . 279
wnba_leaguedashplayerbiostats . . . 281
wnba_leaguedashplayerclutch . . . 284
wnba_leaguedashplayershotlocations . . . 287
wnba_leaguedashplayerstats . . . 290
wnba_leaguedashteamclutch . . . 293
wnba_leaguedashteamshotlocations . . . 295
wnba_leaguedashteamstats . . . 298
wnba_leaguegamefinder . . . 300
wnba_leaguegamelog . . . 305
wnba_leagueleaders . . . 307
wnba_leaguelineupviz . . . 308
wnba_leagueplayerondetails . . . 310
wnba_leagueseasonmatchups . . . 312
wnba_leaguestandingsv3 . . . 313
wnba_live_boxscore . . . 315
wnba_live_pbp . . . 316
wnba_pbp . . . 317
wnba_pbps . . . 318
wnba_playbyplayv3 . . . 319
wnba_playerawards . . . 320
wnba_playercareerbycollege . . . 321
wnba_playercareerbycollegerollup . . . 322
wnba_playercareerstats . . . 323
wnba_playercompare . . . 325
wnba_playerdashboardbyclutch . . . 328
wnba_playerestimatedmetrics . . . 340
wnba_playerfantasyprofile . . . 341
wnba_playerfantasyprofilebargraph . . . 343
wnba_playergamelog . . . 344
wnba_playergamelogs . . . 345
wnba_playergamestreakfinder . . . 347
wnba_playerheadshot . . . 353
wnba_playerindex . . . 354
wnba_playernextngames . . . 355

wnba_playerprofilev2 . . . 356
wnba_playervsplayer . . . 359
wnba_player_crosswalk . . . 362
wnba_possession_lineups . . . 363
wnba_rapm . . . 364
wnba_schedule . . . 365
wnba_schedule_crosswalk . . . 366
wnba_scoreboardv2 . . . 366
wnba_scoreboardv3 . . . 369
wnba_shotchartdetail . . . 370
wnba_shotchartleaguewide . . . 373
wnba_shotchartlineupdetail . . . 374
wnba_shot_zones . . . 378
wnba_stats . . . 379
wnba_teamdashboardbyclutch . . . 380
wnba_teamdashlineups . . . 391
wnba_teamdetails . . . 394
wnba_teamestimatedmetrics . . . 396
wnba_teamgamelog . . . 397
wnba_teamgamelogs . . . 398
wnba_teamgamestreakfinder . . . 400
wnba_teamhistoricalleaders . . . 410
wnba_teaminfocommon . . . 411
wnba_teamplayeronoffdetails . . . 412
wnba_teams . . . 416
wnba_teamvsplayer . . . 417
wnba_teamyearbyyearstats . . . 423
wnba_team_crosswalk . . . 424
wnba_todays_scoreboard . . . 424
wnba_videoevents . . . 425
wnba_videostatus . . . 426
year_to_season . . . 427

Index **428**

`.players_on_court` **Add players on court in WNBA Stats API play-by-play**

Description

Add players on court in WNBA Stats API play-by-play

bart_wbb_game_schedule

Bart Torvik Women's Season Schedule & Results

Description

Get the full women's game-by-game schedule and results for a season from barttorvik.com. Pulls the /ncaaw/{year}_super_sked.json file (one row per game). No API key required.

Usage

```
bart_wbb_game_schedule(year = most_recent_wbb_season())
```

Arguments

year	Season, 4-digit ending-year format (e.g. 2024). Defaults to most_recent_wbb_season().

Value

A wehoop_data tibble, one row per game: muid, date, team1, team2, t1pts, t2pts, winner, loser, plus efficiency / quality columns, and year.

See Also

Other Bart Torvik Functions: bart_wbb_ratings()

Examples

```
try(bart_wbb_game_schedule(year = 2024))
```

bart_wbb_ratings

Bart Torvik Women's T-Rank Ratings

Description

Get women's college basketball T-Rank team ratings and adjusted efficiencies from barttorvik.com. Pulls the /ncaaw/{year}_team_results.csv file (one row per team). No API key required.

Usage

```
bart_wbb_ratings(year = most_recent_wbb_season())
```

Arguments

year	Season, 4-digit ending-year format (e.g. 2024). Defaults to most_recent_wbb_season().

Value

A wehoop_data tibble, one row per team: rank, team, conf, record, adjoe, adjde, barthag, plus projection / SOS / quality columns, and year.

See Also

Other Bart Torvik Functions: bart_wbb_game_schedule()

Examples

```
try(bart_wbb_ratings(year = 2024))
```

---

bref_wnba_player_stats

Basketball-Reference WNBA Player Season Stats

Description

Get WNBA league-wide player season statistics from Basketball-Reference.

One row per player for a season. No account or API key is required. Basketball-Reference rate-limits aggressive scraping (~20 requests/minute) – space repeated calls with Sys.sleep().

Usage

```
bref_wnba_player_stats(season = most_recent_wnba_season(), table = "per_game")
```

Arguments

season	Season, in 4-digit year format (e.g. 2024). Defaults to most_recent_wnba_season().
table	Which stats table – one of "per_game" (default), "totals" or "advanced".

Value

A wehoop_data tibble with one row per player, carrying season and table columns.

col_name	types
player	character
team_id	character
pos	character
g	numeric
pts_per_g	numeric
season	integer
table	character

See Also

Other WNBA Basketball-Reference Functions: `bref_wnba_standings()`, `bref_wnba_team_stats()`

Examples

```
try(bref_wnba_player_stats(season = 2024, table = "per_game"))
```

`bref_wnba_standings` **Basketball-Reference WNBA Standings**

Description

Get WNBA standings (both conferences) from Basketball-Reference.

One row per team with record and win percentage, labelled by a `conference` column (`Eastern` / `Western`). No account or API key is required.

Usage

```
bref_wnba_standings(season = most_recent_wnba_season())
```

Arguments

`season`	Season, 4-digit year format (e.g. `2024`). Defaults to `most_recent_wnba_season()`.

Value

A `wehoop_data` tibble with one row per team:

col_name	types
team	character
wins	numeric
losses	numeric
win_loss_pct	numeric
conference	character
season	integer

See Also

Other WNBA Basketball-Reference Functions: `bref_wnba_player_stats()`, `bref_wnba_team_stats()`

Examples

```
try(bref_wnba_standings(season = 2024))
```

`bref_wnba_team_stats` **Basketball-Reference WNBA Team Season Stats**

Description

Get WNBA team season statistics from Basketball-Reference.

One row per team for a season. No account or API key is required.

Usage

```
bref_wnba_team_stats(season = most_recent_wnba_season(), table = "per_game")
```

Arguments

`season`	Season, 4-digit year format (e.g. `2024`). Defaults to `most_recent_wnba_season()`.
`table`	Which stats table – one of `"per_game"` (default), `"totals"`, `"per_poss"` or `"advanced"`.

Value

A `wehoop_data` tibble with one row per team, carrying `season` and `table` columns.

col_name	types
team	character
g	numeric
pts_per_g	numeric
season	integer
table	character

See Also

Other WNBA Basketball-Reference Functions: `bref_wnba_player_stats()`, `bref_wnba_standings()`

Examples

```
try(bref_wnba_team_stats(season = 2024, table = "per_game"))
```

check_status *Check Status function*

Description

Check Status function

Usage

```
check_status(res)
```

Arguments

res	Response from an httr2 request

csv_from_url **Load .csv / .csv.gz file from a remote connection**

Description

This is a thin wrapper on data.table::fread

Usage

```
csv_from_url(...)
```

Arguments

...	passed to data.table::fread

espn_basketball **ESPN Basketball Endpoint Overview (WNBA + WBB)**

Description

Wrappers around ESPN's basketball endpoints. Two parallel families share a common set of internal helpers in `R/espn_basketball_*.R`:

- `espn_wnba_*()` — ESPN WNBA wrappers
- `espn_wbb_*()` — ESPN women's college basketball wrappers

Each public wrapper is a thin shim over an internal helper that takes a `league` argument (`"wnba"` or `"womens-college-basketball"`); the helper does the actual HTTP call + parsing. Error reporting flows through ESPN-side reporters `.report_api_error()` / `.report_api_warning()` in `R/utils.R` (do **not** use raw `cli::cli_alert_danger()` here — that is the WNBA Stats convention).

Details

Play-by-play, scoreboard, schedule:

WNBA function	WBB function
espn_wnba_pbp()	espn_wbb_pbp()
espn_wnba_scoreboard()	espn_wbb_scoreboard()
espn_wnba_game_all()	espn_wbb_game_all()
espn_wnba_game_rosters()	espn_wbb_game_rosters()
espn_wnba_player_box()	espn_wbb_player_box()
espn_wnba_team_box()	espn_wbb_team_box()

Reference data:

WNBA function	WBB function
espn_wnba_teams()	espn_wbb_teams()
espn_wnba_standings()	espn_wbb_standings()
espn_wnba_player_stats()	espn_wbb_player_stats()
espn_wnba_team_stats()	espn_wbb_team_stats()
	espn_wbb_conferences()
	espn_wbb_rankings()

HTTP layer:

ESPN wrappers call `.retry_request()` directly without `...`, so per-call proxy overrides aren't supported. Use `options(wehoop.proxy = ...)` or the `http_proxy` / `https_proxy` env vars for proxy routing.

See Also

Other ESPN Basketball: espn_basketball_player_core()

`espn_basketball_player_core` **Project an ESPN core-v2 athlete record into a `player_core` row**

Description

Turns one ESPN core-v2 `/athletes/{id}` payload into the single tidy row released as the `player_core` dataset.

This is a **pure projection**: it takes an already-fetched payload and never performs I/O. That is deliberate — the compile stages in `wehoop-wnba-data` / `wehoop-wbb-data` read the payload from the sibling `-raw` tree, and re-fetching here would both break the one-way raw -> data boundary and mean the R and Python pipelines read different bytes, so a value divergence could not be attributed to method.

Ids for college and current team are parsed out of the payload's `$ref` URLs (`/colleges/{id}`, `/teams/{id}`). The `$ref` is **never** followed.

Usage

```
espn_basketball_player_core(payload, athlete_id)
```

Arguments

payload	list. One athlete's core-v2 `/athletes/{athlete_id}` payload, as returned by `jsonlite::fromJSON(..., simplifyVector = FALSE)`. An empty or non-list value yields a zero-row tibble rather than an error.
athlete_id	numeric or character. The ESPN athlete id. **Required and never inferred from the payload** — callers pass the id from the file path, so a payload missing its own `id` still produces a joinable row.

Details

What the row means. `current_team_id` is the athlete's team *today*, not their team in any past season — the season a released row is filed under is *participation* (who appeared that year, taken from `player_box`), not the vintage of the bio. Height, weight and jersey are likewise a current snapshot: ESPN overwrites them in place, so era-correct bio is not obtainable from this endpoint.

Parity. This is a port of `sportsdataverse.wbb.helper_wbb_player_core` (sdv-py 0.0.75), which produces the released dataset today. The two are held to byte-parity by `tests/testthat/test-espn_basketball_player_c` against a golden fixture captured from that function; see `tests/testthat/fixtures/player_core/README.md` for provenance. Neither implementation is authoritative — a divergence is a review item.

Value

A one-row tibble carrying the full 35-column set (absent fields are `NA`), so callers see a stable schema regardless of payload completeness:

See the HTML help or pkgdown reference for the column table.

Twin

`hoopR::espn_basketball_player_core()` is the identical function for the men's leagues. The core-v2 athlete resource is the same payload shape for nba/wnba/mbb/wbb, so the projection is league-agnostic – sdv-py implements it once and re-exports it per league. hoopR and wehoop are independently published and neither depends on the other, so here it is duplicated: **a change to one must land in the other in the same session, verified.**

Author(s)

Saiem Gilani

See Also

Other ESPN Basketball: `espn_basketball`

Examples

```
# Split across lines to keep the Rd under the line-width limit; the
# core-v2 $ref URLs are long enough to be truncated in the PDF manual.
team_ref <- paste0(
  "http://sports.core.api.espn.com/v2/sports/basketball/",
  "leagues/wnba/seasons/2025/teams/22"
)
payload <- list(
  guid = "abc", fullName = "Jane Doe", jersey = "23",
  position = list(id = "5", abbreviation = "G"),
  team = list(`$ref` = team_ref)
)
espn_basketball_player_core(payload, athlete_id = 1966)
```

`espn_wbb_athletes_index`

Get ESPN Women's College Basketball Athletes Index

Description

Get ESPN Women's College Basketball Athletes Index

Get ESPN Women's College Basketball Athletes Index

Usage

```
espn_wbb_athletes_index(
  season = most_recent_wbb_season(),
  active = TRUE,
  limit = 25000L,
  ...
)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WBB season.
`active`	logical. When `TRUE` (default) only active athletes are returned. Set to `FALSE` for the full historical roster.
`limit`	integer. Maximum number of rows to return. Default 25000. WBB can return 6,000-12,000 athletes per season; increase if needed. Pass a small value (e.g. `limit = 50`) in tests to keep execution fast.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single wehoop_data tibble with one row per athlete.

Columns as documented in the shared espn_basketball_athletes_index_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_athletes_index(season = 2025, limit = 50)
```

---

espn_wbb_award — Get ESPN WBB Season Award Detail

Description

Returns the name, description, and winners of one WBB season award.

Usage

```
espn_wbb_award(award_id, season = most_recent_wbb_season(), ...)
```

Arguments

award_id	ESPN award identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WBB season.
...	Additional arguments; currently unused.

Value

A tibble with one row per winner.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_award(award_id = 344, season = 2024)
```

---

espn_wbb_calendar Get ESPN WBB Calendar

Description

Get ESPN WBB Calendar

Get ESPN Women's College Basketball Calendar

Usage

```
espn_wbb_calendar(season = most_recent_wbb_season())
```

Arguments

season	integer or character. Four-digit season year (e.g. 2025). Defaults to most_recent_wbb_season().

Details

Retrieve the ESPN women's college basketball schedule calendar for a given season. The underlying scoreboard response contains a leagues[[1]]$calendar block with season-type entries (pre-season, regular, post). Uses getOption("wehoop.proxy") or http_proxy/https_proxy environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of calendar entries.

Columns as documented in the shared espn_basketball_calendar_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_calendar(season = 2025)
```

espn_wbb_coach **Get ESPN WBB Single-Coach Detail**

Description

Returns biography, current team / college refs, and counts of career record entries + per-season coaching entries for one WBB head coach.

Usage

```
espn_wbb_coach(coach_id, ...)
```

Arguments

coach_id	ESPN coach identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single-row tibble.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_coach(coach_id = 2167842)
```

`espn_wbb_coaches` **Get ESPN Women's College Basketball Coaches**

Description

Get ESPN Women's College Basketball Coaches

Get ESPN Women's College Basketball Coaches

Usage

```
espn_wbb_coaches(season = most_recent_wbb_season(), ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WBB season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per coach.

col_name	types	description
coach_id	character	Unique identifier for coach.
first_name	character	Player's first name.
last_name	character	Player's last name.
full_name	character	Player's full name.
experience	integer	Years of professional experience.
team_id	character	Unique team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_coaches(season = 2025)
```

---

espn_wbb_coach_record Get ESPN WBB Coach Career Record (Long Format)

Description

Returns a coach's career record by type in long format (one row per stat in the record's `stats[]` array). `record_type` codes commonly populated: 0 = Total, 1 = Pre Season, 2 = Regular Season, 3 = Post Season. Use `espn_wbb_coaches()` to discover coach_ids for a season.

Usage

```
espn_wbb_coach_record(coach_id, record_type = 0L, ...)
```

Arguments

`coach_id`	ESPN coach identifier (use `espn_wbb_coaches()` to find).
`record_type`	Integer record type: 0 = Total (default), 1 = Pre Season, 2 = Regular Season, 3 = Post Season.
`...`	Additional arguments; currently unused.

Value

A long tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_coach_record(coach_id = 2167842, record_type = 2)
```

---

espn_wbb_coach_season Get ESPN WBB Coach-in-Season Detail

Description

Per-season coach detail (name, birth info, $refs to team/college/ person). ESPN's coverage of this endpoint is sparse; many (coach × season) combinations return 404.

Usage

```
espn_wbb_coach_season(coach_id, season = most_recent_wbb_season(), ...)
```

Arguments

coach_id	ESPN coach identifier.
season	Season year. Defaults to most recent WBB season.
...	Additional arguments; currently unused.

Details

Get ESPN WBB Coach-in-Season Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_coach_season_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_coach_season(coach_id = 2167842, season = 2025)
```

`espn_wbb_conferences` *Get women's college basketball conferences*

Description

Get women's college basketball conferences

Usage

```
espn_wbb_conferences()
```

Value

Returns a tibble

Columns as documented in the shared espn_basketball_conferences_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personnel()`, `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings()`, `espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`, `espn_wbb_season_weeks()`, `espn_wbb_seasons()`, `espn_wbb_standings()`, `espn_wbb_team()`, `espn_wbb_team_injuries()`, `espn_wbb_team_news()`, `espn_wbb_team_record_detail()`, `espn_wbb_team_schedule()`, `espn_wbb_team_season_roster()`, `espn_wbb_team_season_statistics()`, `espn_wbb_team_stats()`, `espn_wbb_teams()`, `espn_wbb_tournament()`, `espn_wbb_tournament_season()`, `espn_wbb_tournament_seasons()`, `espn_wbb_tournaments()`, `espn_wbb_venues()`, `espn_wbb_week_ranking()`, `espn_wbb_week_rankings()`

Examples

```
try(espn_wbb_conferences())
```

`espn_wbb_franchise` **Get ESPN WBB Franchise Detail**

Description

Returns franchise-level metadata for a women's college basketball program. Franchise IDs are stable across program reorganization or rebrands.

Usage

```
espn_wbb_franchise(franchise_id, ...)
```

Arguments

`franchise_id`	ESPN franchise identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personnel()`, `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings()`, `espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`, `espn_wbb_season_weeks()`, `espn_wbb_seasons()`, `espn_wbb_standings()`, `espn_wbb_team()`, `espn_wbb_team_injuries()`, `espn_wbb_team_news()`, `espn_wbb_team_record_detail()`, `espn_wbb_team_schedule()`, `espn_wbb_team_season_roster()`, `espn_wbb_team_season_statistics()`, `espn_wbb_team_stats()`, `espn_wbb_teams()`, `espn_wbb_tournament()`, `espn_wbb_tournament_season()`, `espn_wbb_tournament_seasons()`, `espn_wbb_tournaments()`, `espn_wbb_venues()`, `espn_wbb_week_ranking()`, `espn_wbb_week_rankings()`

Examples

```
espn_wbb_franchise(franchise_id = 2509)
```

`espn_wbb_franchises` **Get ESPN WBB Franchises Index**

Description

Returns the full WBB franchises index from `sports.core.api.espn.com/v2/sports/basketball/leagues/womens-col`. Each row is one franchise with its ID and the canonical `$ref` URL — pass an ID to `espn_wbb_franchise()` for full franchise detail.

Usage

```
espn_wbb_franchises(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per franchise.

col_name	types	description
franchise_id	character	ESPN franchise identifier.
ref	character	Full `$ref` URL for franchise detail.
league	character	League slug (`"womens-college-basketball"`).

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personnel()`, `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`,

espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_franchises()
```

`espn_wbb_game_all` *Get ESPN women's college basketball game data (play-by-play, team and player box)*

Description

Get ESPN women's college basketball game data (play-by-play, team and player box)

Get ESPN women's college basketball play by play data

Get ESPN women's college basketball team box data

Get ESPN women's college basketball player box

Get ESPN women's college basketball game rosters

Usage

```
espn_wbb_game_all(game_id)

espn_wbb_pbp(game_id)

espn_wbb_team_box(game_id)

espn_wbb_player_box(game_id)

espn_wbb_game_rosters(game_id)
```

Arguments

`game_id`	Game ID

Value

A named list of dataframes: Plays, Team, Player

Plays

Columns as documented in the shared espn_basketball_game_all_plays_plays_schema table.

Team

Columns as documented in the shared espn_basketball_team_box_schema table.

Player

Columns as documented in the shared espn_basketball_game_all_player_player_schema table.

Returns a play-by-play data frame

Plays

Columns as documented in the shared espn_basketball_game_all_plays_plays_schema table.

Returns a team boxscore data frame

Team

Columns as documented in the shared espn_basketball_team_box_schema table.

Returns a player boxscore data frame

Player

Columns as documented in the shared espn_basketball_game_all_player_player_schema table.

A game rosters data frame

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
try(espn_wbb_game_all(game_id = 401276115))

try(espn_wbb_pbp(game_id = 401498717))

try(espn_wbb_team_box(game_id = 401276115))

try(espn_wbb_player_box(game_id = 401276115))

try(espn_wbb_game_rosters(game_id = 401276115))
```

---

espn_wbb_game_odds Get ESPN Women's College Basketball Event Odds

---

Description

Returns the live game situation for one WBB event: timeouts remaining, team fouls, fouls to give, bonus state, and a `$ref` to the last play. During a live game this reflects current state; after the game ends the values are frozen.

Returns pre-game predictor statistics for one WBB event in long format: one row per (team × statistic). Typical stats include matchup quality, predicted score, win probability, and team strength metrics. Returns empty for events without predictor data (often the case for already-played games).

Returns the per-team power-index `$ref` URLs for one WBB event. Coverage is sparse — many events return zero items.

Usage

```
espn_wbb_game_odds(event_id, ...)

espn_wbb_game_officials(event_id, ...)

espn_wbb_game_broadcasts(event_id, ...)

espn_wbb_game_situation(event_id, ...)

espn_wbb_game_predictor(event_id, ...)

espn_wbb_game_powerindex(event_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Event Predictor (Pre-game)

Get ESPN WBB Event Power Index Index

Value

A tibble with one row per odds provider (typically empty for WBB because ESPN does not carry NCAA basketball betting lines).

Columns as documented in the shared espn_basketball_game_odds_schema table.

A tibble with one row per official assigned to the game.

Columns as documented in the shared espn_basketball_game_officials_schema table.

A tibble with one row per broadcast outlet for the game.

Columns as documented in the shared espn_basketball_game_broadcasts_schema table.

A single-row tibble with timeouts + fouls for both teams.

A long tibble with rows for both home and away teams.

A tibble with one row per team-game power-index entry.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_odds(event_id = "401276115")

espn_wbb_game_officials(event_id = "401276115")

espn_wbb_game_broadcasts(event_id = "401276115")

espn_wbb_game_situation(event_id = 401276115)

espn_wbb_game_predictor(event_id = 401276115)

espn_wbb_game_powerindex(event_id = 401276115)
```

`espn_wbb_game_official_detail`

Get ESPN WBB Event Official Detail (Single Official)

Description

Returns a single-row tibble for one referee assigned to one WBB event, with their name, position (Referee / Crew Chief / Umpire), and crew order. Pair with `espn_wbb_game_officials()` to enumerate the crew.

Usage

```
espn_wbb_game_official_detail(event_id, order, ...)
```

Arguments

`event_id`	ESPN event identifier.
`order`	Crew order index (1 = first official). Pair with the `order` column from event_officials().
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_play(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_official_detail(event_id = 401276115, order = 1)
```

`espn_wbb_game_play` **Get ESPN WBB Event Play Detail (Single Play)**

Description

Returns the rich detail block for a single WBB play: sequence, period, clock, text, scoring/shooting flags, current home/away score, team `$ref`, and shot coordinates if applicable. Complements the bulk `espn_wbb_pbp()` output by exposing the canonical core-v2 play record.

Usage

```
espn_wbb_game_play(event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`play_id`	ESPN play identifier (visible in `pbp()` output as `play_id` or extractable from `plays[].$ref`).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play_personnel(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_play(event_id = 401276115, play_id = 401276115101899901)
```

`espn_wbb_game_player_box`

Get ESPN WBB Event Player Box Score (Long Format)

Description

Returns the long-format per-game box score for a single athlete in one WBB event. One row per (category x stat). Same shape as espn_wbb_game_team_statistics() but scoped to a single athlete-in-event instead of the full team. `stat_type` defaults to 0 (regular-season aggregate as ESPN tags it for finished events).

Usage

```
espn_wbb_game_player_box(event_id, team_id, athlete_id, stat_type = 0L, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier (the competitor the athlete played for).
athlete_id	ESPN athlete identifier.
stat_type	Integer stat-type segment. Defaults to 0 (the only type commonly populated for finished events).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_player_box(event_id = 401276115, team_id = 52,
                         athlete_id = 4433404)
```

espn_wbb_game_play_personnel

Get ESPN WBB Event Play Personnel (On-Court Lineup at Play)

Description

Returns the players on court at a specific WBB play in long format (one row per athlete entry across both competitors). Foundation for lineup analysis. ESPN coverage is sparse — many plays return zero rows; the wrapper returns a typed empty tibble in that case.

Usage

```
espn_wbb_game_play_personnel(event_id, play_id, ...)
```

Arguments

event_id	ESPN event identifier.
play_id	ESPN play identifier.
...	Additional arguments; currently unused.

Value

A long tibble with one row per on-court athlete.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros, espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_play_personnel(event_id = 401276115, play_id = 401276115101899901)
```

`espn_wbb_game_probabilities`

Get ESPN Women's College Basketball Event Win Probabilities

Description

Get ESPN Women's College Basketball Event Win Probabilities

Get ESPN Women's College Basketball Event Win Probabilities

Usage

```
espn_wbb_game_probabilities(event_id, limit = 200, ...)
```

Arguments

`event_id`	ESPN event/game identifier (character or numeric).
`limit`	integer. Maximum number of probability rows to return. Defaults to `200`. Pagination is handled internally.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per play-level win-probability entry.

Columns as documented in the shared espn_basketball_game_probabilities_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings`

espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_probabilities(event_id = "401276115", limit = 50)
```

---

espn_wbb_game_propbets

Get ESPN WBB Event Prop Bets (Long Format)

Description

Returns prop-bet markets for one WBB event + provider in long format: one row per (athlete × prop type). Each row has american / decimal / fraction odds plus the current target (e.g. over/under line). Hits the core-v2 `competitions/{id}/odds/{provider_id}/propBets` endpoint and auto-paginates.

Usage

```
espn_wbb_game_propbets(event_id, provider_id, ...)
```

Arguments

event_id	ESPN event identifier.
provider_id	Sportsbook provider id (e.g. 58 = ESPN BET, 100 = Caesars). Look up via espn_wbb_game_odds().
...	Additional arguments; currently unused.

Details

Get ESPN WBB Event Prop Bets (Long Format)

Value

A long tibble with one row per (athlete × prop type).

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_propbets(event_id = 401276115, provider_id = 58)
```

`espn_wbb_game_team_linescores`

Get ESPN WBB Event Competitor Linescores (Per-Quarter)

Description

Returns the per-quarter scoring breakdown for one team in one NBA event. One row per period (regulation quarters + any overtime periods).

Returns the per-team statistical leaders for one WBB event in long format: one row per (category x athlete rank). Categories typically include points, rebounds, assists, and rating.

Returns the game-day roster index for one team in one WBB event. Each row carries the athlete id and the core-v2 `$ref` URL — use the ref to dereference athlete-game splits or biographical data.

Returns full team-game statistics for one team in one WBB event in long format: one row per (category x stat). Covers offensive, defensive, and general categories with both raw values and display strings.

Returns team records as of the given WBB event: overall, home, away, conference, and division breakdowns where available. One row per record type.

Returns a one-row tibble with one team's final score for one WBB event: numeric `value`, display string, `winner` flag, and source metadata. Quick-lookup wrapper — use espn_wbb_game_team_linescores() for per-period detail.

Usage

```
espn_wbb_game_team_linescores(event_id, team_id, ...)

espn_wbb_game_team_leaders(event_id, team_id, ...)

espn_wbb_game_team_roster(event_id, team_id, ...)

espn_wbb_game_team_statistics(event_id, team_id, ...)

espn_wbb_game_team_records(event_id, team_id, ...)

espn_wbb_game_team_score(event_id, team_id, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier.
...	Additional arguments; currently unused.

Value

A tibble with one row per period.

A long tibble with one row per (category x rank).

A tibble with one row per active athlete.

A long tibble with one row per (category x stat).

A tibble with one row per record type.

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(),

espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros
espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(),
espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(),
espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_team_linescores(event_id = 401276115, team_id = 52)

espn_wbb_game_team_leaders(event_id = 401276115, team_id = 52)

espn_wbb_game_team_roster(event_id = 401276115, team_id = 52)

espn_wbb_game_team_statistics(event_id = 401276115, team_id = 52)

espn_wbb_game_team_records(event_id = 401276115, team_id = 52)

espn_wbb_game_team_score(event_id = 401276115, team_id = 52)
```

---

espn_wbb_game_team_roster_entry

Get ESPN WBB Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Description

Returns a single-row tibble describing one athlete's game-day roster entry for one WBB event. Carries the **starter** flag, **didNotPlay** flag with reason, ejection flag, and the substitution slot if the athlete came in for another player. Pair with espn_wbb_game_team_roster() to enumerate the roster.

Usage

```
espn_wbb_game_team_roster_entry(event_id, team_id, athlete_id, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier.
athlete_id	ESPN athlete identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_game_team_roster_entry(event_id = 401276115,
                                          team_id = 2509,
                                          athlete_id = 4433404)
```

---

espn_wbb_injuries Get ESPN Women's College Basketball Injuries

---

Description

Get ESPN Women's College Basketball Injuries

Get ESPN Women's College Basketball Injuries

Usage

```
espn_wbb_injuries(season = most_recent_wbb_season(), ...)
```

Arguments

season	Numeric or character season year (e.g. 2025). The ESPN injury endpoint does not filter by season server-side; the value is attached as a constant column on the returned tibble for downstream joins. Defaults to most_recent_wbb_season().
...	Currently unused; reserved for future argument threading.

Value

Returns a tibble of league-wide WBB injury records. ESPN's WBB injury data is typically sparse; the function returns an empty tibble (zero rows) when no injuries are reported.

Injuries

Columns as documented in the shared espn_basketball_injuries_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_injuries()
```

`espn_wbb_leaders` **Get ESPN Women's College Basketball League Leaders**

Description

Get ESPN Women's College Basketball League Leaders

Get ESPN Women's College Basketball League Leaders

Usage

```
espn_wbb_leaders(season = most_recent_wbb_season(), season_type = 2, ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WBB season.
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see ?wehoop for details.

Value

A single `wehoop_data` tibble with one row per category-athlete pair.

Columns as documented in the shared espn_basketball_leaders_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2(`
`espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings(`
`espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`, `espn_wbb_season_weeks()`, `espn_wbb_seasons()`, `espn_wbb_standings()`, `espn_wbb_team()`, `espn_wbb_team_injuries()`, `espn_wbb_team_news()`, `espn_wbb_team_record_detail()`, `espn_wbb_team_schedule()`, `espn_wbb_team_season_ros`
`espn_wbb_team_season_statistics()`, `espn_wbb_team_stats()`, `espn_wbb_teams()`, `espn_wbb_tournament()`, `espn_wbb_tournament_season()`, `espn_wbb_tournament_seasons()`, `espn_wbb_tournaments()`, `espn_wbb_venues()`, `espn_wbb_week_ranking()`, `espn_wbb_week_rankings()`

Examples

```
espn_wbb_leaders(season = 2025, season_type = 2)
```

---

espn_wbb_news **Get ESPN WBB News**

Description

Get ESPN WBB News

Get ESPN Women's College Basketball News

Usage

```
espn_wbb_news(limit = 50)
```

Arguments

limit	integer. Maximum number of articles to return. Default 50.

Details

Retrieve ESPN women's college basketball news. Uses `getOption("wehoop.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of news articles.

Columns as documented in the shared espn_basketball_news_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_ espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(),

espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(
espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(),
espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(),
espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros
espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(),
espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(),
espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_news(limit = 5)
```

---

espn_wbb_player_awards

Get ESPN Women's College Basketball Athlete Awards

Description

Get ESPN Women's College Basketball Athlete Awards

Get ESPN Women's College Basketball Athlete Awards

Usage

```
espn_wbb_player_awards(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single tibble. This endpoint is sparse; many athletes have no award data, in which case an empty tibble with canonical columns is returned.

Columns as documented in the shared espn_basketball_player_awards_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_player_awards(athlete_id = "4433404")
```

`espn_wbb_player_career_stats`

Get ESPN WBB Athlete Career Stats (Long Format)

Description

Returns career stats for a WBB athlete in long format. Default `stat_type = 0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to attempt multiple types and bind them via a `stat_type_id` column; variants that 404 for that athlete are silently skipped. Stat types: 0 = regular season (default endpoint), 1 = postseason, 2 = career aggregate. Coverage of types 1 and 2 is sparse — many athletes only have type 0 populated.

Usage

```
espn_wbb_player_career_stats(athlete_id, stat_type = 0L, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier.
`stat_type`	Integer or integer vector of stat-type codes. Default `0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to bind multiple types via a `stat_type_id` column; non-existent variants are silently skipped.
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Athlete Career Stats (Long Format)

Value

A long tibble (one row per stat_type × split × category × stat).

Columns as documented in the shared espn_basketball_player_career_stats_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
# LeBron James — regular + postseason combined
espn_wbb_player_career_stats(athlete_id = 4433404)
# Just career aggregate
espn_wbb_player_career_stats(athlete_id = 4433404, stat_type = 2L)
```

`espn_wbb_player_eventlog_v2`

Get ESPN WBB Athlete Per-Season Event Log (core-v2)

Description

Returns one row per (event x team) for an WBB athlete's appearances in a given season. Distinct from espn_wbb_player_eventlog() which wraps the web-common-v3 endpoint; this core-v2 variant is era-correct.

Usage

```
espn_wbb_player_eventlog_v2(athlete_id, season = most_recent_wbb_season(), ...)
```

Arguments

athlete_id	ESPN athlete identifier.
season	Season year. Defaults to most recent WBB season.
...	Additional arguments; currently unused.

Value

A tibble with one row per event appearance.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_ros espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_player_eventlog_v2(athlete_id = 4433404, season = 2025)
```

`espn_wbb_player_info` **Get ESPN Women's College Basketball Athlete Info**

Description

Get ESPN Women's College Basketball Athlete Info

Get ESPN Women's College Basketball Athlete Info

Usage

```
espn_wbb_player_info(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A named list of data frames: `Bio`, `Team`, `Position`, `Status`, `College`, `Draft`.

Bio

Columns as documented in the shared espn_basketball_player_info_bio_schema table.

Team

col_name	types	description
id	character	Unique play identifcation number
abbreviation	character	Short abbreviation.
display_name	character	Display name.

Position

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.
abbreviation	character	Short abbreviation.

Status

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.

type	character	Record type / category.

College

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.
mascot	character	Team mascot.

Draft

col_name	types	description
year	character	4-digit year.
round	character	Tournament / playoff round.
selection	character	Selection.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_player_info(athlete_id = "4433404")
```

`espn_wbb_player_overview`

Get ESPN Women's College Basketball Athlete Overview

Description

Get ESPN Women's College Basketball Athlete Overview

Get ESPN Women's College Basketball Athlete Stats

Get ESPN Women's College Basketball Athlete Gamelog

Get ESPN Women's College Basketball Athlete Splits

Get ESPN Women's College Basketball Athlete Eventlog

Get ESPN Women's College Basketball Athlete Eventlog

Get ESPN Women's College Basketball Athlete Statisticslog

Usage

```
espn_wbb_player_overview(athlete_id, season = most_recent_wbb_season(), ...)

espn_wbb_player_stats_v3(athlete_id, season = most_recent_wbb_season(), ...)

espn_wbb_player_gamelog(athlete_id, season = most_recent_wbb_season(), ...)

espn_wbb_player_splits(athlete_id, season = most_recent_wbb_season(), ...)

espn_wbb_player_eventlog(athlete_id, season = most_recent_wbb_season(), ...)

espn_wbb_player_statisticslog(
  athlete_id,
  season = most_recent_wbb_season(),
  ...
)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent WBB season.
`...`	Additional arguments; currently unused.

Value

A named list of data frames: `Statistics`, `NextGame`, `Last5Games`, `Headlines`, `FantasyOutlook`.

Statistics

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

NextGame

Columns as documented in the shared espn_basketball_player_overview_next_game_schema table.

Last5Games

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

Headlines

col_name	types	description
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).

FantasyOutlook

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

A wide `wehoop_data` tibble, one row per athlete-season-team, with the ESPN stat categories spread across prefixed columns:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed input).
season	integer	Season year for the stat line.
team_id	character	ESPN team identifier for that season.
team_slug	character	Team slug (e.g. 'iowa-hawkeyes').
avg_*	numeric	Per-game season-average stats (e.g. `avg_avg_points`).
tot_*	numeric	Season-total stats (e.g. `tot_points`).
misc_*	numeric	Miscellaneous season totals.

Stat column names come from ESPN's positional `names` array per category, cleaned via `janitor::make_clean_names()`; the exact set varies by league and season.

A single tibble with one row per game. Column names reflect the stat labels returned by ESPN and will vary by season and player.

A single long-format tibble. When data are present, columns include at minimum `category` and `split_name`, plus per-stat columns driven by ESPN labels.

A single tibble. Per-event `statistics.$ref` URLs from the ESPN core-v2 API are returned as the character column `statistics_ref` and are NOT resolved. Similarly, `event_ref`, `competition_ref`, and `team_ref` are returned as character columns.

col_name	types	description
event_ref	character	Reference link to the originating event.
competition_ref	character	Competition ref.
team_ref	character	Team ref.
statistics_ref	character	Statistics ref.

A single tibble. When resolved, each row corresponds to one statistical entry in the core-v2 statistics log, with `event_ref` and `statistics_ref` character columns pointing to resolvable ESPN endpoints.

col_name	types	description
event_ref	character	Reference link to the originating event.
statistics_ref	character	Statistics ref.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_player_overview(athlete_id = "4433404", season = 2025)

espn_wbb_player_stats_v3(athlete_id = "4433985", season = 2025)

espn_wbb_player_gamelog(athlete_id = "4433404", season = 2025)

espn_wbb_player_splits(athlete_id = "4433404", season = 2025)

espn_wbb_player_eventlog(athlete_id = "4433404", season = 2025)

espn_wbb_player_statisticslog(athlete_id = "4433404", season = 2025)
```

`espn_wbb_player_seasons`

Get ESPN WBB Athlete Career Seasons

Description

Returns the list of seasons an WBB athlete appeared in. Useful for bounding follow-up calls to per-season endpoints.

Usage

```
espn_wbb_player_seasons(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per career season.

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
season	integer	Season year.
ref	character	`$ref` URL to the season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings()`, `espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`,

espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
# LeBron James (1966): 23 career seasons
espn_wbb_player_seasons(athlete_id = 4433404)
```

---

espn_wbb_player_stats Get ESPN women's college basketball player stats data

---

Description

Get ESPN women's college basketball player stats data

Usage

```
espn_wbb_player_stats(athlete_id, year, season_type = "regular", total = FALSE)
```

Arguments

athlete_id	Athlete ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

Value

Returns a tibble with the player stats data

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(),

espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
try(espn_wbb_player_stats(athlete_id = 2984250, year = 2022))
```

---

espn_wbb_position Get ESPN WBB Position Detail

Description

Returns metadata for a single WBB position. Useful for dereferencing position `$ref` URLs embedded in athlete records, and for navigating parent/leaf relationships in the position taxonomy.

Usage

```
espn_wbb_position(position_id, ...)
```

Arguments

position_id	ESPN position identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_position(position_id = 1)
```

---

espn_wbb_positions Get ESPN WBB Positions Index

Description

Returns the WBB position dictionary index. One row per position with its id and the canonical `$ref` URL — pass an id to espn_wbb_position() for full details (display name, abbreviation, leaf flag, parent link).

Usage

```
espn_wbb_positions(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per position.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_positions()
```

---

espn_wbb_powerindex Get ESPN WBB Season Power Index (Long Format)

Description

Returns ESPN's Basketball Power Index (BPI) and related per-team metrics for one WBB season, in long format: one row per (team x stat).

Usage

```
espn_wbb_powerindex(
  season = most_recent_wbb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent WBB season.
season_type	Integer (1=preseason, 2=regular (default), 3=postseason).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (team x stat).

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_powerindex(season = 2025)
```

---

espn_wbb_rankings *Get women's college basketball AP and Coaches poll rankings*

Description

Get women's college basketball AP and Coaches poll rankings

Usage

```
espn_wbb_rankings()
```

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
# Get current AP and Coaches Poll rankings

  try(espn_wbb_rankings())
```

`espn_wbb_scoreboard` **Get ESPN women's college basketball schedule for a specific year**

Description

Get ESPN women's college basketball schedule for a specific year

Usage

```
espn_wbb_scoreboard(season)
```

Arguments

season	Either numeric or character

Value

Returns a tibble

Columns as documented in the shared espn_basketball_scoreboard_schema table.

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
# Get schedule from date 2022-11-15

  try(espn_wbb_scoreboard (season = "20230225"))
```

`espn_wbb_seasons` **Get ESPN Women's College Basketball Seasons**

Description

Get ESPN Women's College Basketball Seasons

Get ESPN Women's College Basketball Seasons

Usage

```
espn_wbb_seasons(...)
```

Arguments

`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per season.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
season_type_count	integer	Count of season type.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`, `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings()`, `espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`, `espn_wbb_season_weeks()`, `espn_wbb_standings()`, `espn_wbb_team()`, `espn_wbb_team_injuries()`, `espn_wbb_team_news()`, `espn_wbb_team_record_detail()`, `espn_wbb_team_schedule()`, `espn_wbb_team_season_roster()`, `espn_wbb_team_season_statistics()`, `espn_wbb_team_stats()`, `espn_wbb_teams()`, `espn_wbb_tournament()`, `espn_wbb_tournament_season()`, `espn_wbb_tournament_seasons()`, `espn_wbb_tournaments()`, `espn_wbb_venues()`, `espn_wbb_week_ranking()`, `espn_wbb_week_rankings()`

Examples

```
espn_wbb_seasons()
```

`espn_wbb_season_awards`

Get ESPN WBB Season Awards Index

Description

Returns the list of award IDs given out in a WBB season from `sports.core.api.espn.com/v2/sports/basketball/leagu`. The index only contains IDs and `$ref` URLs — pass an ID to `espn_wbb_award()` for the award name, description, and winners.

Usage

```
espn_wbb_season_awards(season = most_recent_wbb_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WBB season.
...	Additional arguments; currently unused.

Value

A tibble with one row per award.

col_name	types	description
season	integer	Season year.
award_id	character	ESPN award identifier.
ref	character	Full $ref URL for the award detail.
league	character	League slug ("womens-college-basketball").

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_awards(season = 2024)
```

`espn_wbb_season_group` **Get ESPN WBB Season Group Detail**

Description

Returns metadata for one group (conference or division) in one (WBB season x season-type), plus `$ref` URLs to its parent group, children groups, member teams, and standings.

Returns the list of child groups (e.g. divisions within a conference) for one (WBB season x season-type x parent-group).

Returns the list of team IDs that belong to one group (conference or division) for one (WBB season x season-type).

Usage

```
espn_wbb_season_group(
  group_id,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)

espn_wbb_season_group_children(
  group_id,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)

espn_wbb_season_group_teams(
  group_id,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`group_id`	ESPN group identifier.
`season`	Season year. Defaults to most recent WBB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Season Group Detail

Get ESPN WBB Season Group Children Index

Get ESPN WBB Season Group Teams Index

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_group_schema table.

A tibble with one row per child group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
parent_group_id	character	Parent group id (queried).
child_group_id	character	Child group id.
ref	character	`$ref` to child group detail.

A tibble with one row per team in the group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
team_id	character	ESPN team id.
ref	character	`$ref` URL to the team-in-season entry.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`, `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`,

espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_group(group_id = 5, season = 2025)

espn_wbb_season_group_children(group_id = 5, season = 2025)

espn_wbb_season_group_teams(group_id = 5, season = 2025)
```

`espn_wbb_season_groups`

Get ESPN WBB Season Groups Index

Description

Returns the list of group IDs (conferences / divisions) for one (WBB season x season-type) via core-v2 `/seasons/{season}/types/{season_type}/groups`.

Usage

```
espn_wbb_season_groups(
  season = most_recent_wbb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

`season`	Season year. Defaults to most recent WBB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
ref	character	`$ref` URL for the group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_groups(season = 2025)
```

---

espn_wbb_season_info Get ESPN Women's College Basketball Season Info

---

Description

Get ESPN Women's College Basketball Season Info

Get ESPN Women's College Basketball Season Info

Usage

```
espn_wbb_season_info(season = most_recent_wbb_season(), ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent WBB season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(wehoop.proxy = ...) – see ?wehoop for details.

Value

A named list of wehoop_data tibbles: Info, Types, Athletes, Coaches, Teams, Awards. $ref URL components are returned as character columns and are NOT auto-resolved – use targeted endpoint functions for details.

Info

col_name	types	description
year	integer	4-digit year.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
type_id	character	Type identifier (numeric).
type_name	character	Type name.

Types / Athletes / Coaches / Teams / Awards

col_name	types	description
count	integer	Count of count.
ref	character	Ref.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(),

espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_info(season = 2025)
```

`espn_wbb_season_leaders`

Get ESPN WBB Season Leaders (Long Format)

Description

Returns the per-category leaderboard for one (WBB season x season-type), in long format. Each row is one (category x rank) entry, e.g. "Points Per Game x rank 1 x LeBron James".

Usage

```
espn_wbb_season_leaders(
  season = most_recent_wbb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

`season`	Season year. Defaults to most recent WBB season.
`season_type`	Season-type id (2 = regular (default), 3 = postseason).
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Season Leaders (Long Format)

Value

A long tibble with one row per (category x leader).

Columns as documented in the shared espn_basketball_season_leaders_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_leaders(season = 2025)
```

`espn_wbb_season_ranking`

Get ESPN WBB Season Ranking Detail

Description

Returns the per-week snapshot index for one ranking source (e.g. AP Top 25). Each row is one weekly snapshot; the `ref` URL resolves to the actual ranked teams for that (season-type x week) and will be wrapped by a forthcoming `espn_LOWERWBB_week_ranking()`.

Usage

```
espn_wbb_season_ranking(ranking_id, season = most_recent_wbb_season(), ...)
```

Arguments

`ranking_id`	ESPN ranking identifier (character or numeric).
`season`	Season year. Defaults to most recent WBB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Season Ranking Detail

Value

A tibble with one row per weekly snapshot.

Columns as documented in the shared espn_basketball_season_ranking_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_ranking(ranking_id = 1, season = 2025)
```

`espn_wbb_season_rankings`

Get ESPN WBB Season Rankings Index

Description

Returns the index of season-level rankings recorded for one WBB season. Typical sources: AP Top 25 (id 1), Coaches Poll (id 2). Pass an `ranking_id` to `espn_wbb_season_ranking()` for the ranked teams.

Usage

```
espn_wbb_season_rankings(season = most_recent_wbb_season(), ...)
```

Arguments

season	Season year. Defaults to most recent WBB season.
...	Additional arguments; currently unused.

Details

Get ESPN WBB Season Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
ref	character	$ref URL for the ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_rankings(season = 2025)
```

`espn_wbb_season_type` **Get ESPN WBB Season-Type Detail**

Description

Returns metadata for one season-type within an WBB season: name, abbreviation, start / end dates, and whether it carries groups, standings, or playoff legs.

Usage

```
espn_wbb_season_type(season_type = 2L, season = most_recent_wbb_season(), ...)
```

Arguments

`season_type`	Season-type id (1 = preseason, 2 = regular (default), 3 = postseason, 4 = off-season).
`season`	Season year. Defaults to most recent WBB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Season-Type Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_type_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`,

espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_type(season_type = 2, season = 2025)
```

---

espn_wbb_season_types Get ESPN WBB Season Types Index

Description

Returns the index of season-type IDs that exist for one WBB season (typically 1 = preseason, 2 = regular, 3 = postseason, 4 = off-season). Pass an ID to espn_wbb_season_type() for the start/end dates and whether that type carries groups, standings, or legs.

Usage

```
espn_wbb_season_types(season = most_recent_wbb_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WBB season.
...	Additional arguments; currently unused.

Value

A tibble with one row per season type.

col_name	types	description
league	character	League slug ("womens-college-basketball").
season	integer	Season year.
season_type	integer	Season-type id (1/2/3/4).
ref	character	$ref URL for the type detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_types(season = 2025)
```

---

espn_wbb_season_week Get ESPN WBB Season-Week Detail

Description

Returns metadata for one week (number, start / end dates, text label, and `$ref` to the per-week rankings endpoint).

Usage

```
espn_wbb_season_week(
  week,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)
```

Arguments

week	Week number.
season	Season year. Defaults to most recent WBB season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN WBB Season-Week Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_week_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_week(week = 5, season = 2025)
```

---

espn_wbb_season_weeks Get ESPN WBB Season Weeks Index

Description

Returns the list of week IDs for one (WBB season x season-type). WBB uses a week structure inherited from ESPN's schema, but week-level rankings are populated only for college (MBB / WBB).

Usage

```
espn_wbb_season_weeks(
  season = most_recent_wbb_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year. Defaults to most recent WBB season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Value

A tibble with one row per week.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number (1-based).
ref	character	$ref URL for the week detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_season_weeks(season = 2025)
```

`espn_wbb_standings` *Get ESPN women's college basketball standings*

Description

Get ESPN women's college basketball standings

Usage

```
espn_wbb_standings(year)
```

Arguments

`year`	Either numeric or character (YYYY)

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn` `espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`, `espn_wbb_player_seasons()`, `espn_wbb_player_stats()`, `espn_wbb_position()`, `espn_wbb_positions()`, `espn_wbb_powerindex()`, `espn_wbb_rankings()`, `espn_wbb_scoreboard()`, `espn_wbb_season_awards()`, `espn_wbb_season_group()`, `espn_wbb_season_groups()`, `espn_wbb_season_info()`, `espn_wbb_season_leaders()`, `espn_wbb_season_ranking()`, `espn_wbb_season_rankings()`, `espn_wbb_season_type()`, `espn_wbb_season_types()`, `espn_wbb_season_week()`, `espn_wbb_season_weeks()`, `espn_wbb_seasons()`, `espn_wbb_team()`, `espn_wbb_team_injuries()`, `espn_wbb_team_news()`, `espn_wbb_team_record_detail()`, `espn_wbb_team_schedule()` `espn_wbb_team_season_roster()`, `espn_wbb_team_season_statistics()`, `espn_wbb_team_stats()`, `espn_wbb_teams()`, `espn_wbb_tournament()`, `espn_wbb_tournament_season()`, `espn_wbb_tournament_seasons()`, `espn_wbb_tournaments()`, `espn_wbb_venues()`, `espn_wbb_week_ranking()`, `espn_wbb_week_rankings()`

Examples

```
try(espn_wbb_standings(2021))
```

`espn_wbb_team` **Get ESPN Women's College Basketball Team Detail**

Description

Era-correct team identity for a women's college basketball program in a specific season, plus the available `$ref` URLs for deeper resources (record, statistics, leaders, athletes/roster, coaches, college, etc.). Backed by the core-v2 endpoint `sports.core.api.espn.com/v2/sports/basketball/leagues/womens-coll`

Historical depth goes back to **1982** at ESPN (NCAA-tournament-era forward). Older seasons return fewer `$ref` keys; missing refs become `NA`.

Usage

```
espn_wbb_team(team_id, season = most_recent_wbb_season(), ...)

espn_wbb_team_roster(team_id, season = most_recent_wbb_season(), ...)

espn_wbb_team_leaders(team_id, season = most_recent_wbb_season(), ...)

espn_wbb_team_season_profile(team_id, season = most_recent_wbb_season(), ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric).
`season`	Season year (numeric). Defaults to the most recent WBB season.
`...`	Additional arguments; currently unused.

Value

A named list of data frames: `Info`, `Record`, `NextEvent`, `StandingSummary`, `Coaches`.

Info

Columns as documented in the shared espn_basketball_team_info_schema table.

Record

col_name	types	description
type	character	Record type / category.
summary	character	Summary.
stats	list	Stats.

NextEvent

Columns as documented in the shared espn_basketball_player_overview_next_game_schema table.

StandingSummary

col_name	types	description
standing_summary	character	Standing summary.

Coaches

col_name	types	description
id	character	Unique play identifcation number
first_name	character	Player's first name.
last_name	character	Player's last name.
experience	integer	Years of professional experience.

A single tibble with one row per athlete.

Columns as documented in the shared espn_basketball_team_roster_schema table.

A single long-format tibble (one row per category-rank-athlete).

Columns as documented in the shared espn_basketball_team_leaders_schema table.

A single-row tibble with team identity scalars and `_ref` URL columns. Selected columns:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule() espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team(team_id = "2509", season = 2025)

espn_wbb_team_roster(team_id = "2509", season = 2025)

espn_wbb_team_leaders(team_id = "2509", season = 2025)

espn_wbb_team_season_profile(team_id = "2509", season = 2025)
```

---

espn_wbb_teams *Get ESPN women's college basketball team names and ids*

Description

Get ESPN women's college basketball team names and ids

Usage

```
espn_wbb_teams(year = most_recent_wbb_season())
```

Arguments

year	Either numeric or character (YYYY)

Value

Returns a teams infomation data frame

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(),

espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
try(espn_wbb_teams())
```

`espn_wbb_team_injuries`

Get ESPN Women's College Basketball Team Injuries

Description

Get ESPN Women's College Basketball Team Injuries

Get ESPN Women's College Basketball Team Injuries

Usage

```
espn_wbb_team_injuries(team_id, ...)
```

Arguments

`team_id`	ESPN team identifier (character or numeric; passed as-is). Use `espn_wbb_teams()` to look up team IDs. Example: `"2509"` (UConn).
`...`	Currently unused; reserved for future argument threading.

Value

Returns a tibble of injury records for the specified WBB team. Returns an empty tibble (zero rows) when the team has no reported injuries.

Injuries

Columns as documented in the shared espn_basketball_team_injuries_injuries_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_injuries(team_id = "2509")
```

`espn_wbb_team_news` **Get ESPN WBB Team News**

Description

Get ESPN WBB Team News

Get ESPN Women's College Basketball Team News

Usage

```
espn_wbb_team_news(team_id, limit = 25)
```

Arguments

`team_id`	character or integer. ESPN team ID (e.g. `2509` for UConn).
`limit`	integer. Maximum number of articles to return. Default `25`.

Details

Retrieve ESPN women's college basketball news for a specific team. Uses `getOption("wehoop.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of team news articles.

Columns as documented in the shared espn_basketball_news_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_news(team_id = "2509", limit = 5)
```

`espn_wbb_team_record_detail`

Get ESPN WBB Team Record Detail (Long Format)

Description

Returns one team's record detail in long format: one row per stat in the record's `stats[]` array. Use the record-index endpoint to enumerate available `record_id` values per team-season (overall / home / away / conference + per-opponent breakdowns).

Usage

```
espn_wbb_team_record_detail(team_id, season, record_id, season_type = 2L, ...)
```

Arguments

team_id	ESPN team identifier.
season	Season year (numeric).
record_id	Record identifier (from the record-index endpoint index).
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A long tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_record_detail(team_id = 2509, season = 2024, record_id = 0)
```

espn_wbb_team_schedule

Get ESPN Women's College Basketball Team Schedule

Description

Get ESPN Women's College Basketball Team Schedule

Get ESPN Women's College Basketball Team Schedule

Usage

```
espn_wbb_team_schedule(
  team_id,
  season = most_recent_wbb_season(),
  season_type = 2,
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WBB season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A single tibble with one row per event.

Columns as documented in the shared espn_basketball_team_schedule_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(),

espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_schedule(team_id = "2509", season = 2025)
```

`espn_wbb_team_season_roster`

Get ESPN WBB Team Roster (Per-Season, core-v2)

Description

Returns the per-season team roster as a tibble of athlete IDs from `seasons/{y}/teams/{id}/athletes`. Distinct from `espn_wbb_team_roster()` which targets a site-v2 endpoint optimized for the current season; this core-v2 variant is era-correct and available back to ESPN's earliest season for each league.

Usage

```
espn_wbb_team_season_roster(team_id, season = most_recent_wbb_season(), ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year. Defaults to most recent WBB season.
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Team Roster (Per-Season, core-v2)

Value

A tibble with one row per athlete on the season roster.

col_name	types	description
league	character	League slug.
team_id	character	ESPN team id.
season	integer	Season year.
athlete_id	character	ESPN athlete id.

ref	character	`$ref` URL to athlete-in-season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_season_roster(team_id = 2509, season = 2025)
```

`espn_wbb_team_season_statistics`

Get ESPN WBB Team Season Statistics (Long Format with Rank)

Description

Returns the full team-season-type statistics sheet for one WBB team in long format: one row per (category x stat). Each row carries the team's league rank for that stat where ESPN provides it (`rank` + `rank_display_value`). Complements W-L records (not directly wrapped for WBB) with the full stat package.

Usage

```
espn_wbb_team_season_statistics(
  team_id,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)
```

Arguments

team_id	ESPN team identifier.
season	Season year (numeric). Defaults to the most recent WBB season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_team_season_statistics(team_id = 2509, season = 2024)
```

espn_wbb_team_stats **Get ESPN women's college basketball team stats data**

Description

Get ESPN women's college basketball team stats data

Usage

```
espn_wbb_team_stats(team_id, year, season_type = "regular", total = FALSE)
```

Arguments

team_id	Team ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

Value

Returns a tibble with the team stats data

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
try(espn_wbb_team_stats(team_id = 2509, year = 2020))
```

`espn_wbb_tournament` **Get ESPN WBB Tournament Detail**

Description

Returns metadata for a single WBB tournament plus the `$ref` URL for the tournament's seasons list. Tournament IDs of interest include the NCAA Tournament and WNIT (resolve via `espn_wbb_tournaments()`).

Usage

```
espn_wbb_tournament(tournament_id, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
display_name	character	Human-readable tournament name.
seasons_ref	character	`$ref` to the seasons-list endpoint.
league	character	League slug.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`, `espn_wbb_game_team_linescores()`, `espn_wbb_game_team_roster_entry()`, `espn_wbb_injuries()`, `espn_wbb_leaders()`, `espn_wbb_news()`, `espn_wbb_player_awards()`, `espn_wbb_player_career_stats()`, `espn_wbb_player_eventlog_v2()`, `espn_wbb_player_info()`, `espn_wbb_player_overview()`,

espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_tournament(tournament_id = 3)
```

---

espn_wbb_tournaments Get ESPN WBB Tournaments Index

Description

Returns the index of women's college basketball tournaments tracked by ESPN — including the NCAA Tournament, WNIT, conference tournaments, and other in-season events. Pass an ID to espn_wbb_tournament() for the human-readable name and seasons-list ref.

Note: ESPN does not expose a tournaments endpoint for the WNBA.

Usage

```
espn_wbb_tournaments(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per tournament.

col_name	types	description
tournament_id	character	ESPN tournament identifier.
ref	character	Full $ref URL for the detail.
league	character	League slug ("womens-college-basketball").

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_tournaments()
```

`espn_wbb_tournament_season`

Get ESPN WBB Tournament Season Detail

Description

Returns single-row detail for one (tournament, season) pair: id, display name, number of rounds, and `$refs` to the season + bracketology resources. Use `espn_wbb_tournament_seasons()` to enumerate valid (tournament_id, season) pairs.

Usage

```
espn_wbb_tournament_season(tournament_id, season, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`season`	Season year (numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_tournament_season(tournament_id = 3, season = 2024)
```

`espn_wbb_tournament_seasons`

Get ESPN WBB Tournament Seasons List

Description

Returns the seasons in which a given WBB tournament was held.

Usage

```
espn_wbb_tournament_seasons(tournament_id, ...)
```

Arguments

`tournament_id`	ESPN tournament identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per season.

col_name	types	description
league	character	League slug.
tournament_id	character	ESPN tournament identifier.
season	integer	Season year.
ref	character	Full `$ref` URL for that season.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking(), espn_wbb_week_rankings()

Examples

```
espn_wbb_tournament_seasons(tournament_id = 3)
```

---

espn_wbb_venues — Get ESPN Women's College Basketball Venues

Description

Get ESPN Women's College Basketball Venues

Get ESPN Women's College Basketball Venues

Usage

```
espn_wbb_venues(...)
```

Arguments

...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per venue.

Columns as documented in the shared espn_basketball_venues_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_week_ranking(), espn_wbb_week_rankings(

Examples

```
espn_wbb_venues()
```

`espn_wbb_week_ranking` **Get ESPN WBB Per-Week Ranking Detail**

Description

Returns the long-format ranked teams for one (season x season-type x week x ranking-source). Typically 25 rows for WBB (AP Top 25).

Usage

```
espn_wbb_week_ranking(
  ranking_id,
  week,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)
```

Arguments

`ranking_id`	Ranking source id (1 = AP, 2 = Coaches, etc.).
`week`	Week number.
`season`	Season year. Defaults to most recent WBB season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN WBB Per-Week Ranking Detail

Value

A tibble with one row per ranked team (typically 25).

Columns as documented in the shared espn_basketball_week_ranking_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: `espn_wbb_athletes_index()`, `espn_wbb_award()`, `espn_wbb_calendar()`, `espn_wbb_coach()`, `espn_wbb_coach_record()`, `espn_wbb_coach_season()`, `espn_wbb_coaches()`, `espn_wbb_conferences()`, `espn_wbb_franchise()`, `espn_wbb_franchises()`, `espn_wbb_game_all()`, `espn_wbb_game_odds()`, `espn_wbb_game_official_detail()`, `espn_wbb_game_play()`, `espn_wbb_game_play_personn`
`espn_wbb_game_player_box()`, `espn_wbb_game_probabilities()`, `espn_wbb_game_propbets()`,

espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_rankings()

Examples

```
espn_wbb_week_ranking(ranking_id = 1, week = 5, season = 2025)
```

`espn_wbb_week_rankings`

Get ESPN WBB Per-Week Rankings Index

Description

Returns the index of ranking sources available for one (WBB season x season-type x week). Typical sources: AP Top 25 (id 1), Coaches Poll (id 2). Pass an id to `espn_wbb_week_ranking()` for the ranked teams.

Usage

```
espn_wbb_week_rankings(
  week,
  season = most_recent_wbb_season(),
  season_type = 2L,
  ...
)
```

Arguments

week	Week number.
season	Season year. Defaults to most recent WBB season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN WBB Per-Week Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranked-teams detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WBB Functions: espn_wbb_athletes_index(), espn_wbb_award(), espn_wbb_calendar(), espn_wbb_coach(), espn_wbb_coach_record(), espn_wbb_coach_season(), espn_wbb_coaches(), espn_wbb_conferences(), espn_wbb_franchise(), espn_wbb_franchises(), espn_wbb_game_all(), espn_wbb_game_odds(), espn_wbb_game_official_detail(), espn_wbb_game_play(), espn_wbb_game_play_personn espn_wbb_game_player_box(), espn_wbb_game_probabilities(), espn_wbb_game_propbets(), espn_wbb_game_team_linescores(), espn_wbb_game_team_roster_entry(), espn_wbb_injuries(), espn_wbb_leaders(), espn_wbb_news(), espn_wbb_player_awards(), espn_wbb_player_career_stats(), espn_wbb_player_eventlog_v2(), espn_wbb_player_info(), espn_wbb_player_overview(), espn_wbb_player_seasons(), espn_wbb_player_stats(), espn_wbb_position(), espn_wbb_positions(), espn_wbb_powerindex(), espn_wbb_rankings(), espn_wbb_scoreboard(), espn_wbb_season_awards(), espn_wbb_season_group(), espn_wbb_season_groups(), espn_wbb_season_info(), espn_wbb_season_leaders(), espn_wbb_season_ranking(), espn_wbb_season_rankings(), espn_wbb_season_type(), espn_wbb_season_types(), espn_wbb_season_week(), espn_wbb_season_weeks(), espn_wbb_seasons(), espn_wbb_standings(), espn_wbb_team(), espn_wbb_team_injuries(), espn_wbb_team_news(), espn_wbb_team_record_detail(), espn_wbb_team_schedule(), espn_wbb_team_season_roster(), espn_wbb_team_season_statistics(), espn_wbb_team_stats(), espn_wbb_teams(), espn_wbb_tournament(), espn_wbb_tournament_season(), espn_wbb_tournament_seasons(), espn_wbb_tournaments(), espn_wbb_venues(), espn_wbb_week_ranking()

Examples

```
espn_wbb_week_rankings(week = 5, season = 2025)
```

`espn_wnba_athletes_index`

Get ESPN WNBA Athletes Index

Description

Get ESPN WNBA Athletes Index

Get ESPN WNBA Athletes Index

Usage

```
espn_wnba_athletes_index(
  season = most_recent_wnba_season(),
  active = TRUE,
  limit = 5000L,
  ...
)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
active	logical. When TRUE (default) only active athletes are returned. Set to FALSE for the full historical roster.
limit	integer. Maximum number of rows to return. Default 5000. Pass a small value (e.g. limit = 50) in tests to keep execution fast.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(wehoop.proxy = ...) – see ?wehoop for details.

Value

A single wehoop_data tibble with one row per athlete.

Columns as documented in the shared espn_basketball_athletes_index_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankin

espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail, espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_athletes_index(season = 2025, limit = 50)
```

---

espn_wnba_award — Get ESPN WNBA Season Award Detail

Description

Returns the name, description, and winners of one WNBA season award.

Usage

```
espn_wnba_award(award_id, season = most_recent_wnba_season(), ...)
```

Arguments

award_id	ESPN award identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A tibble with one row per winner.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(),

espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_award(award_id = 247, season = 2024)
```

`espn_wnba_calendar` **Get ESPN WNBA Calendar**

Description

Get ESPN WNBA Calendar

Get ESPN WNBA Calendar

Usage

```
espn_wnba_calendar(season = most_recent_wnba_season())
```

Arguments

`season`	integer or character. Four-digit season year (e.g. `2025`). Defaults to `most_recent_wnba_season()`.

Details

Retrieve the ESPN WNBA schedule calendar for a given season. The underlying scoreboard response contains a `leagues[[1]]$calendar` block with season-type entries (pre-season, regular, post). Uses `getOption("wehoop.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of calendar entries.

Columns as documented in the shared espn_basketball_calendar_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_calendar(season = 2025)
```

`espn_wnba_coaches` **Get ESPN WNBA Coaches**

Description

Get ESPN WNBA Coaches

Get ESPN WNBA Coaches

Usage

```
espn_wnba_coaches(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single wehoop_data tibble with one row per coach.

col_name	types	description
coach_id	character	Unique identifier for coach.
first_name	character	Player's first name.
last_name	character	Player's last name.
full_name	character	Player's full name.
experience	integer	Years of professional experience.
team_id	character	Unique team identifier.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_coaches(season = 2025)
```

---

espn_wnba_coach_season

Get ESPN WNBA Coach-in-Season Detail

Description

Per-season coach detail (name, birth info, $refs to team/college/ person). ESPN's coverage of this endpoint is sparse; many (coach × season) combinations return 404.

Usage

```
espn_wnba_coach_season(coach_id, season = most_recent_wnba_season(), ...)
```

Arguments

coach_id	ESPN coach identifier.
season	Season year. Defaults to most recent WNBA season.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Coach-in-Season Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_coach_season_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankin espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_coach_season(coach_id = 52063, season = 2025)
```

`espn_wnba_conferences` **Get ESPN WNBA Conferences**

Description

Get ESPN WNBA Conferences

Get ESPN WNBA Conferences

Usage

```
espn_wnba_conferences()
```

Value

A `wehoop_data` tibble with one row per conference:

Columns as documented in the shared espn_basketball_conferences_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`, `espn_wnba_season_groups()`, `espn_wnba_season_info()`, `espn_wnba_season_leaders()`, `espn_wnba_season_rankin`
`espn_wnba_season_rankings()`, `espn_wnba_season_type()`, `espn_wnba_season_types()`, `espn_wnba_season_week()`
`espn_wnba_season_weeks()`, `espn_wnba_seasons()`, `espn_wnba_standings()`, `espn_wnba_team()`, `espn_wnba_team_injuries()`, `espn_wnba_team_news()`, `espn_wnba_team_record()`, `espn_wnba_team_record_detail`
`espn_wnba_team_schedule()`, `espn_wnba_team_season_roster()`, `espn_wnba_team_season_statistics()`, `espn_wnba_team_stats()`, `espn_wnba_teams()`, `espn_wnba_transactions()`, `espn_wnba_venues()`, `espn_wnba_week_ranking()`, `espn_wnba_week_rankings()`

Examples

```
try(espn_wnba_conferences())
```

`espn_wnba_draft` **Get ESPN WNBA Draft Picks**

Description

Get ESPN WNBA Draft Picks

Get ESPN WNBA Draft Picks

Usage

```
espn_wnba_draft(season = most_recent_wnba_season(), ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)`.

Details

Calls the ESPN core-v2 endpoint `https://sports.core.api.espn.com/v2/sports/basketball/leagues/wnba/seasor` which returns each round of the draft with its picks inlined as `picks: [...]`. For historical seasons with no ESPN draft data the function returns an empty tibble rather than erroring.

Value

A `wehoop_data` tibble with one row per draft pick:

See the HTML help or pkgdown reference for the column table.

Athlete and team details (name, position, college, abbreviation) are not inlined in the draft response; resolve them via `espn_wnba_player_info()` or `espn_wnba_team()` using the returned IDs.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft_athlete_detail(espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_draft(season = 2024)
```

`espn_wnba_draft_athlete_detail`

Get ESPN WNBA Draft Athlete Detail (Single Drafted Player)

Description

Returns rich single-row detail for one drafted athlete in one NBA draft year: name, height, weight, position, pick (overall/round/team), and a `$ref` to the athlete's core-v2 profile. Use espn_wnba_draft_athletes() to enumerate draftees for a year.

Usage

```
espn_wnba_draft_athlete_detail(
  season = most_recent_wnba_season(),
  athlete_id,
  ...
)
```

Arguments

season	Draft year (numeric). Defaults to the most recent NBA season.
athlete_id	ESPN draftee identifier.
...	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_draft_athlete_detail(season = 2024, athlete_id = 3149391)
```

---

espn_wnba_draft_pick Get ESPN WNBA Draft Pick Detail

Description

Returns a single WNBA draft pick. Defaults to the most recent WNBA season's #1 overall pick. For a full draft, use espn_wnba_draft().

Usage

```
espn_wnba_draft_pick(
  season = most_recent_wnba_season(),
  round = 1L,
  pick = 1L,
  ...
)
```

Arguments

season	Season year. Defaults to most recent WNBA season.
round	Draft round (default 1).
pick	Pick number within the round (default 1).
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Draft Pick Detail

Value

A single-row tibble.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_per espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_draft_pick(season = 2024, round = 1, pick = 1)
```

espn_wnba_draft_rounds

Get ESPN WNBA Draft Rounds Summary

Description

Returns one row per round of the WNBA draft (typically 2 rounds: 1st with 30 picks, 2nd with ~28 picks).

Returns one row per drafted athlete in a given WNBA draft year.

Returns the current status of one WNBA draft year (round, state, description). Live during the draft; static afterward.

Returns a single-row tibble with top-level draft-year metadata: year, number of rounds, display name, plus `$ref`s for the deeper sub-resources (status, athletes, rounds) already wrapped by `espn_wnba_draft_status()`, `espn_wnba_draft_athletes()`, and `espn_wnba_draft_rounds()`.

Usage

```
espn_wnba_draft_rounds(season = most_recent_wnba_season(), ...)

espn_wnba_draft_athletes(season = most_recent_wnba_season(), ...)

espn_wnba_draft_status(season = most_recent_wnba_season(), ...)

espn_wnba_season_draft(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Draft Rounds Summary

Get ESPN WNBA Draft Athletes Index

Get ESPN WNBA Draft Status

Value

A tibble with one row per round.

A tibble of athlete IDs + `$ref` URLs.

A single-row tibble.

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_draft_rounds(season = 2024)

espn_wnba_draft_athletes(season = 2024)

espn_wnba_draft_status(season = 2024)

espn_wnba_season_draft(season = 2024)
```

---

espn_wnba_franchise Get ESPN WNBA Franchise Detail

Description

Returns franchise-level metadata for a WNBA franchise. Franchise IDs are stable across relocations and rebrands.

Usage

```
espn_wnba_franchise(franchise_id, ...)
```

Arguments

franchise_id	ESPN franchise identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single-row tibble.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_per espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankin espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_franchise(franchise_id = 17)
```

---

espn_wnba_franchises **Get ESPN WNBA Franchises Index**

Description

Returns the full WNBA franchises index from sports.core.api.espn.com/v2/sports/basketball/leagues/wnba/frar Each row is one franchise with its ID and the canonical $ref URL — pass an ID to espn_wnba_franchise() for full franchise detail.

Usage

```
espn_wnba_franchises(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per franchise.

col_name	types	description
franchise_id	character	ESPN franchise identifier.
ref	character	Full $ref URL for franchise detail.
league	character	League slug ("wnba").

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_per espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_franchises()
```

`espn_wnba_freeagents` **Get ESPN WNBA Free Agents**

Description

Get ESPN WNBA Free Agents

Get ESPN WNBA Free Agents

Usage

```
espn_wnba_freeagents(season = most_recent_wnba_season(), ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)`.

Details

Calls the ESPN core-v2 endpoint `https://sports.core.api.espn.com/v2/sports/basketball/leagues/wnba/seasor` As of 2026-05, this endpoint returns HTTP 500 for every season tested and there is no documented replacement; the function consequently returns an empty tibble and emits a CLI error message. It is retained so that downstream code does not break if ESPN restores the endpoint, but should not be relied on in the meantime.

Value

A `wehoop_data` tibble with one row per free agent:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_per` `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`,

espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankin espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_freeagents(season = 2025)
```

---

espn_wnba_futures Get ESPN WNBA Season Futures (Long Format)

Description

Returns the full futures-betting board for a WNBA season, in long format: one row per (market x team). Markets include championship winner and conference winners. Backed by sports.core.api.espn.com/v2/sports

Note: ESPN does not currently expose a futures endpoint for women's college basketball.

Usage

```
espn_wnba_futures(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A long-format tibble.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_per espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_futures(season = 2025)
```

---

espn_wnba_game_all *Get ESPN's WNBA game data (play-by-play, team and player box)*

Description

Get ESPN's WNBA game data (play-by-play, team and player box)

Get ESPN's WNBA play by play data

Get ESPN's WNBA team box data

Get ESPN's WNBA player box data

Get ESPN WNBA game rosters

Usage

```
espn_wnba_game_all(game_id)

espn_wnba_pbp(game_id)

espn_wnba_team_box(game_id)

espn_wnba_player_box(game_id)

espn_wnba_game_rosters(game_id)
```

Arguments

game_id	Game ID

Value

A named list of dataframes: Plays, Team, Player

Plays

Columns as documented in the shared espn_basketball_game_all_plays_schema table.

Team

Columns as documented in the shared espn_basketball_team_box_schema table.

Player

Columns as documented in the shared espn_basketball_game_all_player_schema table.

Returns a play-by-play data frame

Plays

Columns as documented in the shared espn_basketball_game_all_plays_schema table.

Returns a team boxscore data frame

Team

Columns as documented in the shared espn_basketball_team_box_schema table.

Returns a player boxscore data frame

Player

Columns as documented in the shared espn_basketball_game_all_player_schema table.

A game rosters data frame

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_per espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week()

espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
try(espn_wnba_game_all(game_id = 401244185))


 try(espn_wnba_pbp(game_id = 401455681))


 try(espn_wnba_team_box(game_id = 401244185))


try(espn_wnba_player_box(game_id = 401244185))


try(espn_wnba_game_rosters(game_id = 401244185))
```

---

espn_wnba_game_odds **Get ESPN WNBA Event Odds**

Description

Returns the live game situation for one WNBA event: timeouts remaining, team fouls, fouls to give, bonus state, and a `$ref` to the last play. During a live game this reflects current state; after the game ends the values are frozen.

Returns pre-game predictor statistics for one WNBA event in long format: one row per (team × statistic). Typical stats include matchup quality, predicted score, win probability, and team strength metrics. Returns empty for events without predictor data (often the case for already-played games).

Returns the per-team power-index `$ref` URLs for one WNBA event. Coverage is sparse — many events return zero items.

Usage

```
espn_wnba_game_odds(event_id, ...)

espn_wnba_game_officials(event_id, ...)

espn_wnba_game_broadcasts(event_id, ...)
```

```
espn_wnba_game_situation(event_id, ...)

espn_wnba_game_predictor(event_id, ...)

espn_wnba_game_powerindex(event_id, ...)
```

Arguments

event_id	ESPN event identifier.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Event Predictor (Pre-game)

Get ESPN WNBA Event Power Index Index

Value

A tibble with one row per odds provider.

Columns as documented in the shared espn_basketball_game_odds_schema table.

A tibble with one row per official assigned to the game.

Columns as documented in the shared espn_basketball_game_officials_schema table.

A tibble with one row per broadcast outlet for the game.

Columns as documented in the shared espn_basketball_game_broadcasts_schema table.

A single-row tibble with timeouts + fouls for both teams.

A long tibble with rows for both home and away teams.

A tibble with one row per team-game power-index entry.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_pers espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir

espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week()
espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(),
espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail
espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(),
espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(),
espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_odds(event_id = "401736171")


espn_wnba_game_officials(event_id = "401736171")


espn_wnba_game_broadcasts(event_id = "401736171")


espn_wnba_game_situation(event_id = 401736171)


espn_wnba_game_predictor(event_id = 401736171)


espn_wnba_game_powerindex(event_id = 401736171)
```

`espn_wnba_game_official_detail`

Get ESPN WNBA Event Official Detail (Single Official)

Description

Returns a single-row tibble for one referee assigned to one WNBA event, with their name, position (Referee / Crew Chief / Umpire), and crew order. Pair with espn_wnba_game_officials() to enumerate the crew.

Usage

```
espn_wnba_game_official_detail(event_id, order, ...)
```

Arguments

event_id	ESPN event identifier.
order	Crew order index (1 = first official). Pair with the order column from event_officials().
...	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_official_detail(event_id = 401736171, order = 1)
```

`espn_wnba_game_play` **Get ESPN WNBA Event Play Detail (Single Play)**

Description

Returns the rich detail block for a single WNBA play: sequence, period, clock, text, scoring/shooting flags, current home/away score, team `$ref`, and shot coordinates if applicable. Complements the bulk espn_wnba_pbp() output by exposing the canonical core-v2 play record.

Usage

```
espn_wnba_game_play(event_id, play_id, ...)
```

Arguments

event_id	ESPN event identifier.
play_id	ESPN play identifier (visible in pbp() output as play_id or extractable from plays[].$ref).
...	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play_pers espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_play(event_id = 401736171, play_id = 4017361714)
```

---

espn_wnba_game_player_box

Get ESPN WNBA Event Player Box Score (Long Format)

Description

Returns the long-format per-game box score for a single athlete in one WNBA event. One row per (category x stat). Same shape as espn_wnba_game_team_statistics() but scoped to a single athlete-in-event instead of the full team. stat_type defaults to 0 (regular-season aggregate as ESPN tags it for finished events).

Usage

```
espn_wnba_game_player_box(event_id, team_id, athlete_id, stat_type = 0L, ...)
```

Arguments

event_id	ESPN event identifier.
team_id	ESPN team identifier (the competitor the athlete played for).
athlete_id	ESPN athlete identifier.
stat_type	Integer stat-type segment. Defaults to 0 (the only type commonly populated for finished events).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_player_box(event_id = 401736171, team_id = 17,
                          athlete_id = 3149391)
```

`espn_wnba_game_play_personnel`

Get ESPN WNBA Event Play Personnel (On-Court Lineup at Play)

Description

Returns the players on court at a specific WNBA play in long format (one row per athlete entry across both competitors). Foundation for lineup analysis. ESPN coverage is sparse — many plays return zero rows; the wrapper returns a typed empty tibble in that case.

Usage

```
espn_wnba_game_play_personnel(event_id, play_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`play_id`	ESPN play identifier.
`...`	Additional arguments; currently unused.

Value

A long tibble with one row per on-court athlete.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`,

espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir
espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week()
espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(),
espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail
espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(),
espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(),
espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_play_personnel(event_id = 401736171, play_id = 4017361714)
```

---

espn_wnba_game_probabilities

Get ESPN WNBA Event Win Probabilities

Description

Get ESPN WNBA Event Win Probabilities

Get ESPN WNBA Event Win Probabilities

Usage

```
espn_wnba_game_probabilities(event_id, limit = 200, ...)
```

Arguments

event_id	ESPN event/game identifier (character or numeric).
limit	integer. Maximum number of probability rows to return. Defaults to 200. Pagination is handled internally.
...	Additional arguments; currently unused.

Value

A tibble with one row per play-level win-probability entry.

Columns as documented in the shared espn_basketball_game_probabilities_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_probabilities(event_id = "401736171", limit = 50)
```

`espn_wnba_game_propbets`

Get ESPN WNBA Event Prop Bets (Long Format)

Description

Returns prop-bet markets for one WNBA event + provider in long format: one row per (athlete × prop type). Each row has american / decimal / fraction odds plus the current target (e.g. over/under line). Hits the core-v2 `competitions/{id}/odds/{provider_id}/propBets` endpoint and auto-paginates.

Usage

```
espn_wnba_game_propbets(event_id, provider_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`provider_id`	Sportsbook provider id (e.g. 58 = ESPN BET, 100 = Caesars). Look up via espn_wnba_game_odds().
`...`	Additional arguments; currently unused.

Details

Get ESPN WNBA Event Prop Bets (Long Format)

Value

A long tibble with one row per (athlete × prop type).

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_propbets(event_id = 401736171, provider_id = 58)
```

`espn_wnba_game_team_linescores`

Get ESPN WNBA Event Competitor Linescores (Per-Quarter)

Description

Returns the per-quarter scoring breakdown for one team in one NBA event. One row per period (regulation quarters + any overtime periods).

Returns the per-team statistical leaders for one WNBA event in long format: one row per (category x athlete rank). Categories typically include points, rebounds, assists, and rating.

Returns the game-day roster index for one team in one WNBA event. Each row carries the athlete id and the core-v2 `$ref` URL — use the ref to dereference athlete-game splits or biographical data.

Returns full team-game statistics for one team in one WNBA event in long format: one row per (category x stat). Covers offensive, defensive, and general categories with both raw values and display strings.

Returns team records as of the given WNBA event: overall, home, away, conference, and division breakdowns where available. One row per record type.

Returns a one-row tibble with one team's final score for one WNBA event: numeric `value`, display string, `winner` flag, and source metadata. Quick-lookup wrapper — use `espn_wnba_game_team_linescores()` for per-period detail.

Usage

```
espn_wnba_game_team_linescores(event_id, team_id, ...)

espn_wnba_game_team_leaders(event_id, team_id, ...)

espn_wnba_game_team_roster(event_id, team_id, ...)

espn_wnba_game_team_statistics(event_id, team_id, ...)

espn_wnba_game_team_records(event_id, team_id, ...)

espn_wnba_game_team_score(event_id, team_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`...`	Additional arguments; currently unused.

Value

A tibble with one row per period.

A long tibble with one row per (category x rank).

A tibble with one row per active athlete.

A long tibble with one row per (category x stat).

A tibble with one row per record type.

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_game_team_linescores(event_id = 401736171, team_id = 17)


espn_wnba_game_team_leaders(event_id = 401736171, team_id = 17)


espn_wnba_game_team_roster(event_id = 401736171, team_id = 17)


espn_wnba_game_team_statistics(event_id = 401736171, team_id = 17)


espn_wnba_game_team_records(event_id = 401736171, team_id = 17)


espn_wnba_game_team_score(event_id = 401736171, team_id = 17)
```

---

espn_wnba_game_team_roster_entry

Get ESPN WNBA Event Competitor Roster Entry (Per-Athlete Game-Day Row)

Description

Returns a single-row tibble describing one athlete's game-day roster entry for one WNBA event. Carries the **starter** flag, **didNotPlay** flag with reason, ejection flag, and the substitution slot if the athlete came in for another player. Pair with `espn_wnba_game_team_roster()` to enumerate the roster.

Usage

```
espn_wnba_game_team_roster_entry(event_id, team_id, athlete_id, ...)
```

Arguments

`event_id`	ESPN event identifier.
`team_id`	ESPN team identifier.
`athlete_id`	ESPN athlete identifier.
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`, `espn_wnba_season_groups()`, `espn_wnba_season_info()`, `espn_wnba_season_leaders()`, `espn_wnba_season_rankin`
`espn_wnba_season_rankings()`, `espn_wnba_season_type()`, `espn_wnba_season_types()`, `espn_wnba_season_week()`
`espn_wnba_season_weeks()`, `espn_wnba_seasons()`, `espn_wnba_standings()`, `espn_wnba_team()`, `espn_wnba_team_injuries()`, `espn_wnba_team_news()`, `espn_wnba_team_record()`, `espn_wnba_team_record_detail`
`espn_wnba_team_schedule()`, `espn_wnba_team_season_roster()`, `espn_wnba_team_season_statistics()`, `espn_wnba_team_stats()`, `espn_wnba_teams()`, `espn_wnba_transactions()`, `espn_wnba_venues()`, `espn_wnba_week_ranking()`, `espn_wnba_week_rankings()`

Examples

```
espn_wnba_game_team_roster_entry(event_id = 401736171,
                                 team_id = 17,
                                 athlete_id = 3149391)
```

`espn_wnba_injuries` **Get ESPN WNBA Injuries**

Description

Get ESPN WNBA Injuries

Get ESPN WNBA Injuries

Usage

```
espn_wnba_injuries(season = most_recent_wnba_season(), ...)
```

Arguments

`season`	Numeric or character season year (e.g. `2025`). The ESPN injury endpoint does not filter by season server-side; the value is attached as a constant column on the returned tibble for downstream joins. Defaults to `most_recent_wnba_season()`.
`...`	Currently unused; reserved for future argument threading.

Value

Returns a tibble of league-wide WNBA injury records. Returns an empty tibble (zero rows) when no injuries are reported.

Injuries

Columns as documented in the shared espn_basketball_injuries_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`,

espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_injuries()
```

`espn_wnba_leaders` **Get ESPN WNBA League Leaders**

Description

Get ESPN WNBA League Leaders

Get ESPN WNBA League Leaders

Usage

```
espn_wnba_leaders(season = most_recent_wnba_season(), season_type = 2, ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per category-athlete pair.

Columns as documented in the shared espn_basketball_leaders_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_leaders(season = 2024, season_type = 2)
```

`espn_wnba_news` **Get ESPN WNBA News**

Description

Get ESPN WNBA News

Get ESPN WNBA News

Usage

```
espn_wnba_news(limit = 50)
```

Arguments

`limit`	integer. Maximum number of articles to return. Default `50`.

Details

Retrieve ESPN WNBA news. Uses `getOption("wehoop.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of news articles.

Columns as documented in the shared espn_basketball_news_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_news(limit = 5)
```

`espn_wnba_player_awards`

Get ESPN WNBA Athlete Awards

Description

Get ESPN WNBA Athlete Awards

Get ESPN WNBA Athlete Awards

Usage

```
espn_wnba_player_awards(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused.

Value

A single tibble. This endpoint is sparse; many athletes have no award data, in which case an empty tibble with canonical columns is returned.

Columns as documented in the shared espn_basketball_player_awards_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_player_awards(athlete_id = "3149391")
```

---

espn_wnba_player_career_stats

Get ESPN WNBA Athlete Career Stats (Long Format)

Description

Returns career stats for a WNBA athlete in long format. Default `stat_type = 0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to attempt multiple types and bind them via a `stat_type_id` column; variants that 404 for that athlete are silently skipped. Stat types: 0 = regular season (default endpoint), 1 = postseason, 2 = career aggregate. Coverage of types 1 and 2 is sparse — many athletes only have type 0 populated.

Usage

```
espn_wnba_player_career_stats(athlete_id, stat_type = 0L, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier.
`stat_type`	Integer or integer vector of stat-type codes. Default `0L` fetches the standard "All Splits" / regular-season view. Pass a vector like `c(0L, 1L, 2L)` to bind multiple types via a `stat_type_id` column; non-existent variants are silently skipped.
`...`	Additional arguments; currently unused.

Details

Get ESPN WNBA Athlete Career Stats (Long Format)

Value

A long tibble (one row per stat_type × split × category × stat).

Columns as documented in the shared espn_basketball_player_career_stats_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`, `espn_wnba_season_groups()`, `espn_wnba_season_info()`, `espn_wnba_season_leaders()`, `espn_wnba_season_rankin`
`espn_wnba_season_rankings()`, `espn_wnba_season_type()`, `espn_wnba_season_types()`, `espn_wnba_season_week()`
`espn_wnba_season_weeks()`, `espn_wnba_seasons()`, `espn_wnba_standings()`, `espn_wnba_team()`,

espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail
espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(),
espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(),
espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
# LeBron James — regular + postseason combined
espn_wnba_player_career_stats(athlete_id = 3149391)
# Just career aggregate
espn_wnba_player_career_stats(athlete_id = 3149391, stat_type = 2L)
```

---

espn_wnba_player_eventlog_v2

Get ESPN WNBA Athlete Per-Season Event Log (core-v2)

Description

Returns one row per (event x team) for an WNBA athlete's appearances in a given season. Distinct from espn_wnba_player_eventlog() which wraps the web-common-v3 gamelog endpoint returning stats per game; this core-v2 variant returns refs + played flag and is era-correct.

Usage

```
espn_wnba_player_eventlog_v2(
  athlete_id,
  season = most_recent_wnba_season(),
  ...
)
```

Arguments

athlete_id	ESPN athlete identifier.
season	Season year. Defaults to most recent WNBA season.
...	Additional arguments; currently unused.

Value

A tibble with one row per event appearance. See package source for column schema.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_player_eventlog_v2(athlete_id = 2999102, season = 2025)
```

---

espn_wnba_player_info Get ESPN WNBA Athlete Info

Description

Get ESPN WNBA Athlete Info

Get ESPN WNBA Athlete Info

Usage

```
espn_wnba_player_info(athlete_id, ...)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(wehoop.proxy = ...) – see ?wehoop for details.

Value

A named list of data frames: `Bio`, `Team`, `Position`, `Status`, `College`, `Draft`.

Bio

Columns as documented in the shared espn_basketball_player_info_bio_schema table.

Team

col_name	types	description
id	character	Unique play identifcation number
abbreviation	character	Short abbreviation.
display_name	character	Display name.

Position

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.
abbreviation	character	Short abbreviation.

Status

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.
type	character	Record type / category.

College

col_name	types	description
id	character	Unique play identifcation number
name	character	Display name.
mascot	character	Team mascot.

Draft

col_name	types	description
year	character	4-digit year.
round	character	Tournament / playoff round.
selection	character	Selection.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_player_info(athlete_id = "3149391")
```

---

espn_wnba_player_overview

Get ESPN WNBA Athlete Overview

Description

Get ESPN WNBA Athlete Overview

Get ESPN WNBA Athlete Stats

Get ESPN WNBA Athlete Gamelog

Get ESPN WNBA Athlete Splits

Get ESPN WNBA Athlete Eventlog

Get ESPN WNBA Athlete Eventlog

Get ESPN WNBA Athlete Statisticslog

Usage

```
espn_wnba_player_overview(athlete_id, season = most_recent_wnba_season(), ...)

espn_wnba_player_stats_v3(athlete_id, season = most_recent_wnba_season(), ...)
```

```
espn_wnba_player_gamelog(athlete_id, season = most_recent_wnba_season(), ...)

espn_wnba_player_splits(athlete_id, season = most_recent_wnba_season(), ...)

espn_wnba_player_eventlog(athlete_id, season = most_recent_wnba_season(), ...)

espn_wnba_player_statisticslog(
  athlete_id,
  season = most_recent_wnba_season(),
  ...
)
```

Arguments

athlete_id	ESPN athlete identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A named list of data frames: Statistics, NextGame, Last5Games, Headlines, FantasyOutlook.

Statistics

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

NextGame

Columns as documented in the shared espn_basketball_player_overview_next_game_schema table.

Last5Games

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

Headlines

col_name	types	description
headline	character	News headline.
description	character	Long-form description text.
published	character	Publication timestamp (ISO 8601).

FantasyOutlook

Columns as documented in the shared espn_basketball_player_overview_statistics_schema table.

A wide wehoop_data tibble, one row per athlete-season-team, with the ESPN stat categories spread across prefixed columns:

col_name	types	description
athlete_id	character	ESPN athlete identifier (echoed input).
season	integer	Season year for the stat line.
team_id	character	ESPN team identifier for that season.
team_slug	character	Team slug (e.g. 'phoenix-mercury').

avg_*	numeric	Per-game season-average stats (e.g. avg_avg_points).
tot_*	numeric	Season-total stats (e.g. tot_points).
misc_*	numeric	Miscellaneous season totals.

Stat column names come from ESPN's positional names array per category, cleaned via janitor::make_clean_names(); the exact set varies by season.

A single tibble with one row per game. Column names reflect the stat labels returned by ESPN and will vary by season and player.

A single long-format tibble. When data are present, columns include at minimum category and split_name, plus per-stat columns driven by ESPN labels.

A single tibble. Per-event statistics.$ref URLs from the ESPN core-v2 API are returned as the character column statistics_ref and are NOT resolved. Similarly, event_ref, competition_ref, and team_ref are returned as character columns.

col_name	types	description
event_ref	character	Reference link to the originating event.
competition_ref	character	Competition ref.
team_ref	character	Team ref.
statistics_ref	character	Statistics ref.

A single tibble. When resolved, each row corresponds to one statistical entry in the core-v2 statistics log, with event_ref and statistics_ref character columns pointing to resolvable ESPN endpoints.

col_name	types	description
event_ref	character	Reference link to the originating event.
statistics_ref	character	Statistics ref.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(),

espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_player_overview(athlete_id = "3149391", season = 2024)

espn_wnba_player_stats_v3(athlete_id = "4068159", season = 2024)

espn_wnba_player_gamelog(athlete_id = "3149391", season = 2024)

espn_wnba_player_splits(athlete_id = "3149391", season = 2024)

espn_wnba_player_eventlog(athlete_id = "3149391", season = 2024)

espn_wnba_player_statisticslog(athlete_id = "3149391", season = 2024)
```

`espn_wnba_player_seasons`

Get ESPN WNBA Athlete Career Seasons

Description

Returns the list of seasons an WNBA athlete appeared in. Useful for bounding follow-up calls to per-season endpoints.

Usage

```
espn_wnba_player_seasons(athlete_id, ...)
```

Arguments

`athlete_id`	ESPN athlete identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A tibble with one row per career season.

col_name	types	description
league	character	League slug.
athlete_id	character	ESPN athlete id.
season	integer	Season year.
ref	character	`$ref` URL to the season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankir espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detai espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
# LeBron James (1966): 23 career seasons
espn_wnba_player_seasons(athlete_id = 3149391)
```

`espn_wnba_player_stats`

Get ESPN WNBA player stats data

Description

Get ESPN WNBA player stats data

Usage

```
espn_wnba_player_stats(
  athlete_id,
  year,
  season_type = "regular",
  total = FALSE
)
```

Arguments

athlete_id	Athlete ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

Value

Returns a tibble with the player stats data

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankin espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week() espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
try(espn_wnba_player_stats(athlete_id = 2529130, year = 2022))
```

`espn_wnba_position` **Get ESPN WNBA Position Detail**

Description

Returns metadata for a single WNBA position. Useful for dereferencing position `$ref` URLs embedded in athlete records, and for navigating parent/leaf relationships in the position taxonomy.

Usage

```
espn_wnba_position(position_id, ...)
```

Arguments

`position_id`	ESPN position identifier (character or numeric).
`...`	Additional arguments; currently unused.

Value

A single-row tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`, `espn_wnba_season_groups()`, `espn_wnba_season_info()`, `espn_wnba_season_leaders()`, `espn_wnba_season_ranking()`, `espn_wnba_season_rankings()`, `espn_wnba_season_type()`, `espn_wnba_season_types()`, `espn_wnba_season_week()`, `espn_wnba_season_weeks()`, `espn_wnba_seasons()`, `espn_wnba_standings()`, `espn_wnba_team()`, `espn_wnba_team_injuries()`, `espn_wnba_team_news()`, `espn_wnba_team_record()`, `espn_wnba_team_record_detail()`, `espn_wnba_team_schedule()`,

espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_position(position_id = 1)
```

---

espn_wnba_positions **Get ESPN WNBA Positions Index**

Description

Returns the WNBA position dictionary index. One row per position with its id and the canonical `$ref` URL — pass an id to espn_wnba_position() for full details (display name, abbreviation, leaf flag, parent link).

Usage

```
espn_wnba_positions(...)
```

Arguments

...	Additional arguments; currently unused.

Value

A tibble with one row per position.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(

espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_positions()
```

---

espn_wnba_powerindex Get ESPN WNBA Season Power Index (Long Format)

Description

Returns ESPN's Basketball Power Index (BPI) and related per-team metrics for one WNBA season, in long format: one row per (team x stat).

Usage

```
espn_wnba_powerindex(
  season = most_recent_wnba_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
season_type	Integer (1=preseason, 2=regular (default), 3=postseason).
...	Additional arguments; currently unused.

Value

A long tibble with one row per (team x stat).

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_powerindex(season = 2025)
```

`espn_wnba_scoreboard` **Get WNBA schedule for a specific year/date from ESPN's API**

Description

Get WNBA schedule for a specific year/date from ESPN's API

Usage

```
espn_wnba_scoreboard(season)
```

Arguments

`season`	Either numeric or character

Value

Returns a tibble

Columns as documented in the shared espn_basketball_scoreboard_schema table.

Author(s)

Saiem Gilani.

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
# Get schedule from date 2022-08-31

  try(espn_wnba_scoreboard (season = "20220831"))
```

---

espn_wnba_seasons Get ESPN WNBA Seasons

Description

Get ESPN WNBA Seasons

Get ESPN WNBA Seasons

Usage

```
espn_wnba_seasons(...)
```

Arguments

...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per season.

col_name	types	description
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
season_type_count	integer	Count of season type.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_seasons()
```

espn_wnba_season_awards

Get ESPN WNBA Season Awards Index

Description

Returns the list of award IDs given out in a WNBA season from sports.core.api.espn.com/v2/sports/basketball/lea
The index only contains IDs and $ref URLs — pass an ID to espn_wnba_award() for the award name, description, and winners.

Usage

```
espn_wnba_season_awards(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A tibble with one row per award.

col_name	types	description
season	integer	Season year.
award_id	character	ESPN award identifier.
ref	character	Full $ref URL for the award detail.
league	character	League slug ("wnba").

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(),

espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_awards(season = 2024)
```

---

espn_wnba_season_group

Get ESPN WNBA Season Group Detail

Description

Returns metadata for one group (conference or division) in one (WNBA season x season-type), plus `$ref` URLs to its parent group, children groups, member teams, and standings.

Returns the list of child groups (e.g. divisions within a conference) for one (WNBA season x season-type x parent-group).

Returns the list of team IDs that belong to one group (conference or division) for one (WNBA season x season-type).

Usage

```
espn_wnba_season_group(
  group_id,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)

espn_wnba_season_group_children(
  group_id,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)

espn_wnba_season_group_teams(
  group_id,
  season = most_recent_wnba_season(),
  season_type = 2L,
```

```
  ...
)
```

Arguments

`group_id`	ESPN group identifier.
`season`	Season year. Defaults to most recent WNBA season.
`season_type`	Season-type id (2 = regular (default)).
`...`	Additional arguments; currently unused.

Details

Get ESPN WNBA Season Group Detail

Get ESPN WNBA Season Group Children Index

Get ESPN WNBA Season Group Teams Index

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_group_schema table.

A tibble with one row per child group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
parent_group_id	character	Parent group id (queried).
child_group_id	character	Child group id.
ref	character	`$ref` to child group detail.

A tibble with one row per team in the group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
team_id	character	ESPN team id.
ref	character	`$ref` URL to the team-in-season entry.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_group(group_id = 5, season = 2025)


espn_wnba_season_group_children(group_id = 5, season = 2025)


espn_wnba_season_group_teams(group_id = 5, season = 2025)
```

`espn_wnba_season_groups`

Get ESPN WNBA Season Groups Index

Description

Returns the list of group IDs (conferences / divisions) for one (WNBA season x season-type) via core-v2 `/seasons/{season}/types/{season_type}/groups`.

Usage

```
espn_wnba_season_groups(
  season = most_recent_wnba_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Value

A tibble with one row per group.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
group_id	character	ESPN group id.
ref	character	$ref URL for the group detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_info(), espn_wnba_season_leaders(espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_groups(season = 2025)
```

`espn_wnba_season_info` **Get ESPN WNBA Season Info**

Description

Get ESPN WNBA Season Info

Get ESPN WNBA Season Info

Usage

```
espn_wnba_season_info(season = most_recent_wnba_season(), ...)
```

Arguments

`season`	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A named list of `wehoop_data` tibbles: `Info`, `Types`, `Athletes`, `Coaches`, `Teams`, `Awards`. `$ref` URL components are returned as character columns and are NOT auto-resolved – use targeted endpoint functions for details.

Info

col_name	types	description
year	integer	4-digit year.
start_date	character	Start date (YYYY-MM-DD).
end_date	character	End date (YYYY-MM-DD).
display_name	character	Display name.
type_id	character	Type identifier (numeric).
type_name	character	Type name.

Types / Athletes / Coaches / Teams / Awards

col_name	types	description
count	integer	Count of count.
ref	character	Ref.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_leader espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_info(season = 2025)
```

`espn_wnba_season_leaders`

Get ESPN WNBA Season Leaders (Long Format)

Description

Returns the per-category leaderboard for one (WNBA season x season-type), in long format. Each row is one (category x rank) entry, e.g. "Points Per Game x rank 1 x LeBron James".

Usage

```
espn_wnba_season_leaders(
  season = most_recent_wnba_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Season Leaders (Long Format)

Value

A long tibble with one row per (category x leader).

Columns as documented in the shared espn_basketball_season_leaders_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_leaders(season = 2025)
```

`espn_wnba_season_ranking`

Get ESPN WNBA Season Ranking Detail

Description

Returns the per-week snapshot index for one ranking source (e.g. AP Top 25). Each row is one weekly snapshot; the `ref` URL resolves to the actual ranked teams for that (season-type x week) and will be wrapped by a forthcoming `espn_LOWERWNBA_week_ranking()`.

Usage

```
espn_wnba_season_ranking(ranking_id, season = most_recent_wnba_season(), ...)
```

Arguments

ranking_id	ESPN ranking identifier (character or numeric).
season	Season year. Defaults to most recent WNBA season.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Season Ranking Detail

Value

A tibble with one row per weekly snapshot.

Columns as documented in the shared espn_basketball_season_ranking_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_ranking(ranking_id = 1, season = 2025)
```

espn_wnba_season_rankings

Get ESPN WNBA Season Rankings Index

Description

Returns the index of season-level rankings recorded for one WNBA season. WNBA typically returns zero rankings (ranking polls are a college concept); the wrapper is provided for symmetry across leagues. For WBB use the matching `espn_wbb_season_rankings()`.

Usage

```
espn_wnba_season_rankings(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year. Defaults to most recent WNBA season.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Season Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
ranking_id	character	ESPN ranking id.
ref	character	`$ref` URL for the ranking detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`,

espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_rankings(season = 2025)
```

---

espn_wnba_season_type Get ESPN WNBA Season-Type Detail

Description

Returns metadata for one season-type within an WNBA season: name, abbreviation, start / end dates, and whether it carries groups, standings, or playoff legs.

Usage

```
espn_wnba_season_type(
  season_type = 2L,
  season = most_recent_wnba_season(),
  ...
)
```

Arguments

season_type	Season-type id (1 = preseason, 2 = regular (default), 3 = postseason, 4 = off-season).
season	Season year. Defaults to most recent WNBA season.
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Season-Type Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_type_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_type(season_type = 2, season = 2025)
```

`espn_wnba_season_types`

Get ESPN WNBA Season Types Index

Description

Returns the index of season-type IDs that exist for one WNBA season (typically 1 = preseason, 2 = regular, 3 = postseason, 4 = off-season). Pass an ID to espn_wnba_season_type() for the start/end dates and whether that type carries groups, standings, or legs.

Usage

```
espn_wnba_season_types(season = most_recent_wnba_season(), ...)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A tibble with one row per season type.

col_name	types	description
league	character	League slug ("wnba").
season	integer	Season year.
season_type	integer	Season-type id (1/2/3/4).
ref	character	$ref URL for the type detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_types(season = 2025)
```

---

espn_wnba_season_week Get ESPN WNBA Season-Week Detail

Description

Returns metadata for one week (number, start / end dates, text label, and $ref to the per-week rankings endpoint).

Usage

```
espn_wnba_season_week(
  week,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)
```

Arguments

week	Week number.
season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Season-Week Detail

Value

A single-row tibble.

Columns as documented in the shared espn_basketball_season_week_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_week(week = 5, season = 2025)
```

---

espn_wnba_season_weeks

Get ESPN WNBA Season Weeks Index

Description

Returns the list of week IDs for one (WNBA season x season-type). WNBA uses a week structure inherited from ESPN's schema, but week-level rankings are populated only for college (MBB / WBB).

Usage

```
espn_wnba_season_weeks(
  season = most_recent_wnba_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default), 3 = postseason).
...	Additional arguments; currently unused.

Value

A tibble with one row per week.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number (1-based).
ref	character	$ref URL for the week detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_season_weeks(season = 2025)
```

`espn_wnba_standings` **Get ESPN WNBA Standings**

Description

Get ESPN WNBA Standings

Usage

```
espn_wnba_standings(year)
```

Arguments

`year`	Either numeric or character (YYYY)

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

Author(s)

Geoff Hutchinson

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
try(espn_wnba_standings(year = 2021))
```

---

espn_wnba_team — Get ESPN WNBA Team Detail

Description

Era-correct team identity for a WNBA franchise in a specific season, plus the available `$ref` URLs for deeper resources (record, statistics, leaders, coaches, transactions, etc.). Backed by the core-v2 endpoint `sports.core.api.espn.com/v2/sports/basketball/leagues/wnba/seasons/{season}/teams/{team_id}`.

Historical depth goes back to **1997** (WNBA founding). Older seasons return fewer `$ref` keys; missing refs become `NA`.

Usage

```
espn_wnba_team(team_id, season = most_recent_wnba_season(), ...)

espn_wnba_team_roster(team_id, season = most_recent_wnba_season(), ...)
```

```
espn_wnba_team_leaders(team_id, season = most_recent_wnba_season(), ...)

espn_wnba_team_season_profile(team_id, season = most_recent_wnba_season(), ...)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WNBA season.
...	Additional arguments; currently unused.

Value

A named list of data frames: Info, Record, NextEvent, StandingSummary, Coaches.

Info

Columns as documented in the shared espn_basketball_team_info_schema table.

Record

col_name	types	description
type	character	Record type / category.
summary	character	Summary.
stats	list	Stats.

NextEvent

Columns as documented in the shared espn_basketball_player_overview_next_game_schema table.

StandingSummary

col_name	types	description
standing_summary	character	Standing summary.

Coaches

col_name	types	description
id	character	Unique play identifcation number
first_name	character	Player's first name.
last_name	character	Player's last name.
experience	integer	Years of professional experience.

A single tibble with one row per athlete.

Columns as documented in the shared espn_basketball_team_roster_schema table.

A single long-format tibble (one row per category-rank-athlete).

Columns as documented in the shared espn_basketball_team_leaders_schema table.

A single-row tibble with team identity scalars and _ref URL columns. Selected columns:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team(team_id = "17", season = 2025)

espn_wnba_team_roster(team_id = "17", season = 2025)

espn_wnba_team_leaders(team_id = "17", season = 2025)

espn_wnba_team_season_profile(team_id = "17", season = 2025)
```

---

espn_wnba_teams *Get ESPN's WNBA team names and ids*

Description

Get ESPN's WNBA team names and ids

Usage

```
espn_wnba_teams()
```

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
try(espn_wnba_teams())
```

---

espn_wnba_team_injuries

Get ESPN WNBA Team Injuries

Description

Get ESPN WNBA Team Injuries

Get ESPN WNBA Team Injuries

Usage

```
espn_wnba_team_injuries(team_id, ...)
```

Arguments

team_id	ESPN team identifier (character or numeric; passed as-is). Use espn_wnba_teams() to look up team IDs. Example: "17" (Las Vegas Aces).
...	Currently unused; reserved for future argument threading.

Value

Returns a tibble of injury records for the specified WNBA team. Returns an empty tibble (zero rows) when the team has no reported injuries.

Injuries

Columns as documented in the shared espn_basketball_team_injuries_injuries_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_injuries(team_id = "17")
```

`espn_wnba_team_news` **Get ESPN WNBA Team News**

Description

Get ESPN WNBA Team News

Get ESPN WNBA Team News

Usage

```
espn_wnba_team_news(team_id, limit = 25)
```

Arguments

`team_id`	character or integer. ESPN team ID (e.g. 17 for Las Vegas Aces).
`limit`	integer. Maximum number of articles to return. Default 25.

Details

Retrieve ESPN WNBA news for a specific team. Uses `getOption("wehoop.proxy")` or `http_proxy`/`https_proxy` environment variables for proxy configuration (per-call proxy override is not supported for ESPN wrappers).

Value

Returns a tibble of team news articles.

Columns as documented in the shared espn_basketball_news_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: `espn_wnba_athletes_index()`, `espn_wnba_award()`, `espn_wnba_calendar()`, `espn_wnba_coach_season()`, `espn_wnba_coaches()`, `espn_wnba_conferences()`, `espn_wnba_draft()`, `espn_wnba_draft_athlete_detail()`, `espn_wnba_draft_pick()`, `espn_wnba_draft_rounds()`, `espn_wnba_franchise()`, `espn_wnba_franchises()`, `espn_wnba_freeagents()`, `espn_wnba_futures()`, `espn_wnba_game_all()`, `espn_wnba_game_odds()`, `espn_wnba_game_official_detail()`, `espn_wnba_game_play()`, `espn_wnba_game_play_personnel()`, `espn_wnba_game_player_box()`, `espn_wnba_game_probabilities()`, `espn_wnba_game_propbets()`, `espn_wnba_game_team_linescores()`, `espn_wnba_game_team_roster_entry()`, `espn_wnba_injuries()`, `espn_wnba_leaders()`, `espn_wnba_news()`, `espn_wnba_player_awards()`, `espn_wnba_player_career_stats()`, `espn_wnba_player_eventlog_v2()`, `espn_wnba_player_info()`, `espn_wnba_player_overview()`, `espn_wnba_player_seasons()`, `espn_wnba_player_stats()`, `espn_wnba_position()`, `espn_wnba_positions()`, `espn_wnba_powerindex()`, `espn_wnba_scoreboard()`, `espn_wnba_season_awards()`, `espn_wnba_season_group()`, `espn_wnba_season_groups()`, `espn_wnba_season_info()`, `espn_wnba_season_leaders()`, `espn_wnba_season_ranking()`, `espn_wnba_season_rankings()`,

espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_news(team_id = "17", limit = 5)
```

---

espn_wnba_team_record Get ESPN WNBA Team Record (Per Season Type)

Description

Returns the long-format record breakdown for a WNBA team in one season and season-type. Each row is one record category.

Usage

```
espn_wnba_team_record(
  team_id,
  season = most_recent_wnba_season(),
  season_type = c(2L, 3L),
  ...
)
```

Arguments

team_id	ESPN team identifier.
season	Season year. Defaults to most recent WNBA season.
season_type	Integer (2 = regular season default).
...	Additional arguments; currently unused.

Value

A tibble with one row per record category.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record_detail(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_record(team_id = 17, season = 2025)
```

`espn_wnba_team_record_detail`

Get ESPN WNBA Team Record Detail (Long Format)

Description

Returns one team's record detail in long format: one row per stat in the record's `stats[]` array. Use `espn_wnba_team_record()` to enumerate available `record_id` values per team-season (overall / home / away / conference + per-opponent breakdowns).

Usage

```
espn_wnba_team_record_detail(team_id, season, record_id, season_type = 2L, ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year (numeric).
`record_id`	Record identifier (from `espn_wnba_team_record()` index).
`season_type`	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
`...`	Additional arguments; currently unused.

Value

A long tibble.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_schedule(), espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_record_detail(team_id = 17, season = 2024, record_id = 0)
```

---

espn_wnba_team_schedule

Get ESPN WNBA Team Schedule

Description

Get ESPN WNBA Team Schedule

Get ESPN WNBA Team Schedule

Usage

```
espn_wnba_team_schedule(
  team_id,
  season = most_recent_wnba_season(),
  season_type = 2,
  ...
)
```

Arguments

team_id	ESPN team identifier (character or numeric).
season	Season year (numeric). Defaults to the most recent WNBA season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A single tibble with one row per event.

Columns as documented in the shared espn_basketball_team_schedule_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_season_r, espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_schedule(team_id = "17", season = 2025)
```

`espn_wnba_team_season_roster`

Get ESPN WNBA Team Roster (Per-Season, core-v2)

Description

Returns the per-season team roster as a tibble of athlete IDs from `seasons/{y}/teams/{id}/athletes`. Distinct from `espn_wnba_team_roster()` which targets a site-v2 endpoint optimized for the current season; this core-v2 variant is era-correct and available back to ESPN's earliest season for each league.

Usage

```
espn_wnba_team_season_roster(team_id, season = most_recent_wnba_season(), ...)
```

Arguments

`team_id`	ESPN team identifier.
`season`	Season year. Defaults to most recent WNBA season.
`...`	Additional arguments; currently unused.

Details

Get ESPN WNBA Team Roster (Per-Season, core-v2)

Value

A tibble with one row per athlete on the season roster.

col_name	types	description
league	character	League slug.
team_id	character	ESPN team id.
season	integer	Season year.
athlete_id	character	ESPN athlete id.
ref	character	`$ref` URL to athlete-in-season detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_season_roster(team_id = 17, season = 2025)
```

---

espn_wnba_team_season_statistics

Get ESPN WNBA Team Season Statistics (Long Format with Rank)

Description

Returns the full team-season-type statistics sheet for one WNBA team in long format: one row per (category x stat). Each row carries the team's league rank for that stat where ESPN provides it (`rank` + `rank_display_value`). Complements espn_wnba_team_record() (W-L only) with the full stat package.

Usage

```
espn_wnba_team_season_statistics(
  team_id,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)
```

Arguments

team_id	ESPN team identifier.
season	Season year (numeric). Defaults to the most recent WNBA season.
season_type	Integer season type: 1 = preseason, 2 = regular (default), 3 = postseason.
...	Additional arguments; currently unused.

Value

A long tibble with one row per (category x stat).

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_team_season_statistics(team_id = 17, season = 2024)
```

---

espn_wnba_team_stats Get ESPN WNBA team stats data

Description

Get ESPN WNBA team stats data

Usage

```
espn_wnba_team_stats(team_id, year, season_type = "regular", total = FALSE)
```

Arguments

team_id	Team ID
year	Year
season_type	(character, default: regular): Season type - regular or postseason
total	(boolean, default: FALSE): Totals

Value

Returns a tibble with the team stats data

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
try(espn_wnba_team_stats(team_id = 17, year = 2020))
```

espn_wnba_transactions

Get ESPN WNBA Transactions

Description

Get ESPN WNBA Transactions

Get ESPN WNBA Transactions

Usage

```
espn_wnba_transactions(season = most_recent_wnba_season(), limit = 100, ...)
```

Arguments

season	Season year (numeric, e.g. 2025). Defaults to the most recent WNBA season.
limit	Maximum number of transactions to return (integer). Default 100.
...	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use options(wehoop.proxy = ...).

Details

Calls the ESPN site-v2 endpoint https://site.api.espn.com/apis/site/v2/sports/basketball/wnba/transactions
Releases have a NULL to_team_id; those are stored as NA. Returns an empty tibble rather than erroring when no transactions are available.

Value

A wehoop_data tibble with one row per transaction:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(),

espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info() espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_venues(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_transactions(season = 2025, limit = 10)
```

`espn_wnba_venues` **Get ESPN WNBA Venues**

Description

Get ESPN WNBA Venues

Get ESPN WNBA Venues

Usage

```
espn_wnba_venues(...)
```

Arguments

`...`	Additional arguments; currently unused but retained for forward compatibility. Proxy configuration should use `options(wehoop.proxy = ...)` – see `?wehoop` for details.

Value

A single `wehoop_data` tibble with one row per venue.

Columns as documented in the shared espn_basketball_venues_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_week_ranking(), espn_wnba_week_rankings()

Examples

```
espn_wnba_venues()
```

`espn_wnba_week_ranking`

Get ESPN WNBA Per-Week Ranking Detail

Description

Returns the long-format ranked teams for one (season x season-type x week x ranking-source). WNBA typically returns an empty tibble.

Usage

```
espn_wnba_week_ranking(
  ranking_id,
  week,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)
```

Arguments

ranking_id	Ranking source id (1 = AP, 2 = Coaches, etc.).
week	Week number.
season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Per-Week Ranking Detail

Value

A tibble with one row per ranked team (typically 25).

Columns as documented in the shared espn_basketball_week_ranking_schema table.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_rankings()

Examples

```
espn_wnba_week_ranking(ranking_id = 1, week = 5, season = 2025)
```

espn_wnba_week_rankings

Get ESPN WNBA Per-Week Rankings Index

Description

Returns the index of ranking sources available for one (WNBA season x season-type x week). WNBA does not publish weekly rankings, so this typically returns an empty tibble; the wrapper is provided for symmetry with college (MBB / WBB).

Usage

```
espn_wnba_week_rankings(
  week,
  season = most_recent_wnba_season(),
  season_type = 2L,
  ...
)
```

Arguments

week	Week number.
season	Season year. Defaults to most recent WNBA season.
season_type	Season-type id (2 = regular (default)).
...	Additional arguments; currently unused.

Details

Get ESPN WNBA Per-Week Rankings Index

Value

A tibble with one row per ranking source.

col_name	types	description
league	character	League slug.
season	integer	Season year.
season_type	integer	Season-type id.
week	integer	Week number.
ranking_id	character	ESPN ranking id.
ref	character	$ref URL for the ranked-teams detail.

Author(s)

Saiem Gilani

See Also

Other ESPN WNBA Functions: espn_wnba_athletes_index(), espn_wnba_award(), espn_wnba_calendar(), espn_wnba_coach_season(), espn_wnba_coaches(), espn_wnba_conferences(), espn_wnba_draft(), espn_wnba_draft_athlete_detail(), espn_wnba_draft_pick(), espn_wnba_draft_rounds(), espn_wnba_franchise(), espn_wnba_franchises(), espn_wnba_freeagents(), espn_wnba_futures(), espn_wnba_game_all(), espn_wnba_game_odds(), espn_wnba_game_official_detail(), espn_wnba_game_play(), espn_wnba_game_play_personnel(), espn_wnba_game_player_box(), espn_wnba_game_probabilities(), espn_wnba_game_propbets(), espn_wnba_game_team_linescores(), espn_wnba_game_team_roster_entry(), espn_wnba_injuries(), espn_wnba_leaders(), espn_wnba_news(), espn_wnba_player_awards(), espn_wnba_player_career_stats(), espn_wnba_player_eventlog_v2(), espn_wnba_player_info(), espn_wnba_player_overview(), espn_wnba_player_seasons(), espn_wnba_player_stats(), espn_wnba_position(), espn_wnba_positions(), espn_wnba_powerindex(), espn_wnba_scoreboard(), espn_wnba_season_awards(), espn_wnba_season_group(), espn_wnba_season_groups(), espn_wnba_season_info(), espn_wnba_season_leaders(), espn_wnba_season_ranking(), espn_wnba_season_rankings(), espn_wnba_season_type(), espn_wnba_season_types(), espn_wnba_season_week(), espn_wnba_season_weeks(), espn_wnba_seasons(), espn_wnba_standings(), espn_wnba_team(), espn_wnba_team_injuries(), espn_wnba_team_news(), espn_wnba_team_record(), espn_wnba_team_record_detail(), espn_wnba_team_schedule, espn_wnba_team_season_roster(), espn_wnba_team_season_statistics(), espn_wnba_team_stats(), espn_wnba_teams(), espn_wnba_transactions(), espn_wnba_venues(), espn_wnba_week_ranking()

Examples

```
espn_wnba_week_rankings(week = 5, season = 2025)
```

`fox_basketball_league_leaders`

Get Fox Sports basketball statistical leaders

Description

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) statistical leaders. `fox_wnba_league_leaders()` hits the wnba slug; `fox_wbb_league_leaders()` hits the wcbk slug.

Usage

```
fox_wnba_league_leaders(category = "scoring", who = "player", page = 0)

fox_wbb_league_leaders(category = "scoring", who = "player", page = 0)
```

Arguments

`category`	Stat category (default `"scoring"`).
`who`	`"player"` or `"team"` (default `"player"`).
`page`	0-based page index (default `0`).

Value

A wehoop_data tibble of leaderboard rows (entity_id + stat columns).

See Also

Other Fox Sports Functions: fox_wbb_teams_all(), fox_wnba_pbp(), fox_wnba_team_roster()

Examples

```
try(fox_wnba_league_leaders("scoring"))


try(fox_wbb_league_leaders("scoring"))
```

---

fox_wbb_teams_all — Get the full Fox Sports women's college basketball team directory

---

Description

Enumerate every WBB team in the Fox Sports (Bifrost) directory. A single fox_wbb_teams() call only returns the seed team's conference, so this walks unseen team ids (calling one seed per conference) and unions the results.

Usage

```
fox_wbb_teams_all(max_id = 500, max_calls = 60)
```

Arguments

max_id	Highest Fox team id to probe as a seed (default 500).
max_calls	Safety cap on the number of standings calls (default 60).

Value

A wehoop_data tibble, one row per team: fox_team_id, fox_team_name, fox_section.

See Also

Other Fox Sports Functions: fox_basketball_league_leaders, fox_wnba_pbp(), fox_wnba_team_roster()

Examples

```
try(fox_wbb_teams_all())
```

fox_wnba_pbp **Get Fox Sports basketball play-by-play**

Description

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) play-by-play. `fox_wnba_pbp()` hits the `wnba` slug; `fox_wbb_pbp()` hits the `wcbk` slug.

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) boxscore. `fox_wnba_boxscore()` hits the `wnba` slug; `fox_wbb_boxscore()` hits the `wcbk` slug.

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) game odds. `fox_wnba_odds()` hits the `wnba` slug; `fox_wbb_odds()` hits the `wcbk` slug.

Usage

```
fox_wnba_pbp(game_id)

fox_wbb_pbp(game_id)

fox_wnba_boxscore(game_id)

fox_wbb_boxscore(game_id)

fox_wnba_odds(game_id)

fox_wbb_odds(game_id)
```

Arguments

`game_id`	Fox Bifrost event id.

Value

A `wehoop_data` tibble, one row per play: `game_id`, `period`, `left_team`, `right_team`, `play_id`, `clock`, `team`, `left_score_change`, `right_score_change`, `play_text`.

A `wehoop_data` tibble (long), one row per (player, stat): `game_id`, `team`, `stat_group`, `player`, `athlete_id`, `stat`, `value`.

A `wehoop_data` tibble, one row per team: `game_id`, `team`, plus the six-pack odds columns (spread / to-win / total). Empty when no market.

See Also

Other Fox Sports Functions: `fox_basketball_league_leaders`, `fox_wbb_teams_all()`, `fox_wnba_team_roster()`

Examples

```
try(fox_wnba_pbp("2215"))

try(fox_wbb_pbp("388986"))

try(fox_wnba_boxscore("2215"))

try(fox_wbb_boxscore("388986"))

try(fox_wnba_odds("2215"))

try(fox_wbb_odds("388986"))
```

---

fox_wnba_team_roster Get Fox Sports basketball team roster

Description

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) team roster. `fox_wnba_team_roster()` hits the `wnba` slug; `fox_wbb_team_roster()` hits the `wcbk` slug.

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) team stat leaders. `fox_wnba_team_stats()` hits the `wnba` slug; `fox_wbb_team_stats()` hits the `wcbk` slug.

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) team game log. `fox_wnba_team_gamelog()` hits the `wnba` slug; `fox_wbb_team_gamelog()` hits the `wcbk` slug.

Get Fox Sports (Bifrost) WNBA / women's college basketball (WBB) standings. `fox_wnba_standings()` hits the `wnba` slug; `fox_wbb_standings()` hits the `wcbk` slug.

Get the Fox Sports (Bifrost) WNBA / women's college basketball (WBB) team directory, derived from the standings endpoint. `fox_wnba_teams()` hits the `wnba` slug; `fox_wbb_teams()` hits the `wcbk` slug.

Usage

```
fox_wnba_team_roster(team_id)

fox_wbb_team_roster(team_id)

fox_wnba_team_stats(team_id)

fox_wbb_team_stats(team_id)
```

```
fox_wnba_team_gamelog(team_id)

fox_wbb_team_gamelog(team_id)

fox_wnba_standings(team_id)

fox_wbb_standings(team_id)

fox_wnba_teams(team_id = "3")

fox_wbb_teams(team_id = "11")
```

Arguments

team_id	Fox Bifrost seed team id used to fetch league standings (default "3"). The standings response enumerates every team in the seed's league sections.

Value

A wehoop_data tibble, one row per player: team_id, position_group, player, position/age/etc. columns, athlete_id.

A wehoop_data tibble: team_id, category, stat, stat_abbreviation, player, value.

A wehoop_data tibble (long): team_id, season_type, category, game_id, game_date, opponent, stat, value.

A wehoop_data tibble of standings rows (team_id, section, the standings columns, entity_id).

A wehoop_data tibble, one row per team: fox_team_id, fox_team_name, fox_section.

See Also

Other Fox Sports Functions: fox_basketball_league_leaders, fox_wbb_teams_all(), fox_wnba_pbp()

Examples

```
try(fox_wnba_team_roster("1"))

try(fox_wbb_team_roster("11"))

try(fox_wnba_team_stats("1"))

try(fox_wbb_team_stats("11"))

try(fox_wnba_team_gamelog("1"))

try(fox_wbb_team_gamelog("11"))
```

```
try(fox_wnba_standings("1"))

try(fox_wbb_standings("11"))

try(fox_wnba_teams())

try(fox_wbb_teams("11"))
```

`helper_espn_wbb_pbp` **Parse ESPN WBB PBP, helper function**

Description

Parse ESPN WBB PBP, helper function

Parse ESPN WBB Team Box, helper function

Parse ESPN WBB Player Box, helper function

Usage

```
helper_espn_wbb_pbp(resp)

helper_espn_wbb_team_box(resp)

helper_espn_wbb_player_box(resp)
```

Arguments

`resp`	Response object from the ESPN WBB game summary endpoint

Value

Returns a tibble

Returns a tibble

Returns a tibble

helper_espn_wnba_pbp Parse ESPN WNBA PBP, helper function

Description

Parse ESPN WNBA PBP, helper function

Parse ESPN WNBA Team Box, helper function

Parse ESPN WNBA Player Box, helper function

Usage

```
helper_espn_wnba_pbp(resp)

helper_espn_wnba_team_box(resp)

helper_espn_wnba_player_box(resp)
```

Arguments

resp	Response object from the ESPN WNBA game summary endpoint

Value

Returns a tibble

Returns a tibble

Returns a tibble

hhs_teams Her Hoop Stats NCAA Team Single-Season Index

Description

Get the NCAA women's team single-season summary table from Her Hoop Stats.

Her Hoop Stats is a *subscription* service; this logs in with your own credentials (read from the `email`/`password` arguments, the `wehoop.herhoopstats_email`/`..._password` options, or the `HERHOOPSTATS_EMAIL`/`HERHO` environment variables) and returns one row per team-season, with a `team_link` column for `hhs_team_stats()` / `hhs_team_roster()`.

Usage

```
hhs_teams(
  min_season = most_recent_wbb_season(),
  max_season = most_recent_wbb_season(),
  division = 1,
  email = NULL,
  password = NULL
)
```

Arguments

min_season, max_season	Season range (4-digit ending year; 2024 = 2023-24). Default both to most_recent_wbb_season().
division	NCAA division: 1 (default), 2 or 3.
email, password	Optional explicit subscription credentials.

Value

A wehoop_data tibble, one row per team-season (record, scoring and per-100-possession columns), plus a team_link column and the requested min_season / max_season / division.

Note

Requires a Her Hoop Stats subscription. The member-table layout may change over time; selectors here are a starting point.

See Also

Other Her Hoop Stats Functions: hhs_team_roster(), hhs_team_stats()

Examples

```
## Not run:
  # requires HERHOOPSTATS_EMAIL / HERHOOPSTATS_PW
  hhs_teams(min_season = 2024, max_season = 2024, division = 1)

## End(Not run)
```

---

hhs_team_roster Her Hoop Stats Team Roster

Description

Get a team's player roster + stats from Her Hoop Stats.

Requires a Her Hoop Stats subscription (see hhs_teams()).

Usage

```
hhs_team_roster(team_link, email = NULL, password = NULL)
```

Arguments

team_link	A team page path or URL (the team_link column from hhs_teams()).
email, password	Optional explicit subscription credentials.

Value

A wehoop_data tibble, one row per player.

Note

Requires a Her Hoop Stats subscription. Member-table layout may change.

See Also

Other Her Hoop Stats Functions: hhs_team_stats(), hhs_teams()

Examples

```
## Not run:
  teams <- hhs_teams(2024, 2024, 1)
  hhs_team_roster(team_link = teams$team_link[1])

## End(Not run)
```

---

hhs_team_stats Her Hoop Stats Team Statistics

Description

Get a team's statistics page from Her Hoop Stats.

Requires a Her Hoop Stats subscription (see hhs_teams()).

Usage

```
hhs_team_stats(team_link, email = NULL, password = NULL)
```

Arguments

team_link	A team page path or URL, e.g. the team_link column returned by hhs_teams().
email, password	Optional explicit subscription credentials.

Value

A wehoop_data tibble of the team's primary statistics table.

Note

Requires a Her Hoop Stats subscription. Member-table layout may change.

See Also

Other Her Hoop Stats Functions: `hhs_team_roster()`, `hhs_teams()`

Examples

```
## Not run:
  teams <- hhs_teams(2024, 2024, 1)
  hhs_team_stats(team_link = teams$team_link[1])

## End(Not run)
```

`load_ncaa_wbb_pbp` **Load cleaned NCAA women's college basketball play-by-play from the data repo**

Description

Loads season-level NCAA women's college basketball play-by-play. One row per event, with reconstructed 5-man lineups, possession numbering, shot context (transition/paint/second-chance), and an ESPN game-id crosswalk. Produced by the sdv-py `ncaa_wbb` engine (stats.ncaa.org play-by-play parsed, cleaned, and enriched); backed by the `ncaa-wbb-hoops-data` pipeline, published to the `ncaa_wbb_pbp` release tag as csv.gz/parquet/rds.

Loads shot-chart events for NCAA women's college basketball – one row per field goal attempt, with court coordinates, distance, shot zone, and made/missed result. Coordinates are only available from the 2019 season onward (stats.ncaa.org did not publish shot-location data before then), so `seasons` has a 2019 floor even though most sibling NCAA WBB datasets start at 2010. Produced by the sdv-py `ncaa_wbb` engine; backed by the `ncaa-wbb-hoops-data` pipeline, published to the `ncaa_wbb_shots` release tag as csv.gz/parquet/rds.

Loads reconstructed 5-man lineup stints for NCAA women's college basketball – one row per contiguous stretch a specific 5-player lineup was on court for a team, with on/off scoring, shooting, and rebounding splits plus the matching opponent (`opp_*`) splits. Produced by the sdv-py `ncaa_wbb` engine's lineup reconstructor; backed by the `ncaa-wbb-hoops-data` pipeline, published to the `ncaa_wbb_lineups` release tag as csv.gz/parquet/rds.

Loads reconstructed 10-man matchup stints (the home 5-man lineup crossed with the away 5-man lineup) for NCAA women's college basketball – one row per contiguous stretch both lineups were on court together, with the score at stint start/end and both team's lineup rosters. Produced by the sdv-py `ncaa_wbb` engine's lineup reconstructor; backed by the `ncaa-wbb-hoops-data` pipeline, published to the `ncaa_wbb_matchup_stints` release tag as csv.gz/parquet/rds.

Loads possession-level data for NCAA women's college basketball – one row per offensive possession, with the on-court 5-man lineups for both teams, points scored, assist/transition/garbage-time flags, and the possession's first and last event types. Produced by the sdv-py `ncaa_wbb`

engine's possession detector; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_possessions release tag as csv.gz/parquet/rds.

Loads within-team regularized adjusted plus-minus (RAPM) ratings for NCAA women's college basketball – one row per player-team-season, fit against teammate lineup variation within that team's own possessions (not a cross-team national RAPM). Produced by the sdv-py ncaa_wbb engine's RAPM model on top of the reconstructed lineup/possession data; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_rapm_within_team release tag as csv.gz/parquet/rds.

Loads league-wide regularized adjusted plus-minus (RAPM) ratings for NCAA women's college basketball – one row per player-season, fit against lineup variation across all Division I stints for that season (not a within-team RAPM). Produced by the sdv-py ncaa_wbb engine's league-wide stint-ridge RAPM solver (Torvik-gated to Division I teams) on top of the reconstructed lineup/possession data; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_rapm release tag as csv.gz/parquet/rds.

Loads advanced per-player, per-game box scores for NCAA women's college basketball – one row per player-game, with shooting splits by zone (rim/mid/3), transition and half-court splits, assisted-vs-unassisted splits, and shot-zone efficiency rates. A superset of the traditional box score (points/rebounds/assists/steals/blocks/turnovers/fouls are included alongside the advanced splits). Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_player_box release tag as csv.gz/parquet/rds.

Loads advanced per-team, per-game box scores for NCAA women's college basketball – one row per team-game, with offensive/defensive ratings, shot-zone rates and efficiency (rim/mid/3), rebounding/assist/turnover rates, and the matching opponent (d_*) splits. Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_team_box release tag as csv.gz/parquet/rds.

Loads a lightweight season roster for NCAA women's college basketball – one row per player-team-season with a games-played count. For the fuller roster (jersey, class, position, height, hometown, high school), use load_ncaa_wbb_team_rosters(). Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_rosters release tag as csv.gz/parquet/rds.

Loads the full season roster for NCAA women's college basketball – one row per player-team-season with jersey number, class year, position, height, hometown, high school, and games played/started. Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_team_rosters release tag as csv.gz/parquet/rds.

Loads season schedules/results for NCAA women's college basketball – one row per game with home/away teams and final scores. Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_schedule release tag as csv.gz/parquet/rds.

Loads the season-level stats.ncaa.org team-id / conference crosswalk for NCAA women's college basketball – one row per team-season. Useful for joining ncaa_team_id columns on the other ncaa_wbb_* datasets back to a team name and conference. Produced by the sdv-py ncaa_wbb engine; backed by the ncaa-wbb-hoops-data pipeline, published to the ncaa_wbb_team_ids release tag as csv.gz/parquet/rds.

Usage

```
load_ncaa_wbb_pbp(
  seasons = most_recent_wbb_season(),
```

```
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_shots(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_lineups(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_matchup_stints(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_possessions(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_rapm_within_team(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_rapm(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_player_box(
```

```
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_team_box(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_rosters(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_team_rosters(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_schedule(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_ncaa_wbb_team_ids(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit season-ending years for NCAA women's college basketball (e.g. 2024 for the 2023-24 season). Published coverage runs 2010 through the most recent season, with no gaps. Pass seasons = TRUE for every published season. (Min: 2010)
...	Additional arguments passed to an underlying function that writes the season

	data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Details

League-wide regularized adjusted plus-minus – a single ridge fit over all Division I stints per season, distinct from load_ncaa_wbb_rapm_within_team()'s within-team fit. Published coverage runs seasons 2011 through 2026.

Value

Returns a wehoop_data tibble with one row per play-by-play event.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per shot attempt.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per lineup stint.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per matchup stint.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per possession.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per player-team-season.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per player-season.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per player-game.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per team-game.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per player-team-season.

col_name	types	description
season	integer	Season identifier (4-digit season-ending year).
team	character	Team name.
player	character	Player name (raw, upper-cased).
games	integer	Games played (season total).

Returns a wehoop_data tibble with one row per player-team-season.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per game.

col_name	types	description
contest_id	character	Unique stats.ncaa.org contest identifier.
game_date	character	Date the game was played (MM/DD/YYYY).
home	character	Home team name.
away	character	Away team name.
home_score	integer	Home team score after the event.
away_score	integer	Away team score after the event.
season	integer	Season identifier (4-digit season-ending year).

Returns a `wehoop_data` tibble with one row per team-season.

col_name	types	description
team	character	Team name.
conference	character	Conference affiliation.
id	character	stats.ncaa.org team identifier.
season	integer	Season identifier (4-digit season-ending year).

Author(s)

Saiem Gilani

Examples

```
try(load_ncaa_wbb_pbp(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_shots(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_lineups(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_matchup_stints(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_possessions(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_rapm_within_team(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_rapm(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_player_box(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_team_box(seasons = most_recent_wbb_season()))
```

```
try(load_ncaa_wbb_rosters(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_team_rosters(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_schedule(seasons = most_recent_wbb_season()))

try(load_ncaa_wbb_team_ids(seasons = most_recent_wbb_season()))
```

`load_wbb_pbp` **Load cleaned women's college basketball play-by-play from the data repo**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

`load_wbb_rosters_manifest()` returns the per-season manifest CSV (columns: `season`, `row_count`, `generated_at_utc`, `source_endpoint`) describing which seasons are currently published to the release tag, without downloading any season's full data.

`load_wbb_player_stats_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the player season stats release tag without downloading any season's full data.

`load_wbb_team_stats_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the team season stats release tag without downloading any season's full data.

`load_wbb_standings_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the standings release tag without downloading any season's full data.

`load_wbb_shots_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the shots release tag without downloading any season's full data.

`load_wbb_game_rosters_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the game rosters release tag without downloading any season's full data.

load_wbb_officials_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the officials release tag without downloading any season's full data.

Loads season-level team rosters scraped from ESPN. One row per athlete-team-season triple. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_rosters release tag.

Loads season-level player statistics scraped from ESPN. One row per athlete-team-season-statistic-grouping. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_player_season_stats release tag.

Loads season-level team statistics scraped from ESPN. One row per team-season-statistic-grouping. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_team_season_stats release tag.

Loads season-level conference and overall standings scraped from ESPN. One row per team-season. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_standings release tag.

Loads shot events parsed from ESPN women's college basketball play-by-play feeds. One row per shot attempt (made or missed), with court coordinates and shot metadata. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_shots release tag.

Loads per-game rosters scraped from ESPN women's college basketball box scores. One row per athlete-team-game triple, with athlete identifiers, jersey, position, starter flag, and DNP status. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_game_rosters release tag.

Loads game-level officials data scraped from ESPN women's college basketball summary feeds. One row per official-game pair. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_officials release tag.

Loads ESPN WBB athlete core records – identity and biographical fields, one row per athlete who appeared in the season. Backed by the wehoop-wbb-data pipeline that reads raw JSONs from wehoop-wbb-raw and publishes parquet/rds artifacts to the espn_womens_college_basketball_player_core release tag.

This is the only source of athlete bio in the pipeline: the player season stats payload carries no identity at all – not even the athlete id.

Two properties of the source are worth knowing before joining:

- current_team_id is the athlete's CURRENT team, not their team in the requested season. Season team lives in load_wbb_player_box() / load_wbb_player_stats().
- Bio (height / weight / jersey) is a current snapshot that ESPN overwrites in place; it is not era-correct for a historical season. The season dimension here is participation, not the bio's vintage.

Field coverage is era-dependent by nature – headshots exist only for modern players, while college and date of birth thin out the other way.

Usage

```
load_wbb_pbp(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_team_box(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_player_box(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_schedule(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_rosters_manifest()

load_wbb_player_stats_manifest()

load_wbb_team_stats_manifest()

load_wbb_standings_manifest()

load_wbb_shots_manifest()

load_wbb_game_rosters_manifest()

load_wbb_officials_manifest()

load_wbb_rosters(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
```

```
)

load_wbb_player_stats(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_team_stats(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_standings(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_shots(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_game_rosters(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_officials(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_player_core(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
```

```
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given WBB seasons. (Min: 2004)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the player core table within the database

Value

A dataframe of play-by-play events with the columns documented below:

See the HTML help or pkgdown reference for the column table.

Returns a tibble

Returns a tibble

Returns a tibble

Returns a wehoop_data tibble with one row per athlete-team-season.

Returns a wehoop_data tibble of player season stats.

Returns a wehoop_data tibble of team season stats.

Columns as documented in the shared basketball_load_wbb_team_stats_schema table.

Returns a wehoop_data tibble of team standings.

Columns as documented in the shared basketball_load_wbb_standings_schema table.

Returns a wehoop_data tibble with one row per shot attempt.

Columns as documented in the shared basketball_load_wbb_shots_schema table.

Returns a wehoop_data tibble with one row per athlete-team-game.

Columns as documented in the shared basketball_load_wbb_game_rosters_schema table.

Returns a wehoop_data tibble with one row per official-game pair.

Columns as documented in the shared basketball_load_wbb_officials_schema table.

Returns a wehoop_data tibble of athlete core records.

Examples

```
try(load_wbb_pbp())


try(load_wbb_team_box())


try(load_wbb_player_box())


try(load_wbb_schedule())
```

```
try(load_wbb_rosters(seasons = most_recent_wbb_season()))

try(load_wbb_player_stats(seasons = most_recent_wbb_season()))

try(load_wbb_team_stats(seasons = most_recent_wbb_season()))

try(load_wbb_standings(seasons = most_recent_wbb_season()))

try(load_wbb_shots(seasons = most_recent_wbb_season()))

try(load_wbb_game_rosters(seasons = most_recent_wbb_season()))

try(load_wbb_officials(seasons = most_recent_wbb_season()))

try(load_wbb_player_core(seasons = most_recent_wbb_season()))
```

`load_wnba_pbp` **Load cleaned WNBA play-by-play from the data repo**

Description

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

helper that loads multiple seasons from the data repo either into memory or writes it into a db using some forwarded arguments in the dots

`load_wnba_rosters_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the rosters release tag without downloading any season's full data.

`load_wnba_player_stats_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the player season stats release tag without downloading any season's full data.

`load_wnba_team_stats_manifest()` returns the per-season manifest CSV (`season`, `row_count`, `generated_at_utc`, `source_endpoint`) for the team season stats release tag without downloading any season's full data.

load_wnba_standings_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the standings release tag without downloading any season's full data.

load_wnba_draft_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the draft release tag without downloading any season's full data.

load_wnba_shots_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the shots release tag without downloading any season's full data.

load_wnba_game_rosters_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the game rosters release tag without downloading any season's full data.

load_wnba_officials_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the officials release tag without downloading any season's full data.

Loads season-level WNBA team rosters scraped from ESPN. One row per athlete-team-season triple. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_rosters release tag.

Loads season-level WNBA player statistics scraped from ESPN. One row per athlete-team-season-statistic-grouping. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_player_season_stats release tag.

Loads season-level WNBA team statistics scraped from ESPN. One row per team-season-statistic-grouping. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_team_season_stats release tag.

Loads season-level WNBA standings scraped from ESPN. One row per team-season. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_standings release tag.

Loads season-level WNBA draft picks scraped from ESPN. One row per pick. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_draft release tag.

Loads shot events parsed from ESPN WNBA play-by-play feeds. One row per shot attempt (made or missed), with court coordinates and shot metadata. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_shots release tag.

Loads per-game rosters scraped from ESPN WNBA box scores. One row per athlete-team-game triple, with athlete identifiers, jersey, position, starter flag, and DNP status. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_game_rosters release tag.

Loads game-level officials data scraped from ESPN WNBA summary feeds. One row per official-game pair. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_officials release tag.

Loads ESPN WNBA athlete core records – identity and biographical fields, one row per athlete who appeared in the season. Backed by the wehoop-wnba-data pipeline that reads raw JSONs from wehoop-wnba-raw and publishes parquet/rds artifacts to the espn_wnba_player_core release tag.

This is the only source of athlete bio in the pipeline: the player season stats payload carries no identity at all – not even the athlete id.

Two properties of the source are worth knowing before joining:

- `current_team_id` is the athlete's CURRENT team, not their team in the requested season. Season team lives in `load_wnba_player_box()` / `load_wnba_player_stats()`.
- Bio (height / weight / jersey) is a current snapshot that ESPN overwrites in place; it is not era-correct for a historical season. The season dimension here is participation, not the bio's vintage.

Field coverage is era-dependent by nature – headshots exist only for modern players, while college and date of birth thin out the other way.

Usage

```
load_wnba_pbp(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_team_box(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_player_box(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_schedule(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_rosters_manifest()

load_wnba_player_stats_manifest()

load_wnba_team_stats_manifest()

load_wnba_standings_manifest()
```

```
load_wnba_draft_manifest()

load_wnba_shots_manifest()

load_wnba_game_rosters_manifest()

load_wnba_officials_manifest()

load_wnba_rosters(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_player_stats(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_team_stats(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_standings(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_draft(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_shots(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
```

```
)

load_wnba_game_rosters(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_officials(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_player_core(
  seasons = most_recent_wnba_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given WNBA seasons. (Min: 2003)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the player core table within the database

Value

A dataframe with 42 columns

See the HTML help or pkgdown reference for the column table.

Returns a tibble

Returns a tibble

Returns a tibble

Returns a wehoop_data tibble with one row per athlete-team-season.

Returns a wehoop_data tibble of player season stats.

Returns a wehoop_data tibble of team season stats.

Columns as documented in the shared basketball_load_wbb_team_stats_schema table.

Returns a wehoop_data tibble of team standings.

Columns as documented in the shared basketball_load_wbb_standings_schema table.

Returns a wehoop_data tibble of WNBA draft picks.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per shot attempt.

Columns as documented in the shared basketball_load_wbb_shots_schema table.

Returns a wehoop_data tibble with one row per athlete-team-game.

Columns as documented in the shared basketball_load_wbb_game_rosters_schema table.

Returns a wehoop_data tibble with one row per official-game pair.

Columns as documented in the shared basketball_load_wbb_officials_schema table.

Returns a wehoop_data tibble of athlete core records.

Examples

```
try(load_wnba_pbp())

try(load_wnba_team_box())

try(load_wnba_player_box())

try(load_wnba_schedule())

try(load_wnba_rosters(seasons = most_recent_wnba_season()))

try(load_wnba_player_stats(seasons = most_recent_wnba_season()))

try(load_wnba_team_stats(seasons = most_recent_wnba_season()))

try(load_wnba_standings(seasons = most_recent_wnba_season()))

try(load_wnba_draft(seasons = most_recent_wnba_season()))

try(load_wnba_shots(seasons = most_recent_wnba_season()))

try(load_wnba_game_rosters(seasons = most_recent_wnba_season()))

try(load_wnba_officials(seasons = most_recent_wnba_season()))

try(load_wnba_player_core(seasons = most_recent_wnba_season()))
```

load_wnba_player_impact

Load WNBA player-impact ratings (RAPM / SPM / BPM / DARKO) from the data repo

Description

Loads season-level WNBA player-impact ratings – one row per player-team-season, combining regularized adjusted plus-minus (RAPM), statistical plus-minus (SPM), box plus-minus (BPM), wins above replacement (WAR), and a DARKO-style skill/projection pair. Produced by the sdv-py NBA/WNBA possession-engine model program; published to the `wnba_player_impact` release tag as csv/parquet/rds.

Loads season-level NCAA women's college basketball player-value ratings – one row per player-team-season, with a box-score-derived offensive/defensive/net box plus-minus (BPM). Coverage starts at 2014 (the earliest season with published box-score inputs of sufficient quality for the model); this tag is parquet-only, with no csv/rds sibling assets. Produced by the sdv-py NCAA WBB model program; published to the `wbb_player_value` release tag.

Loads season-level NCAA women's college basketball team ratings – one row per team-season, with adjusted (opponent-strength-normalized) offensive/defensive efficiency, adjusted tempo, raw efficiency, and a national rank. A KenPom-style adjusted-efficiency-margin rating. This tag is parquet-only, with no csv/rds sibling assets. Produced by the sdv-py NCAA WBB model program; published to the `wbb_ratings` release tag.

Usage

```
load_wnba_player_impact(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_player_value(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wbb_ratings(
  seasons = most_recent_wbb_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit season-ending years for NCAA women's college basketball. Published coverage runs 2008 through the most recent season, with no gaps. Pass seasons = TRUE for every published season. (Min: 2008)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

Returns a wehoop_data tibble with one row per player-team-season.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per player-team-season.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per team-season.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

Examples

```
try(load_wnba_player_impact(seasons = most_recent_wnba_stats_season()))


try(load_wbb_player_value(seasons = most_recent_wbb_season()))


try(load_wbb_ratings(seasons = most_recent_wbb_season()))
```

---

load_wnba_stats_leaguedash
Load wehoop WNBA Stats League Dashboard cube

Description

Loads one asset of the wnba_stats_leaguedash release tag – the Python-scraped leaguedash* parameter cube that supersedes the old R-scraped player / team / lineups / standings tags. The cube publishes 24 tables per season and is the full surface behind the compatibility reshapes in load_wnba_stats_player_stats(), load_wnba_stats_team_stats(), load_wnba_stats_lineups() and load_wnba_stats_standings(); several tables (player_bio, *_master, team_stats_fourfactors, the non-5-man and non-Base/Advanced lineups_* measures) are reachable only through this function.

Usage

```
load_wnba_stats_leaguedash(
  seasons = most_recent_wnba_stats_season(),
  table = NULL,
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given WNBA seasons. Published coverage runs 1997 through the most recent season, with no gaps. Pass seasons = TRUE for every published season. (Min: 1997)
table	Name of the cube table to load. One of player_bio, player_master, player_stats_base, player_stats_advanced, player_stats_misc, player_stats_scoring, player_stats_usage, player_stats_defense, team_master, team_stats_base, team_stats_advanced, team_stats_misc, team_stats_scoring, team_stats_defense, team_stats_opponent, team_stats_fourfactors, lineups_master, lineups_base, lineups_advanced, lineups_misc, lineups_scoring, lineups_opponent, lineups_fourfactors, standings.
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

Returns a wehoop_data tibble of the requested cube table, one row per player-season, team-season or lineup-season depending on table. Column sets differ per table; the *_master tables are wide joins of every measure type for that entity.

See Also

Other WNBA Stats loader functions: load_wnba_stats_rosters()

Examples

```
try(load_wnba_stats_leaguedash(seasons = most_recent_wnba_stats_season(),
                               table = "player_bio"))
```

load_wnba_stats_rosters

Load cleaned WNBA Stats API season rosters from the data repo

Description

Loads season-level WNBA team rosters scraped from the WNBA Stats API. One row per athlete-team-season triple. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_rosters release tag.

Loads season-level WNBA coaching staff data scraped from the WNBA Stats API. One row per coach-team-season triple. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_coaches release tag.

[Deprecated] Loads season-level WNBA player statistics. **Deprecated**: the wnba_stats_player_season_stats release tag (R-scraped, Base/Advanced/Misc/Scoring/Usage/ Defense measures) is superseded by the wnba_stats_leaguedash tag (Python-scraped parameter cube, same 6 measure types plus player_bio and a wide player_master mega). This function reshapes the cube back into the old stacked-by-measure_type contract for compatibility; call the cube's player_stats_* / player_master assets directly with load_wnba_stats_leaguedash() for the full surface.

[Deprecated] Loads season-level WNBA 5-man lineup statistics (leaguedashlineups-style outputs). **Deprecated**: the wnba_stats_lineups release tag (R-scraped, Base/Advanced measures, 5-man only) is superseded by the wnba_stats_leaguedash tag (Python-scraped parameter cube: 6 measure types x 2/3/4/5-man). This function reshapes the cube back into the old 5-man Base+Advanced contract for compatibility; call the cube's lineups_* / lineups_master assets directly with load_wnba_stats_leaguedash for the full surface.

[Deprecated] Loads season-level team statistics (leaguedashteamstats-style outputs). **Deprecated**: the wnba_stats_team_season_stats release tag (R-scraped, Base/ Advanced/Misc/Scoring/Defense/Opponent measures) is superseded by the wnba_stats_leaguedash tag (Python-scraped parameter cube, same 6 measures plus Four Factors and a wide team_master mega). This function reshapes the cube back into the old stacked-by-measure_type contract for compatibility; call the cube's team_stats_* / team_master assets directly with load_wnba_stats_leaguedash() for the full surface.

[Deprecated] Loads season-level WNBA standings (leaguestandingsv3-style outputs). One row per team-season. **Deprecated**: the wnba_stats_standings release tag (R-scraped) is superseded by the wnba_stats_leaguedash tag's standings asset (same underlying endpoint/params, Python-scraped) — this is close to a pure passthrough.

Loads season-level WNBA draft picks scraped from the WNBA Stats API (drafthistory-style outputs). One row per pick. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_draft release tag.

Loads shot events scraped from the WNBA Stats API. One row per shot attempt with legacy court coordinates, action/sub type, distance, and made/missed result, carried through from the V3 play-by-play feed (not shotchartdetail). Backed by the wehoop-wnba-stats-data pipeline

that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_shots release tag.

Loads the per-game **inactive player** list scraped from the WNBA Stats API – the InactivePlayers result set of boxscoresummaryv2. One row per inactive athlete-game pair, not a full per-game roster: use load_wnba_stats_player_game_logs() for the athletes who did play. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_game_rosters release tag.

Coverage is thin by construction because the upstream result set is thin: stats.wnba.com reports inactives for only a fraction of games, and most heavily for 2006-2008 and 2021 onward. Season row counts range from 1 (1997) to 610 across 184 games (2026); 2009-2012 carry fewer than 10 rows each. A season with almost no rows is upstream sparsity, not a download failure.

Loads game-level officials data scraped from the WNBA Stats API (boxscoresummaryv2-style outputs). One row per official-game pair. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes parquet/rds artifacts to the wnba_stats_officials release tag.

Loads per-player per-game logs scraped from stats.wnba.com/leaguegamelog?PlayerOrTeam=P (one row per athlete-game pair: minutes, shooting splits, rebounds, steals, blocks, turnovers, personal fouls, plus/minus). Backed by the wehoop-wnba-stats-data pipeline that publishes parquet/rds artifacts to the wnba_stats_player_game_logs release tag.

Loads season-level WNBA schedules scraped from stats.wnba.com/leaguegamefinder (regular season + playoffs combined, pre-rejoined home/away). Backed by the wehoop-wnba-stats-data pipeline that publishes parquet/rds artifacts to the wnba_stats_schedules release tag.

Loads season-level WNBA play-by-play (V3), supplied by wnba_pbp() in the upstream compile script. Backed by the wehoop-wnba-stats-data pipeline that publishes parquet/rds artifacts to the wnba_stats_pbp release tag.

load_wnba_stats_rosters_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats rosters release tag without downloading any season's full data.

load_wnba_stats_coaches_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats coaches release tag without downloading any season's full data.

load_wnba_stats_player_stats_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats player season stats release tag without downloading any season's full data.

load_wnba_stats_lineups_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats lineups release tag without downloading any season's full data.

load_wnba_stats_team_stats_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats team season stats release tag without downloading any season's full data.

load_wnba_stats_standings_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats standings release tag without downloading any season's full data.

load_wnba_stats_draft_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats draft release tag without downloading any season's full data.

load_wnba_stats_shots_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats shots release tag without downloading any season's full data.

load_wnba_stats_game_rosters_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats game rosters release tag without downloading any season's full data.

load_wnba_stats_officials_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats officials release tag without downloading any season's full data.

load_wnba_stats_player_game_logs_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats player game logs release tag without downloading any season's full data.

load_wnba_stats_schedule_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats schedules release tag without downloading any season's full data.

load_wnba_stats_pbp_manifest() returns the per-season manifest CSV (season, row_count, generated_at_utc, source_endpoint) for the WNBA Stats play-by-play release tag without downloading any season's full data.

Loads possession-level data derived from the WNBA Stats API play-by-play – one row per possession, with the on-court 5-man lineups for both teams, shooting/rebounding/turnover splits, and the possession start type. Backed by the wehoop-wnba-stats-data pipeline that reads raw JSONs from wehoop-wnba-stats-raw and publishes csv.gz/parquet/rds artifacts to the wnba_stats_possessions release tag.

Usage

```
load_wnba_stats_rosters(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_coaches(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_player_stats(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
```

```
  tablename = NULL
)

load_wnba_stats_lineups(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_team_stats(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_standings(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_draft(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_shots(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_game_rosters(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_officials(
  seasons = most_recent_wnba_stats_season(),
  ...,
```

```
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_player_game_logs(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_schedule(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_pbp(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)

load_wnba_stats_rosters_manifest()

load_wnba_stats_coaches_manifest()

load_wnba_stats_player_stats_manifest()

load_wnba_stats_lineups_manifest()

load_wnba_stats_team_stats_manifest()

load_wnba_stats_standings_manifest()

load_wnba_stats_draft_manifest()

load_wnba_stats_shots_manifest()

load_wnba_stats_game_rosters_manifest()

load_wnba_stats_officials_manifest()

load_wnba_stats_player_game_logs_manifest()

load_wnba_stats_schedule_manifest()
```

```
load_wnba_stats_pbp_manifest()

load_wnba_stats_possessions(
  seasons = most_recent_wnba_stats_season(),
  ...,
  dbConnection = NULL,
  tablename = NULL
)
```

Arguments

seasons	A vector of 4-digit years associated with given WNBA seasons. Published coverage runs 1997 through the most recent season, with no gaps. Pass seasons = TRUE for every published season. (Min: 1997)
...	Additional arguments passed to an underlying function that writes the season data into a database.
dbConnection	A DBIConnection object, as returned by DBI::dbConnect()
tablename	The name of the data table within the database

Value

Returns a wehoop_data tibble with one row per athlete-team-season.

Returns a wehoop_data tibble with one row per coach-team-season.

Returns a wehoop_data tibble of player season stats.

Returns a wehoop_data tibble of lineup stats.

Returns a wehoop_data tibble of team season stats.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble of team standings.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble of WNBA draft picks.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per shot attempt.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per inactive athlete-game pair.

See the HTML help or pkgdown reference for the column table.

Returns a wehoop_data tibble with one row per official-game pair.

col_name	types	description
official_id	integer	Unique official / referee identifier.
first_name	character	Official's first name.
last_name	character	Official's last name.
jersey_num	character	Jersey number worn by the official.

season	integer	Season identifier (4-digit year).
game_id	character	Unique game identifier.

Returns a `wehoop_data` tibble of per-athlete per-game log rows.

Returns a `wehoop_data` tibble of per-season schedules, one row per game with the home/away sides pre-joined into `home_*` / `away_*` columns.

See the HTML help or pkgdown reference for the column table.

Returns a `wehoop_data` tibble of per-event play-by-play rows.

Returns a `wehoop_data` tibble with one row per possession.

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Stats loader functions: `load_wnba_stats_leaguedash()`

Examples

```
try(load_wnba_stats_rosters(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_coaches(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_player_stats(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_lineups(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_team_stats(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_standings(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_draft(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_shots(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_game_rosters(seasons = most_recent_wnba_stats_season()))
```

```
try(load_wnba_stats_officials(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_player_game_logs(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_schedule(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_pbp(seasons = most_recent_wnba_stats_season()))

try(load_wnba_stats_possessions(seasons = most_recent_wnba_stats_season()))
```

`load_wnba_team_crosswalk`

Load cached WNBA team crosswalk from the data repo

Description

Loads cached team-crosswalk snapshots that map ESPN team identifiers to WNBA Stats API team identifiers. One row per team-season. Backed by the `wnba_crosswalk` release tag in `sportsdataverse-data`.

Loads cached schedule-crosswalk snapshots that map ESPN game identifiers to WNBA Stats API game identifiers. One row per game-season. Backed by the `wnba_crosswalk` release tag in `sportsdataverse-data`.

Loads cached player-crosswalk snapshots that map ESPN athlete identifiers to WNBA Stats API player identifiers. One row per athlete-season. Backed by the `wnba_crosswalk` release tag in `sportsdataverse-data`.

Loads cached team-crosswalk snapshots that map ESPN team identifiers to Fox Sports and Bart Torvik team identifiers for Women's College Basketball. One row per team-season. Backed by the `wbb_crosswalk` release tag in `sportsdataverse-data`.

Loads cached schedule-crosswalk snapshots that map ESPN game identifiers to Bart Torvik game identifiers for Women's College Basketball. One row per game-season. Backed by the `wbb_crosswalk` release tag in `sportsdataverse-data`.

Loads cached player-crosswalk snapshots that map ESPN athlete identifiers to Fox Sports player identifiers for Women's College Basketball. One row per athlete-season. Backed by the `wbb_crosswalk` release tag in `sportsdataverse-data`.

Usage

```
load_wnba_team_crosswalk(seasons = most_recent_wnba_season())

load_wnba_schedule_crosswalk(seasons = most_recent_wnba_season())

load_wnba_player_crosswalk(seasons = most_recent_wnba_season())
```

```
load_wbb_team_crosswalk(seasons = most_recent_wbb_season())

load_wbb_schedule_crosswalk(seasons = most_recent_wbb_season())

load_wbb_player_crosswalk(seasons = most_recent_wbb_season())
```

Arguments

seasons	A vector of 4-digit years associated with given WBB seasons. (Min: 2014)

Value

A wehoop_data tibble of cached team-crosswalk rows.

A wehoop_data tibble of cached schedule-crosswalk rows.

A wehoop_data tibble of cached player-crosswalk rows.

A wehoop_data tibble of cached WBB team-crosswalk rows.

A wehoop_data tibble of cached WBB schedule-crosswalk rows.

A wehoop_data tibble of cached WBB player-crosswalk rows.

See Also

Other WNBA Crosswalk Functions: wnba_player_crosswalk(), wnba_schedule_crosswalk(), wnba_team_crosswalk()

Other WBB Crosswalk Functions: wbb_player_crosswalk(), wbb_schedule_crosswalk(), wbb_team_crosswalk()

Examples

```
try(load_wnba_team_crosswalk(seasons = most_recent_wnba_season()))

try(load_wnba_schedule_crosswalk(seasons = most_recent_wnba_season()))

try(load_wnba_player_crosswalk(seasons = most_recent_wnba_season()))

try(load_wbb_team_crosswalk(seasons = most_recent_wbb_season()))

try(load_wbb_schedule_crosswalk(seasons = most_recent_wbb_season()))

try(load_wbb_player_crosswalk(seasons = most_recent_wbb_season()))
```

most_recent_wbb_season

Most Recent Women's College Basketball Season

Description

Returns the most recent women's college basketball season year as an integer based on the current system date. The NCAA WBB season spans two calendar years; this helper rolls over to the next season starting in October. For example, calls made on 2025-11-15 return `2026`, while calls made on 2025-03-15 return `2025`.

Usage

```
most_recent_wbb_season()
```

Value

An integer giving the season-ending year (e.g. `2025` for the 2024-25 season).

Examples

```
most_recent_wbb_season()
```

most_recent_wnba_season

Most Recent WNBA Season

Description

Returns the most recent WNBA season year as an integer based on the current system date. The WNBA season runs from May through October within a single calendar year; this helper rolls forward to the new season starting in May.

Usage

```
most_recent_wnba_season()
```

Value

An integer giving the WNBA season year (e.g. `2025`).

Examples

```
most_recent_wnba_season()
```

most_recent_wnba_stats_season *Most Recent WNBA Stats API Season*

Description

Returns the most recent WNBA Stats API season year as an integer. This is a thin wrapper around `most_recent_wnba_season()` kept as a separate helper for naming symmetry with the `wnba_stats_*` family of loaders (mirrors the `most_recent_*_season()` convention used elsewhere in the package). The WNBA Stats API and ESPN's WNBA endpoints share the same calendar-year season identifier, so the returned value is identical to `most_recent_wnba_season()`.

Usage

```
most_recent_wnba_stats_season()
```

Value

An integer giving the WNBA season year (e.g. `2025`).

Examples

```
most_recent_wnba_stats_season()
```

ncaa_wbb **NCAA Women's Basketball Endpoint Overview**

Description

Wrappers around NCAA-side women's college basketball endpoints beyond what ESPN exposes (rankings, teams reference, etc.). All requests use the same `.retry_request()` HTTP layer as the rest of the package.

Details

NCAA endpoints:

Function	Purpose
`ncaa_wbb_teams()`	NCAA WBB team reference
`ncaa_wbb_NET_rankings()`	NCAA NET rankings

Resilience pattern:

NCAA endpoints occasionally drop columns. The wrappers use `dplyr::any_of()` / `dplyr::rename(any_of(c(new = "old")))` so schema drift doesn't crash the parser — see `ncaa_wbb_NET_rankings()` for the reference implementation.

ncaa_wbb_NET_rankings *Get Women's college basketball NET rankings for the current date from the NCAA website*

Description

Get Women's college basketball NET rankings for the current date from the NCAA website

Usage

```
ncaa_wbb_NET_rankings()
```

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

Examples

```
# Get current NCAA NET rankings

  try(ncaa_wbb_NET_rankings())
```

ncaa_wbb_teams **Scrape NCAA Women's Basketball Teams (Division I, II, and III)**

Description

Scrapes the NCAA Stats per-season team list at `http://stats.ncaa.org/team/inst_team_list?academic_year=YYYY&c`
Returns one row per team for the requested season-year and division, with the per-season `season_id` and `team_id` parsed out of the `stats.ncaa.org` team URL.

Network access: as of v3.0.0 `stats.ncaa.org` is fronted by Akamai and returns HTTP 403 (`Reference #18.<...>`) to many residential and cloud IP ranges regardless of headers. If you hit that block, supply a proxy that egresses from a non-blocked address — pass `proxy =` directly via `...` (forwarded to `.retry_request()`), or set it once with `options(wehoop.proxy = list(url=, port=, username=, password=))`. See the wehoop CLAUDE.md / pkgdown docs for the full proxy resolution order.

Usage

```
ncaa_wbb_teams(year = most_recent_wbb_season(), division = 1, ...)
```

Arguments

year	The season for which data should be returned, in the form of "YYYY". Years currently available: 2002 onward.
division	Division - 1, 2, or 3.
...	Forwarded to the internal .retry_request() HTTP helper. The most useful pass-through is proxy = (string "http://host:port" or named list list(url=, port=, username=, password=, auth=)); see ?.retry_request for the full set of recognized arguments.

Details

```
ncaa_wbb_teams(year = 2025, division = 1)

# Behind a proxy (per-call):
ncaa_wbb_teams(
  year = 2025, division = 1,
  proxy = list(url = "http://my-proxy", port = 8080,
               username = "user", password = "pass")
)

# Or session-wide:
options(wehoop.proxy = list(url = "http://my-proxy", port = 8080,
                            username = "user", password = "pass"))
ncaa_wbb_teams(year = 2025, division = 1)
```

Value

A data frame with the following variables

See the HTML help or pkgdown reference for the column table.

---

parameter_descriptions

WNBA Stats API Parameter Descriptions *Reference table for parameters used across* wnba_*() *functions.*

Description

WNBA Stats API Parameter Descriptions Reference table for parameters used across wnba_*() functions.

Usage

```
parameter_descriptions
```

Format

A data frame with 52 rows and 5 variables:

col_name	description
parameter	character. R-side argument name (snake_case).
api_name	character. WNBA Stats API CamelCase parameter name.
description	character. One-sentence description of the parameter.
valid_values	character. Comma-separated enum values; empty string for free-form parameters.
default	character. Default value as it appears in function signatures.

---

parquet_from_url — Load .parquet file from a remote connection

Description

Sibling of `rds_from_url()` for release assets published as parquet (e.g. the `wnba_stats_leaguedash` / `nba_stats_leaguedash` cube tags). 404-safe: an unpublished asset returns an empty `data.table` + a warning, matching `rds_from_url()`'s contract, instead of raising.

Usage

```
parquet_from_url(url)
```

Arguments

url	a character url

Value

a dataframe as created by `arrow::read_parquet()`

---

progressively — *Progressively*

Description

This function helps add progress-reporting to any function - given function `f()` and progressor `p()`, it will return a new function that calls `f()` and then (on-exiting) will call `p()` after every iteration.

Usage

```
progressively(f, p = NULL)
```

Arguments

f	a function to add progressr functionality to.
p	a progressor function as created by progressr::progressor()

Details

This is inspired by purrr's safely, quietly, and possibly function decorators.

Value

a function that does the same as f but it calls p() after iteration.

---

rds_from_url — Load .rds file from a remote connection

Description

Load .rds file from a remote connection

Usage

```
rds_from_url(url)
```

Arguments

url	a character url

Value

a dataframe as created by readRDS()

---

update_wbb_db — Build/update wehoop WBB play-by-play database

---

Description

update_wbb_db() updates or creates a database with wehoop play by play data of all completed and available games since 2002.

Usage

```
update_wbb_db(
  dbdir = ".",
  dbname = "wehoop_db",
  tblname = "wehoop_wbb_pbp",
  force_rebuild = FALSE,
  db_connection = NULL,
  datasets = NULL,
  seasons = TRUE
)
```

Arguments

dbdir	Directory in which the database is or shall be located
dbname	File name of an existing or desired SQLite database within dbdir
tblname	The name of the play by play data table within the database
force_rebuild	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
db_connection	A DBIConnection object, as returned by DBI::dbConnect() (please see details for further information)
datasets	Optional character vector of dataset shortnames. When NULL (the default) the legacy behavior is preserved: the play-by-play table tblname is created/updated. When supplied, only the requested datasets are written (one table per dataset, named wbb_<dataset> – e.g. wbb_rosters, wbb_player_stats). Valid values: "pbp", "team_box", "player_box", "schedule", "rosters", "player_stats", "team_stats", "standings", "shots", "game_rosters", "officials".
seasons	Optional integer vector of seasons. Forwarded to the dataset loaders only when datasets is supplied. Defaults to all available seasons for the dataset (seasons = TRUE).

Details

This function creates and updates a data table with the name tblname within a SQLite database (other drivers via db_connection) located in dbdir and named dbname. The data table combines all play by play data for every available game back to the 2002 season and adds the most recent completed games as soon as they are available for wehoop.

The argument force_rebuild is of hybrid type. It can rebuild the play by play data table either for the whole wehoop era (with force_rebuild = TRUE) or just for specified seasons (e.g. force_rebuild = c(2019, 2020)). Please note the following behavior:

- force_rebuild = TRUE: The data table with the name tblname will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.
- force_rebuild = c(2019, 2020): The data table with the name tblname will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.

The parameter db_connection is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or odbc. Please note that the arguments dbdir and dbname are dropped in case a db_connection is provided but the argument tblname will still be used to write the data table into the database.

Value

Logical TRUE/FALSE

---

update_wnba_db **Build/update wehoop WNBA play-by-play database**

Description

update_wnba_db() updates or creates a database with wehoop play by play data of all completed and available games since 2002.

Usage

```
update_wnba_db(
  dbdir = ".",
  dbname = "wehoop_db",
  tblname = "wehoop_wnba_pbp",
  force_rebuild = FALSE,
  db_connection = NULL,
  datasets = NULL,
  seasons = TRUE
)
```

Arguments

dbdir	Directory in which the database is or shall be located
dbname	File name of an existing or desired SQLite database within dbdir
tblname	The name of the play by play data table within the database
force_rebuild	Hybrid parameter (logical or numeric) to rebuild parts of or the complete play by play data table within the database (please see details for further information)
db_connection	A DBIConnection object, as returned by DBI::dbConnect() (please see details for further information)
datasets	Optional character vector of dataset shortnames. When NULL (the default) the legacy behavior is preserved: the play-by-play table tblname is created/updated. When supplied, only the requested datasets are written (one table per dataset, named wnba_<dataset> – e.g. wnba_rosters, wnba_player_stats). Valid values: "pbp", "team_box", "player_box", "schedule", "rosters", "player_stats", "team_stats", "standings", "draft", "shots", "game_rosters", "officials".
seasons	Optional integer vector of seasons. Forwarded to the dataset loaders only when datasets is supplied. Defaults to all available seasons for the dataset (seasons = TRUE).

Details

This function creates and updates a data table with the name `tblname` within a SQLite database (other drivers via `db_connection`) located in `dbdir` and named `dbname`. The data table combines all play by play data for every available game back to the 2002 season and adds the most recent completed games as soon as they are available for `wehoop`.

The argument `force_rebuild` is of hybrid type. It can rebuild the play by play data table either for the whole wehoop era (with `force_rebuild = TRUE`) or just for specified seasons (e.g. `force_rebuild = c(2019, 2020)`). Please note the following behavior:

- `force_rebuild = TRUE`: The data table with the name `tblname` will be removed completely and rebuilt from scratch. This is helpful when new columns are added during the Off-Season.
- `force_rebuild = c(2019, 2020)`: The data table with the name `tblname` will be preserved and only rows from the 2019 and 2020 seasons will be deleted and re-added. This is intended to be used for ongoing seasons because ESPN's data provider can make changes to the underlying data during the week.

The parameter `db_connection` is intended for advanced users who want to use other DBI drivers, such as MariaDB, Postgres or odbc. Please note that the arguments `dbdir` and `dbname` are dropped in case a `db_connection` is provided but the argument `tblname` will still be used to write the data table into the database.

Value

Logical TRUE/FALSE

`update_wnba_stats_db` **Build/update wehoop WNBA Stats database**

Description

`update_wnba_stats_db()` writes one or more WNBA Stats API datasets into a database. Mirrors the WNBA / WBB `update_*_db()` shape but points at the `load_wnba_stats_*` family. Each dataset is written to its own table, named `wnba_stats_<dataset>`.

Usage

```
update_wnba_stats_db(
  dbdir = ".",
  dbname = "wehoop_db",
  datasets = NULL,
  seasons = TRUE,
  db_connection = NULL
)
```

Arguments

dbdir	Directory in which the database is or shall be located.
dbname	File name of an existing or desired SQLite database within dbdir.
datasets	Character vector of dataset shortnames (see Details).
seasons	Optional integer vector of seasons to load. Defaults to all available seasons (seasons = TRUE).
db_connection	A DBIConnection object. When supplied, dbdir and dbname are ignored.

Details

Unlike update_wnba_db() / update_wbb_db(), there is no historical "play-by-play table" default to preserve, so datasets is required.

Valid datasets values: "schedule", "player_game_logs", "pbp", "rosters", "coaches", "player_stats", "lineups", "team_stats", "standings", "draft", "shots", "game_rosters", "officials", "possessions".

Value

Invisibly returns TRUE on success.

---

wbb_player_crosswalk Get the WBB cross-source player crosswalk

---

Description

Build a wide, one-row-per-player-per-team crosswalk linking ESPN and Fox Sports (Bifrost) WBB player identities for a season. ESPN is the anchor source; Fox is matched by normalized name (exact first, then Jaro-Winkler fuzzy with jersey tiebreaker) within each team block. Yahoo columns are NA placeholders. Torvik and the WNBA Stats API have no per-player tables for WBB, so neither source is joined.

Usage

```
wbb_player_crosswalk(season = most_recent_wbb_season(), min_confidence = 0.92)
```

Arguments

season	Season year (4-digit, e.g. 2025). Defaults to most_recent_wbb_season().
min_confidence	Jaro-Winkler similarity floor for fuzzy matches (default 0.92).

Value

A wehoop_data tibble, one row per player per team (ESPN-anchored):

See the HTML help or pkgdown reference for the column table.

See Also

Other WBB Crosswalk Functions: load_wnba_team_crosswalk(), wbb_schedule_crosswalk(), wbb_team_crosswalk()

Examples

```
try(wbb_player_crosswalk(season = 2025))
```

---

wbb_schedule_crosswalk

Get the WBB cross-source schedule crosswalk

Description

Build a wide, one-row-per-game crosswalk linking ESPN and Bart Torvik (barttorvik.com/ncaaw) game identifiers for a WBB season. Fox Sports and Yahoo game IDs are NA placeholders. Dates are reduced to Eastern-Time game dates before joining; Torvik team1/team2 are unordered (the join uses a sorted team-pair key, so home/away from the Torvik side is not preserved). Games where either Torvik team name cannot be resolved to an ESPN id via wbb_team_crosswalk() are kept as bart_only rows.

Usage

```
wbb_schedule_crosswalk(season = most_recent_wbb_season())
```

Arguments

season	Season year (4-digit, e.g. 2025). Defaults to most_recent_wbb_season().

Value

A wehoop_data tibble, one row per game:

See the HTML help or pkgdown reference for the column table.

See Also

Other WBB Crosswalk Functions: load_wnba_team_crosswalk(), wbb_player_crosswalk(), wbb_team_crosswalk()

Examples

```
try(wbb_schedule_crosswalk(season = 2025))
```

`wbb_team_crosswalk` **Get the WBB cross-source team crosswalk**

Description

Build a wide, one-row-per-team-per-season crosswalk linking ESPN, Fox Sports (Bifrost), and Bart Torvik (barttorvik.com/ncaaw) women's college basketball team identities, keyed on `espn_team_id`. Yahoo columns are NA placeholders. ESPN is deduped by `team_id` (first occurrence kept). Fox is joined on the full normalized mascot name (with a curated alias bridge for cases where Fox and ESPN differ); Torvik is joined on the normalized school/location name after a curated alias pass for common divergences (e.g. "UConn" / "Connecticut", "Ole Miss" / "Mississippi").

Usage

```
wbb_team_crosswalk(season = most_recent_wbb_season(), fox = NULL)
```

Arguments

`season`	Season year (4-digit, e.g. `2025`). Defaults to `most_recent_wbb_season()`.
`fox`	An already-fetched `fox_wbb_teams_all()` frame, or `NULL` (default) to fetch live. Accepts a pre-fetched frame to avoid the ~60-second Fox enumeration when calling repeatedly.

Value

A `wehoop_data` tibble, one row per ESPN team:

See the HTML help or pkgdown reference for the column table.

See Also

Other WBB Crosswalk Functions: `load_wnba_team_crosswalk()`, `wbb_player_crosswalk()`, `wbb_schedule_crosswalk()`

Examples

```
try(wbb_team_crosswalk(season = 2025))
```

wehoop_loaders **wehoop Data Loaders Overview**

Description

Loaders for full seasons of pre-scraped data from the `sportsdataverse/wehoop-{wnba,wbb}-data` releases on `sportsdataverse-data`. Each helper validates the requested seasons, builds the per-asset URLs, downloads in parallel (with optional `progressr` progress + optional `DBI` insertion), and tags the result with the `wehoop_data` S3 class.

Details

WNBA loaders:

Function	Asset family
`load_wnba_pbp()`	WNBA play-by-play
`load_wnba_player_box()`	WNBA player boxscores
`load_wnba_team_box()`	WNBA team boxscores
`load_wnba_schedule()`	WNBA schedule
`update_wnba_db()`	Delta loader -> DB

WBB loaders:

Function	Asset family
`load_wbb_pbp()`	Women's college basketball PBP
`load_wbb_player_box()`	WBB player boxscores
`load_wbb_team_box()`	WBB team boxscores
`load_wbb_schedule()`	WBB schedule
`update_wbb_db()`	Delta loader -> DB

wnba_alltimeleadersgrids

Get WNBA Stats API All-time Leaders Grid

Description

Get WNBA Stats API All-time Leaders Grid

Get WNBA Stats API All-time Leaders Grid

Usage

```
wnba_alltimeleadersgrids(
  league_id = "10",
  per_mode = "PerGame",
  season_type = "Regular Season",
  top_x = 10,
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season_type	Season Type - Regular Season, Playoffs, All-Star
top_x	Top X
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_alltimeleadersgrids(league_id = '10')
```

Value

Returns a named list of data frames: ASTLeaders, BLKLeaders, DREBLeaders, FG3ALeaders, FG3MLeaders, FG3_PCTLeaders, FGALeaders, FGMLeaders, FG_PCTLeaders, FTALeaders, FTMLeaders, FT_PCTLeaders, GPLeaders, OREBLeaders, PFLeaders, PTSLeaders, REBLeaders, STLLeaders, TOVLeaders

GPLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
GP	character	Games played.
GP_RANK	character	
IS_ACTIVE_FLAG	character	

PTSLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
PTS	character	Points scored.
PTS_RANK	character	
IS_ACTIVE_FLAG	character	

ASTLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
AST	character	Assists.
AST_RANK	character	
IS_ACTIVE_FLAG	character	

STLLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
STL	character	Steals.
STL_RANK	character	
IS_ACTIVE_FLAG	character	

OREBLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
OREB	character	Offensive rebounds.
OREB_RANK	character	
IS_ACTIVE_FLAG	character	

DREBLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
DREB	character	Defensive rebounds.
DREB_RANK	character	
IS_ACTIVE_FLAG	character	

REBLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
REB	character	Total rebounds.
REB_RANK	character	

IS_ACTIVE_FLAG	character

BLKLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
BLK	character	Blocks.
BLK_RANK	character	
IS_ACTIVE_FLAG	character	

FGMLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FGM	character	Field goals made.
FGM_RANK	character	
IS_ACTIVE_FLAG	character	

FGALeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FGA	character	Field goal attempts.
FGA_RANK	character	
IS_ACTIVE_FLAG	character	

FG_PCTLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FG_PCT	character	Field goal percentage (0-1).
FG_PCT_RANK	character	
IS_ACTIVE_FLAG	character	

TOVLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.

PLAYER_NAME	character	Player name.
TOV	character	Turnovers.
TOV_RANK	character	
IS_ACTIVE_FLAG	character	

FG3MLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FG3M	character	Three-point field goals made.
FG3M_RANK	character	
IS_ACTIVE_FLAG	character	

FG3ALeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FG3A	character	Three-point field goal attempts.
FG3A_RANK	character	
IS_ACTIVE_FLAG	character	

FG3_PCTLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FG3_PCT	character	Three-point field goal percentage (0-1).
FG3_PCT_RANK	character	
IS_ACTIVE_FLAG	character	

PFLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
PF	character	Personal fouls.
PF_RANK	character	
IS_ACTIVE_FLAG	character	

FTMLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FTM	character	Free throws made.
FTM_RANK	character	
IS_ACTIVE_FLAG	character	

FTALeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FTA	character	Free throw attempts.
FTA_RANK	character	
IS_ACTIVE_FLAG	character	

FT_PCTLeaders

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FT_PCT	character	Free throw percentage (0-1).
FT_PCT_RANK	character	
IS_ACTIVE_FLAG	character	

Author(s)

Saiem Gilani

See Also

Other WNBA Leaders Functions: `wnba_assistleaders()`, `wnba_assisttracker()`, `wnba_homepagewidget()`, `wnba_leagueleaders()`

`wnba_assistleaders` **Get WNBA Stats API Assist Leaders**

Description

Get WNBA Stats API Assist Leaders

Get WNBA Stats API Assist Leaders

Usage

```
wnba_assistleaders(
  league_id = "10",
  per_mode = "PerGame",
  player_or_team = "Team",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
player_or_team	Player or Team
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_assistleaders(league_id = '10', player_or_team = "Player")
wnba_assistleaders(league_id = '10', player_or_team = "Team")
```

Value

Returns a named list of data frames: AssistLeaders

AssistLeaders

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Leaders Functions: wnba_alltimeleadersgrids(), wnba_assisttracker(), wnba_homepagewidget(), wnba_leagueleaders()

`wnba_assisttracker` **Get WNBA Stats API Assist Tracker**

Description

Get WNBA Stats API Assist Tracker

Get WNBA Stats API Assist Tracker

Usage

```
wnba_assisttracker(
  league_id = "10",
  per_mode = "PerGame",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

`league_id`	League - default: '00'. Other options include '10': WWNBA, '20': G-League
`per_mode`	Per Mode - PerGame, Totals
`season`	Season - format 2020-21
`season_type`	Season Type - Regular Season, Playoffs, All-Star
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_assisttracker(league_id = '10')
```

Value

Returns a named list of data frames: AssistTracker

AssistTracker

col_name	types	description
ASSISTS	numeric	Total assists.

Author(s)

Saiem Gilani

See Also

Other WNBA Leaders Functions: `wnba_alltimeleadersgrids()`, `wnba_assistleaders()`, `wnba_homepagewidget()`, `wnba_leagueleaders()`

wnba_boxscoresummaryv3

Get WNBA Stats API Boxscore Summary V3

Description

Get WNBA Stats API Boxscore Summary V3

Get WNBA Stats API Boxscore Summary V3

Usage

```
wnba_boxscoresummaryv3(game_id = "1022200034", ...)
```

Arguments

game_id	Game ID - 10-digit zero-padded ID (e.g., '1022200034')
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_boxscoresummaryv3(game_id = "1022200034")
```

Value

Returns a named list of data frames: game_summary, game_info, arena_info, officials, line_score, inactive_players, last_five_meetings, other_stats, available_video

game_summary

See the HTML help or pkgdown reference for the column table.

line_score

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Boxscore V3 Functions: wnba_boxscorehustlev2(), wnba_boxscoretraditionalv3()

wnba_boxscoretraditionalv2

Get WNBA Stats API Boxscore Traditional V2

Description

Get WNBA Stats API Boxscore Traditional V2

Get WNBA Stats API Boxscore Traditional V2

Get WNBA Stats API Boxscore Advanced V2

Get WNBA Stats API Boxscore Four Factors V2

Get WNBA Stats API Boxscore Misc V2

Get WNBA Stats API Boxscore Scoring V2

Get WNBA Stats API Boxscore Usage V2

Usage

```
wnba_boxscoretraditionalv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscoreadvancedv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscorefourfactorsv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

```
wnba_boxscoremiscv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscorescoringv2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscoreusagev2(
  game_id,
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

Arguments

game_id	Game ID
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_boxscoretraditionalv2(game_id = "1022200034")

wnba_boxscoreadvancedv2(game_id = "1022200034")
```

```
wnba_boxscorefourfactorsv2(game_id = "1022200034")

wnba_boxscoremiscv2(game_id = "1022200034")

wnba_boxscorescoringv2(game_id = "1022200034")

wnba_boxscoreusagev2(game_id = "1022200034")
```

Value

A list of data frames: PlayerStats, TeamStarterBenchStats, TeamStats

PlayerStats

See the HTML help or pkgdown reference for the column table.

TeamStats

See the HTML help or pkgdown reference for the column table.

TeamStarterBenchStats

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: PlayerStats, TeamStats

PlayerStats

See the HTML help or pkgdown reference for the column table.

TeamStats

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: sqlPlayersFourFactors, sqlTeamFourFactors

sqlPlayersFourFactors

See the HTML help or pkgdown reference for the column table.

sqlTeamsFourFactors

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: sqlPlayersMisc, sqlTeamsMisc

sqlPlayersMisc

See the HTML help or pkgdown reference for the column table.

sqlTeamsMisc

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: sqlPlayersScoring, sqlTeamsScoring

sqlPlayersScoring

See the HTML help or pkgdown reference for the column table.

sqlTeamsScoring

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: sqlPlayersUsage, sqlTeamsUsage

sqlPlayersUsage

See the HTML help or pkgdown reference for the column table.

sqlTeamsUsage

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Boxscore Functions: wnba_boxscoresummaryv2(), wnba_gamerotation()

---

wnba_boxscoretraditionalv3

Get WNBA Stats API Boxscore Traditional V3

Description

Get WNBA Stats API Boxscore Traditional V3

Get WNBA Stats API Boxscore Traditional V3

Get WNBA Stats API Boxscore Advanced V3

Get WNBA Stats API Boxscore Misc V3

Get WNBA Stats API Boxscore Scoring V3

Get WNBA Stats API Boxscore Four Factors V3

Get WNBA Stats API Boxscore Player Tracking V3

Get WNBA Stats API Boxscore Usage V3

Usage

```
wnba_boxscoretraditionalv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscoreadvancedv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)
```

```
wnba_boxscoremiscv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscorescoringv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscorefourfactorsv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscoreplayertrackv3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
)

wnba_boxscoreusagev3(
  game_id = "1022200034",
  start_period = 0,
  end_period = 14,
  start_range = 0,
  end_range = 0,
  range_type = 0,
  ...
```

)

Arguments

game_id	Game ID - 10-digit zero-padded ID (e.g., '1022200034')
start_period	start_period
end_period	end_period
start_range	start_range
end_range	end_range
range_type	range_type
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_boxscoretraditionalv3(game_id = "1022200034")

wnba_boxscoreadvancedv3(game_id = "1022200034")

wnba_boxscoremiscv3(game_id = "1022200034")

wnba_boxscorescoringv3(game_id = "1022200034")

wnba_boxscorefourfactorsv3(game_id = "1022200034")

wnba_boxscoreplayertrackv3(game_id = "1022200034")

wnba_boxscoreusagev3(game_id = "1022200034")
```

Value

A list of data frames: home_team_player_traditional, away_team_player_traditional, home_team_totals_traditional, away_team_totals_traditional, home_team_starters_totals, away_team_starters_totals, home_team_bench_totals, away_team_bench_totals

home_team_player_traditional

See the HTML help or pkgdown reference for the column table.

away_team_player_traditional

Same columns as the **home_team_player_traditional** table above.

home_team_totals_traditional

See the HTML help or pkgdown reference for the column table.

away_team_totals_traditional

Same columns as the **home_team_totals_traditional** table above.

home_team_starters_totals

See the HTML help or pkgdown reference for the column table.

away_team_starters_totals

Same columns as the **home_team_starters_totals** table above.

home_team_bench_totals

Same columns as the **home_team_starters_totals** table above.

away_team_bench_totals

Same columns as the **home_team_starters_totals** table above.

A list of data frames: home_team_player_advanced, away_team_player_advanced, home_team_totals_advanced, away_team_totals_advanced

home_team_player_advanced

See the HTML help or pkgdown reference for the column table.

away_team_player_advanced

Same columns as the **home_team_player_advanced** table above.

home_team_totals_advanced

See the HTML help or pkgdown reference for the column table.

away_team_totals_advanced

Same columns as the **home_team_totals_advanced** table above.

A list of data frames: home_team_player_misc, away_team_player_misc, home_team_totals_misc, away_team_totals_misc

home_team_player_misc

See the HTML help or pkgdown reference for the column table.

away_team_player_misc

Same columns as the **home_team_player_misc** table above.

home_team_totals_misc

See the HTML help or pkgdown reference for the column table.

away_team_totals_misc

Same columns as the **home_team_totals_misc** table above.

A list of data frames: home_team_player_scoring, away_team_player_scoring, home_team_totals_scoring, away_team_totals_scoring

home_team_player_scoring

See the HTML help or pkgdown reference for the column table.

away_team_player_scoring

Same columns as the **home_team_player_scoring** table above.

home_team_totals_scoring

See the HTML help or pkgdown reference for the column table.

away_team_totals_scoring

Same columns as the **home_team_totals_scoring** table above.

A list of data frames: home_team_player_four_factors, away_team_player_four_factors, home_team_totals_four_factors, away_team_totals_four_factors

home_team_player_four_factors

See the HTML help or pkgdown reference for the column table.

away_team_player_four_factors

Same columns as the **home_team_player_four_factors** table above.

home_team_totals_four_factors

See the HTML help or pkgdown reference for the column table.

away_team_totals_four_factors

Same columns as the **home_team_totals_four_factors** table above.

A list of data frames: home_team_player_player_track, away_team_player_player_track, home_team_totals_player_track, away_team_totals_player_track

home_team_player_player_track

See the HTML help or pkgdown reference for the column table.

away_team_player_player_track

Same columns as the **home_team_player_player_track** table above.

home_team_totals_player_track

See the HTML help or pkgdown reference for the column table.

away_team_totals_player_track

Same columns as the **home_team_totals_player_track** table above.

Returns a named list of data frames: home_team_player_usage, away_team_player_usage, home_team_totals_usage, away_team_totals_usage

home_team_player_usage

See the HTML help or pkgdown reference for the column table.

away_team_player_usage

Same columns as the **home_team_player_usage** table above.

home_team_totals_usage

See the HTML help or pkgdown reference for the column table.

away_team_totals_usage

Same columns as the **home_team_totals_usage** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Boxscore V3 Functions: `wnba_boxscorehustlev2()`, `wnba_boxscoresummaryv3()`

`wnba_commonallplayers` **Get WNBA Stats API All Players**

Description

Get WNBA Stats API All Players

Get WNBA Stats API All Players

Usage

```
wnba_commonallplayers(
  is_only_current_season = 0,
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  ...
)
```

Arguments

`is_only_current_season`	is_only_current_season
`league_id`	league_id
`season`	season
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_commonallplayers(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: CommonAllPlayers

CommonAllPlayers

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Roster Functions: `wnba_commonplayerinfo()`, `wnba_commonteamroster()`

`wnba_commonplayerinfo` **Get WNBA Stats API Player Info**

Description

Get WNBA Stats API Player Info

Get WNBA Stats API Player Info

Usage

```
wnba_commonplayerinfo(league_id = "10", player_id = "1628932", ...)
```

Arguments

`league_id`	league_id
`player_id`	player_id
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_commonplayerinfo(league_id = '10', player_id = '1628932')
```

Value

Return a named list of data frames: CommonPlayerInfo, PlayerHeadlineStats, AvailableSeasons

CommonPlayerInfo

See the HTML help or pkgdown reference for the column table.

PlayerHeadlineStats

col_name	types	description
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
TimeFrame	character	
PTS	character	Points scored.
AST	character	Assists.
REB	character	Total rebounds.
ALL_STAR_APPEARANCES	character	

AvailableSeasons

col_name	types	description
SEASON_ID	character	Unique season identifier.

Author(s)

Saiem Gilani

See Also

Other WNBA Roster Functions: `wnba_commonallplayers()`, `wnba_commonteamroster()`

`wnba_commonplayoffseries`

Get WNBA Stats API Playoff Series

Description

Get WNBA Stats API Playoff Series

Get WNBA Stats API Playoff Series

Usage

```
wnba_commonplayoffseries(
  league_id = "10",
  season = most_recent_wnba_season() - 2,
  series_id = "",
  ...
)
```

Arguments

`league_id`	league_id
`season`	season
`series_id`	series_id
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_commonplayoffseries(league_id = '10', season = most_recent_wnba_season() - 2)
```

Value

Return a named list of data frames: PlayoffSeries

PlayoffSeries

col_name	types	description
GAME_ID	character	Unique game identifier.
HOME_TEAM_ID	character	Unique identifier for the home team.
VISITOR_TEAM_ID	character	Unique identifier for visitor team.

SERIES_ID	character
GAME_NUM	character

Author(s)

Saiem Gilani

`wnba_commonteamroster` **Get WNBA Stats API Team Roster**

Description

Get WNBA Stats API Team Roster

Get WNBA Stats API Team Roster

Usage

```
wnba_commonteamroster(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  team_id = "1611661317",
  ...
)
```

Arguments

`league_id`	league_id
`season`	season
`team_id`	team_id
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_commonteamroster(season = most_recent_wnba_season() - 1, team_id = '1611661317')
```

Value

Return a named list of data frames: Coaches, CommonTeamRoster

CommonTeamRoster

See the HTML help or pkgdown reference for the column table.

Coaches

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Roster Functions: wnba_commonallplayers(), wnba_commonplayerinfo()

---

wnba_cumestatsplayer **Get WNBA Stats API Cumulative Player Stats**

Description

Get WNBA Stats API Cumulative Player Stats

Get WNBA Stats API Cumulative Player Stats

Usage

```
wnba_cumestatsplayer(
  game_ids = "1022200018",
  league_id = "10",
  player_id = "204319",
  season = "2021-22",
  season_type = "Regular Season",
  team_id = "",
  ...
)
```

Arguments

game_ids	game_ids
league_id	league_id
player_id	player_id
season	season
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_cumestatsplayer(game_ids = "1022200018", player_id = "204319", season = "2021-22")
```

Value

Return a named list of data frames: GameByGameStats, TotalPlayerStats

GameByGameStats

See the HTML help or pkgdown reference for the column table.

TotalPlayerStats

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Cume Functions: `wnba_cumestatsplayergames()`, `wnba_cumestatsteam()`, `wnba_cumestatsteamgames()`

`wnba_cumestatsplayergames`

Get WNBA Stats API Cumulative Player Game Stats

Description

Get WNBA Stats API Cumulative Player Game Stats

Get WNBA Stats API Cumulative Player Game Stats

Usage

```
wnba_cumestatsplayergames(
  league_id = "10",
  location = "",
  outcome = "",
  player_id = "204319",
  season = "2021-22",
  season_type = "Regular Season",
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  ...
)
```

Arguments

`league_id`	league_id
`location`	location
`outcome`	outcome

player_id	player_id
season	season
season_type	season_type
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_cumestatsplayergames(player_id = "204319", season = "2021-22")
```

Value

Returns a named list of data frames: CumeStatsPlayerGames

CumeStatsPlayerGames

col_name	types	description
MATCHUP	character	Matchup.
GAME_ID	character	Unique game identifier.

Author(s)

Saiem Gilani

See Also

Other WNBA Cume Functions: wnba_cumestatsplayer(), wnba_cumestatsteam(), wnba_cumestatsteamgames()

---

wnba_cumestatsteam Get WNBA Stats API Cumulative Team Stats

Description

Get WNBA Stats API Cumulative Team Stats

Get WNBA Stats API Cumulative Team Stats

Usage

```
wnba_cumestatsteam(
  game_ids = "1022200018",
  league_id = "10",
  season = "2021-22",
  season_type = "Regular Season",
  team_id = "1611661317",
  ...
)
```

Arguments

game_ids	game_ids
league_id	league_id
season	season
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_cumestatsteam(game_ids = "1022200018", season = "2021-22", team_id = "1611661317")
```

Value

Returns a named list of data frames: GameByGameStats, TotalTeamStats

GameByGameStats

See the HTML help or pkgdown reference for the column table.

TotalTeamStats

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Cume Functions: wnba_cumestatsplayer(), wnba_cumestatsplayergames(), wnba_cumestatsteamgames

---

wnba_cumestatsteamgames

Get WNBA Stats API Cumulative Team Game Stats

Description

Get WNBA Stats API Cumulative Team Game Stats

Get WNBA Stats API Cumulative Team Game Stats

Usage

```
wnba_cumestatsteamgames(
  league_id = "10",
  location = "",
  outcome = "",
  season = "2021-22",
  season_id = "",
  season_type = "Regular Season",
  team_id = 1611661317,
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  ...
)
```

Arguments

league_id	league_id
location	location
outcome	outcome
season	season
season_id	season_id
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
  wnba_cumestatsteamgames(team_id = 1611661317, season = "2021-22")
``
```

Value

Returns a named list of data frames: CumeStatsTeamGames

CumeStatsTeamGames

col_name	types	description
MATCHUP	character	Matchup.
GAME_ID	character	Unique game identifier.

Author(s)

Saiem Gilani

See Also

Other WNBA Cume Functions: wnba_cumestatsplayer(), wnba_cumestatsplayergames(), wnba_cumestatsteam()

---

wnba_data_pbp **Get WNBA Data API Play-by-Play**

Description

Get WNBA Data API Play-by-Play

Get WNBA Data API Play-by-Play

Usage

```
wnba_data_pbp(game_id = "1022200034", ...)
```

Arguments

game_id	Game ID - 10 digits, i.e. "0021900001"
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_data_pbp(game_id = "1022200034")
```

Value

Returns a tibble

See the HTML help or pkgdown reference for the column table.

Event Message Types (event_type):

1 -> MAKE

2 -> MISS

3 -> FreeThrow

4 -> Rebound

5 -> Turnover

6 -> Foul

7 -> Violation

8 -> Substitution

9 -> Timeout

10 -> JumpBall

11 -> Ejection

12 -> StartOfPeriod

13 -> EndOfPeriod

14 -> Empty

Author(s)

Saiem Gilani

See Also

Other WNBA PBP Functions: `wnba_live_pbp()`, `wnba_pbp()`, `wnba_pbps()`, `wnba_playbyplayv3()`

`wnba_draftboard` **Get WNBA Stats API Draft Board**

Description

Get WNBA Stats API Draft Board

Get WNBA Stats API Draft Board

Usage

```
wnba_draftboard(season = most_recent_wnba_season(), ...)
```

Arguments

`season`	Draft year as numeric or character (e.g. `2026`).
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_draftboard(season = most_recent_wnba_season())
```

Value

Returns a named list of tibbles: `board`, `picks`.

board

col_name	types	description
draft_id	integer	Unique identifier for draft.
title	character	Title or label for the record.
season	integer	Season identifier (4-digit year or 'YYYY-YY' string).
status	character	Status label.
on_the_clock	character	On the clock.
draft_date	character	Date in YYYY-MM-DD format.

modified	character	Modified.

picks

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Draft Functions: `wnba_draftcombinestats()`, `wnba_drafthistory()`

`wnba_draftcombinestats`

Get WNBA Stats API Draft Combine Stats

Description

Get WNBA Stats API Draft Combine Stats

Get WNBA Stats API Draft Combine Stats

Get WNBA Stats API Draft Combine Drill Results

Get WNBA Stats API Draft Combine Non-Stationary Shooting

Get WNBA Stats API Draft Combine Player Anthropological Measurements

Get WNBA Stats API Draft Combine - Spot Shooting

Usage

```
wnba_draftcombinestats(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)

wnba_draftcombinedrillresults(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)

wnba_draftcombinenonstationaryshooting(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
```

```
)

wnba_draftcombineplayeranthro(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)

wnba_draftcombinespotshooting(
  league_id = "10",
  season_year = most_recent_wnba_season() - 1,
  ...
)
```

Arguments

league_id	league_id
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_draftcombinestats(season_year = most_recent_wnba_season() - 1)
```

(Possibly Defunct)

```
wnba_draftcombinedrillresults(season_year = most_recent_wnba_season() - 2)
```

(Possibly Defunct)

```
wnba_draftcombinenonstationaryshooting(season_year = most_recent_wnba_season() - 2)
```

(Possibly Defunct)

```
wnba_draftcombineplayeranthro(season_year = most_recent_wnba_season() - 2)
```

(Possibly Defunct)

```
wnba_draftcombinespotshooting(season_year = most_recent_wnba_season() - 2)
```

Value

Returns a named list of data frames: DraftCombineStats

DraftCombineStats

See the HTML help or pkgdown reference for the column table.

Returns a named list of data frames: Results

Returns a named list of data frames: Results

Returns a named list of data frames: Results

Returns a named list of data frames: Results

Author(s)

Saiem Gilani

See Also

Other WNBA Draft Functions: `wnba_draftboard()`, `wnba_drafthistory()`

`wnba_drafthistory` **Get WNBA Stats API Draft History**

Description

Get WNBA Stats API Draft History

Usage

```
wnba_drafthistory(
  league_id = "10",
  college = "",
  overall_pick = "",
  round_pick = "",
  round_num = "",
  season = most_recent_wnba_season() - 1,
  team_id = "",
  top_x = "",
  ...
)
```

Arguments

`league_id`	league_id
`college`	college
`overall_pick`	overall_pick
`round_pick`	round_pick
`round_num`	round_num
`season`	season
`team_id`	team_id
`top_x`	top_x
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_drafthistory(season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: DraftHistory

DraftHistory

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Draft Functions: `wnba_draftboard()`, `wnba_draftcombinestats()`

`wnba_fantasywidget` **Get WNBA Stats API Fantasy Widget**

Description

Get WNBA Stats API Fantasy Widget

Get WNBA Stats API Fantasy Widget

Usage

```
wnba_fantasywidget(
  active_players = "N",
  date_from = "",
  date_to = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = "",
  opponent_team_id = "",
  po_round = "",
  player_id = "",
  position = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "",
  todays_opponent = 0,
  todays_players = "N",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

active_players	active_players
date_from	date_from date_from
date_to	date_to date_to
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
po_round	po_round
player_id	player_id
position	position
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
todays_opponent	todays_opponent
todays_players	todays_players
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_fantasywidget(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: FantasyWidgetResult

FantasyWidgetResult

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Fantasy Functions: `wnba_infographicfanduelplayer()`, `wnba_playerfantasyprofile()`, `wnba_playerfantasyprofilebargraph()`

`wnba_franchisehistory` **Get WNBA Stats API Franchise History**

Description

Get WNBA Stats API Franchise History

Get WNBA Stats API Franchise History

Usage

```
wnba_franchisehistory(league_id = "10", ...)
```

Arguments

`league_id`	league_id
`...`	Additional arguments passed to an underlying function like httr.

Details

Franchise History

```
wnba_franchisehistory(league_id = '10')
```

Value

Returns a named list of data frames: DefunctTeams, FranchiseHistory

FranchiseHistory

See the HTML help or pkgdown reference for the column table.

DefunctTeams

Same columns as the **FranchiseHistory** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Franchise Functions: `wnba_franchiseleaders()`, `wnba_franchiseleaderswrank()`, `wnba_franchiseplayers()`

`wnba_franchiseleaders` **Get WNBA Stats API Franchise Leaders**

Description

Get WNBA Stats API Franchise Leaders

Get WNBA Stats API Franchise Leaders

Usage

```
wnba_franchiseleaders(league_id = "10", team_id = "1611661324", ...)
```

Arguments

`league_id`	league_id
`team_id`	team_id
`...`	Additional arguments passed to an underlying function like httr.

Details

Franchise Leaders

```
wnba_franchiseleaders(league_id = '10', team_id = '1611661324')
```

Value

Returns a named list of data frames: FranchiseLeaders

FranchiseLeaders

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Franchise Functions: `wnba_franchisehistory()`, `wnba_franchiseleaderswrank()`, `wnba_franchiseplayers()`

wnba_franchiseleaderswrank

Get WNBA Stats API Franchise Leaders with Rank

Description

Get WNBA Stats API Franchise Leaders with Rank

Get WNBA Stats API Franchise Leaders with Rank

Usage

```
wnba_franchiseleaderswrank(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661324",
  ...
)
```

Arguments

league_id	league_id
per_mode	per_mode
season_type	season_type
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

Details

Franchise Leaders

```
wnba_franchiseleaderswrank(league_id = '10', team_id = '1611661324')
```

Value

Returns a named list of data frames: FranchiseLeaderswRank

FranchiseLeaderswRank

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Franchise Functions: wnba_franchisehistory(), wnba_franchiseleaders(), wnba_franchiseplayers()

`wnba_franchiseplayers` **Get WNBA Stats API Franchise Players**

Description

Get WNBA Stats API Franchise Players

Get WNBA Stats API Franchise Players

Usage

```
wnba_franchiseplayers(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661319",
  ...
)
```

Arguments

`league_id`	league_id
`per_mode`	per_mode
`season_type`	season_type
`team_id`	team_id
`...`	Additional arguments passed to an underlying function like httr.

Details

Franchise Players

```
wnba_franchiseplayers(league_id = '10', team_id = '1611661319')
wnba_franchiseplayers(league_id = '10', season_type = 'Playoffs', team_id = '1611661319')
```

Value

Returns a named list of data frames: FranchisePlayers

FranchisePlayers

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Franchise Functions: `wnba_franchisehistory()`, `wnba_franchiseleaders()`, `wnba_franchiseleaderswr`

wnba_gamerotation **Get WNBA Stats API Game Rotation**

Description

Get WNBA Stats API Game Rotation

Get WNBA Stats API Game Rotation

Usage

```
wnba_gamerotation(game_id, league_id = "10", rotation_stat = "PLAYER_PTS", ...)
```

Arguments

game_id	Game ID
league_id	League ID
rotation_stat	Rotation stat to provide details on: PLAYER_PTS, PT_DIFF, USG_PCT
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_gamerotation(game_id = "1022200034")
```

Value

Returns a named list of data frames: AwayTeam, HomeTeam

AwayTeam

See the HTML help or pkgdown reference for the column table.

HomeTeam

Same columns as the **AwayTeam** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Boxscore Functions: wnba_boxscoresummaryv2(), wnba_boxscoretraditionalv2()

Other WNBA Lineup Functions: wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_possession_lineups()
wnba_rapm(), wnba_shot_zones(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

`wnba_homepagewidget` **Get WNBA Stats API Homepage Widget Leaders**

Description

Get WNBA Stats API Homepage Widget Leaders

Get WNBA Stats API Homepage Widget Leaders

Usage

```
wnba_homepagewidget(player_or_team = "Player", ...)
```

Arguments

`player_or_team`	Player or Team
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_homepagewidget(player_or_team = "Player")
wnba_homepagewidget(player_or_team = "Team")
```

Value

Returns, for current season, a named list of data frames: PTS, REB, AST, BLK, STL, FG_PCT, FG3M, FG3_PCT, FANTASY_POINTS, TOTAL_PTS, TOTAL_REB, TOTAL_AST, ALL_TIME_TD3, TD3, GAME_FG3M, GAME_PTS, GAME_AST, GAME_STL, GAME_BLK, PCT_PTS_3PT, PCT_PTS_2PT, PCT_PTS_2PT_MR

PTS

See the HTML help or pkgdown reference for the column table.

REB

See the HTML help or pkgdown reference for the column table.

AST

See the HTML help or pkgdown reference for the column table.

BLK

See the HTML help or pkgdown reference for the column table.

STL

See the HTML help or pkgdown reference for the column table.

FG_PCT

See the HTML help or pkgdown reference for the column table.

FG3M

See the HTML help or pkgdown reference for the column table.

FG3_PCT

See the HTML help or pkgdown reference for the column table.

FANTASY_POINTS

See the HTML help or pkgdown reference for the column table.

TOTAL_PTS

See the HTML help or pkgdown reference for the column table.

TOTAL_REB

See the HTML help or pkgdown reference for the column table.

TOTAL_AST

See the HTML help or pkgdown reference for the column table.

ALL_TIME_TD3

See the HTML help or pkgdown reference for the column table.

TD3

See the HTML help or pkgdown reference for the column table.

GAME_FG3M

See the HTML help or pkgdown reference for the column table.

GAME_PTS

See the HTML help or pkgdown reference for the column table.

GAME_AST

See the HTML help or pkgdown reference for the column table.

GAME_STL

See the HTML help or pkgdown reference for the column table.

GAME_BLK

See the HTML help or pkgdown reference for the column table.

PCT_PTS_3PT

See the HTML help or pkgdown reference for the column table.

PCT_PTS_2PT

See the HTML help or pkgdown reference for the column table.

PCT_PTS_2PT_MR

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Leaders Functions: `wnba_alltimeleadersgrids()`, `wnba_assistleaders()`, `wnba_assisttracker()`, `wnba_leagueleaders()`

wnba_infographicfanduelplayer

Get WNBA Stats API FanDuel Player Infographic

Description

Get WNBA Stats API FanDuel Player Infographic

Get WNBA Stats API FanDuel Player Infographic

Usage

```
wnba_infographicfanduelplayer(game_id, ...)
```

Arguments

game_id	game_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_infographicfanduelplayer(game_id = "1022200034")
```

Value

Return a named list of data frames: FanDuelPlayer

FanDuelPlayer

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Fantasy Functions: wnba_fantasywidget(), wnba_playerfantasyprofile(), wnba_playerfantasyprofil

wnba_leaguedashlineups

Get WNBA Stats API League Dashboard Lineups

Description

Get WNBA Stats API League Dashboard Lineups

Get WNBA Stats API League Dashboard Lineups

Usage

```
wnba_leaguedashlineups(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

conference	conference
date_from	date_from
date_to	date_to

division	division
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashlineups(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: Lineups

Lineups

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguelineupviz(), wnba_possession_lineups(), wnba_rapm(), wnba_shot_zones(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

---

wnba_leaguedashplayerbiostats

Get WNBA Stats API League Dashboard Player Biographical Stats

---

Description

Get WNBA Stats API League Dashboard Player Biographical Stats

Get WNBA Stats API League Dashboard Player Biographical Stats

Usage

```
wnba_leaguedashplayerbiostats(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_segment = "",
  game_scope = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = "",
  player_experience = "",
  player_position = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
```

```
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  touch_time_range = "",
  vs_conference = "",
  vs_division = "",
  weight = "",
  ...
)
```

Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
game_segment	game_segment
game_scope	game_scope
height	height
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
season	season
season_segment	season_segment
season_type	season_type

shot_clock_range
: shot_clock_range

starter_bench
: starter_bench

team_id
: team_id

touch_time_range
: touch_time_range

vs_conference
: vs_conference

vs_division
: vs_division

weight
: weight

...
: Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashplayerbiostats(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueDashPlayerBioStats

LeagueDashPlayerBioStats

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll, wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet, wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

wnba_leaguedashplayerclutch

Get WNBA Stats API League Dashboard by Player Clutch Splits

Description

Get WNBA Stats API League Dashboard by Player Clutch Splits

Get WNBA Stats API League Dashboard by Player Clutch Splits

Usage

```
wnba_leaguedashplayerclutch(
  ahead_behind = "Ahead or Behind",
  clutch_time = "Last 5 Minutes",
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_scope = "",
  game_segment = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  point_diff = 5,
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
```

```
  team_id = "",
  touch_time_range = "",
  vs_conference = "",
  vs_division = "",
  weight = "",
  ...
)
```

Arguments

ahead_behind	ahead_behind
clutch_time	clutch_time
college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
point_diff	point_diff
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position

rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
touch_time_range	touch_time_range
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashplayerclutch(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueDashPlayerClutch

LeagueDashPlayerClutch

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll, wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet, wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

wnba_leaguedashplayershotlocations

Get WNBA Stats API League Dashboard Player Shot Locations

Description

Get WNBA Stats API League Dashboard Player Shot Locations

Get WNBA Stats API League Dashboard Player Shot Locations

Usage

```
wnba_leaguedashplayershotlocations(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  distance_range = "By Zone",
  division = "",
  draft_pick = "",
  draft_year = "",
  dribble_range = "",
  game_scope = "",
  game_segment = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
```

```
  vs_conference = "",
  vs_division = "",
  weight = "",
  ...
)
```

Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
distance_range	distance_range
division	division
draft_pick	draft_pick
draft_year	draft_year
dribble_range	dribble_range
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
plus_minus	plus_minus
rank	rank
season	season

season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashplayershotlocations(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: ShotLocations

ShotLocations

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll, wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet, wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Shooting Functions: wnba_leaguedashteamshotlocations(), wnba_playerdashboardbyclutch(), wnba_shotchartdetail(), wnba_shotchartleaguewide(), wnba_shotchartlineupdetail(), wnba_teamdashboardbyclutch()

wnba_leaguedashplayerstats

Get WNBA Stats API League Dashboard Player Stats

Description

Get WNBA Stats API League Dashboard Player Stats

Get WNBA Stats API League Dashboard Player Stats

Usage

```
wnba_leaguedashplayerstats(
  college = "",
  conference = "",
  country = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_pick = "",
  draft_year = "",
  game_scope = "",
  game_segment = "",
  height = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  two_way = "",
  vs_conference = "",
```

```
  vs_division = "",
  weight = "",
  ...
)
```

Arguments

college	college
conference	conference
country	country
date_from	date_from
date_to	date_to
division	division
draft_pick	draft_pick
draft_year	draft_year
game_scope	game_scope
game_segment	game_segment
height	height
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range

starter_bench	starter_bench
team_id	team_id
two_way	two_way
vs_conference	vs_conference
vs_division	vs_division
weight	weight
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashplayerstats(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueDashPlayerStats

LeagueDashPlayerStats

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll, wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet, wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

wnba_leaguedashteamclutch

Get WNBA Stats API League Dashboard by Team Clutch Splits

Description

Get WNBA Stats API League Dashboard by Team Clutch Splits

Get WNBA Stats API League Dashboard by Team Clutch Splits

Usage

```
wnba_leaguedashteamclutch(
  ahead_behind = "Ahead or Behind",
  clutch_time = "Last 5 Minutes",
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_scope = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  point_diff = 5,
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

ahead_behind	ahead_behind
clutch_time	clutch_time
conference	conference
date_from	date_from
date_to	date_to
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
point_diff	point_diff
po_round	po_round
per_mode	per_mode
period	period
player_experience	player_experience
player_position	player_position
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashteamclutch(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueDashTeamClutch

LeagueDashTeamClutch

Columns as documented in the shared wnba_leaguedashteamclutch_league_dash_team_clutch_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Clutch Functions: wnba_playerdashboardbyclutch(), wnba_teamdashboardbyclutch()

---

wnba_leaguedashteamshotlocations
Get WNBA Stats API League Dashboard Team Shot Locations

Description

Get WNBA Stats API League Dashboard Team Shot Locations

Get WNBA Stats API League Dashboard Team Shot Locations

Usage

```
wnba_leaguedashteamshotlocations(
  conference = "",
  date_from = "",
  date_to = "",
  distance_range = "By Zone",
  division = "",
  game_scope = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
```

```
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_experience = "",
  player_position = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

conference	conference
date_from	date_from
date_to	date_to
distance_range	distance_range
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period

player_experience
: player_experience

player_position
: player_position

plus_minus
: plus_minus

rank
: rank

season
: season

season_segment
: season_segment

season_type
: season_type

shot_clock_range
: shot_clock_range

starter_bench
: starter_bench

team_id
: team_id

vs_conference
: vs_conference

vs_division
: vs_division

...
: Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashteamshotlocations(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: ShotLocations

ShotLocations

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Shooting Functions: wnba_leaguedashplayershotlocations(), wnba_playerdashboardbyclutch(), wnba_shotchartdetail(), wnba_shotchartleaguewide(), wnba_shotchartlineupdetail(), wnba_teamdashboardbyclutch()

wnba_leaguedashteamstats

Get WNBA Stats API League Dashboard Team Stats

Description

Get WNBA Stats API League Dashboard Team Stats

Get WNBA Stats API League Dashboard Team Stats

Usage

```
wnba_leaguedashteamstats(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_scope = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  starter_bench = "",
  team_id = "",
  two_way = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

conference	conference

date_from	date_from
date_to	date_to
division	division
game_scope	game_scope
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
starter_bench	starter_bench
team_id	team_id
two_way	two_way
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguedashteamstats(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueDashTeamStats

LeagueDashTeamStats

Columns as documented in the shared wnba_leaguedashteamclutch_league_dash_team_clutch_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Team Functions: wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_leaguegamefinder Get WNBA Stats API League Game Streak Finder

---

Description

Get WNBA Stats API League Game Streak Finder

Get WNBA Stats API League Game Streak Finder

Usage

```
wnba_leaguegamefinder(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_year = "",
  draft_team_id = "",
  draft_round = "",
  draft_number = "",
  et_ast = "",
  et_blk = "",
  et_dd = "",
  et_dreb = "",
  et_fg3a = "",
  et_fg3m = "",
  et_fg3_pct = "",
  et_fga = "",
  et_fgm = "",
  et_fg_pct = "",
  et_fta = "",
  et_ftm = "",
```

```
    et_ft_pct = "",
    et_minutes = "",
    et_oreb = "",
    et_pf = "",
    et_pts = "",
    et_reb = "",
    et_stl = "",
    et_td = "",
    et_tov = "",
    game_id = "",
    gt_ast = "",
    gt_blk = "",
    gt_dd = "",
    gt_dreb = "",
    gt_fg3a = "",
    gt_fg3m = "",
    gt_fg3_pct = "",
    gt_fga = "",
    gt_fgm = "",
    gt_fg_pct = "",
    gt_fta = "",
    gt_ftm = "",
    gt_ft_pct = "",
    gt_minutes = "",
    gt_oreb = "",
    gt_pf = "",
    gt_pts = "",
    gt_reb = "",
    gt_stl = "",
    gt_td = "",
    gt_tov = "",
    league_id = "10",
    location = "",
    lt_ast = "",
    lt_blk = "",
    lt_dd = "",
    lt_dreb = "",
    lt_fg3a = "",
    lt_fg3m = "",
    lt_fg3_pct = "",
    lt_fga = "",
    lt_fgm = "",
    lt_fg_pct = "",
    lt_fta = "",
    lt_ftm = "",
    lt_ft_pct = "",
    lt_minutes = "",
    lt_oreb = "",
```

```
  lt_pf = "",
  lt_pts = "",
  lt_reb = "",
  lt_stl = "",
  lt_td = "",
  lt_tov = "",
  outcome = "",
  po_round = "",
  player_id = "",
  player_or_team = "T",
  rookie_year = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  starter_bench = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  years_experience = "",
  ...
)
```

Arguments

conference	conference
date_from	date_from
date_to	date_to
division	division
draft_year	draft_year
draft_team_id	draft_team_id
draft_round	draft_round
draft_number	draft_number
et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct

et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes
et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts
et_reb	et_reb
et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb
gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_oreb	gt_oreb
gt_pf	gt_pf
gt_pts	gt_pts
gt_reb	gt_reb
gt_stl	gt_stl
gt_td	gt_td
gt_tov	gt_tov
league_id	league_id
location	location
lt_ast	lt_ast
lt_blk	lt_blk

lt_dd	lt_dd
lt_dreb	lt_dreb
lt_fg3a	lt_fg3a
lt_fg3m	lt_fg3m
lt_fg3_pct	lt_fg3_pct
lt_fga	lt_fga
lt_fgm	lt_fgm
lt_fg_pct	lt_fg_pct
lt_fta	lt_fta
lt_ftm	lt_ftm
lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_reb	lt_reb
lt_stl	lt_stl
lt_td	lt_td
lt_tov	lt_tov
outcome	outcome
po_round	po_round
player_id	player_id
player_or_team	player_or_team
rookie_year	rookie_year
season	season - Min: '1983-84'
season_segment	season_segment
season_type	season_type
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
years_experience	years_experience
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguegamefinder(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: LeagueGameFinderResults

LeagueGameFinderResults

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups() wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Game Finder Functions: wnba_playergamestreakfinder(), wnba_teamgamestreakfinder()

---

wnba_leaguegamelog Get WNBA Stats API League Game Log

Description

Get WNBA Stats API League Game Log

Get WNBA Stats API League Game Log

Usage

```
wnba_leaguegamelog(
  counter = 0,
  date_from = "",
  date_to = "",
  direction = "ASC",
  league_id = "10",
  player_or_team = "T",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  sorter = "DATE",
  ...
)
```

Arguments

counter	counter
date_from	date_from
date_to	date_to
direction	direction
league_id	league_id. Default '10' (WNBA). Use '00' for NBA or '20' for G-League data on the same endpoint.
player_or_team	player_or_team
season	season
season_type	season_type
sorter	sorter
...	Additional arguments passed to an underlying function like httr.

Details

Player/Team Boxscores

```
wnba_leaguegamelog(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: LeagueGameLog

LeagueGameLog

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchup wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

`wnba_leagueleaders` **Get WNBA Stats API League Leaders**

Description

Get WNBA Stats API League Leaders

Get WNBA Stats API League Leaders

Usage

```
wnba_leagueleaders(
  active_flag = "",
  league_id = "10",
  per_mode = "Totals",
  scope = "S",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  stat_category = "PTS",
  ...
)
```

Arguments

`active_flag`	Active Flag
`league_id`	League - default: '00'. Other options include '10': WNBA, '20': G-League
`per_mode`	Per Mode - Totals, PerGame, Per48
`scope`	Scope - RS, S, Rookies
`season`	Season - format 2020-21
`season_type`	Season Type - Regular Season, Playoffs
`stat_category`	Stat Category: PTS, REB, AST, FG_PCT, FT_PCT, FG3_PCT, STL, BLK
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leagueleaders(league_id = '10')
```

Value

Returns a named list of data frames: LeagueLeaders

LeagueLeaders

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Leaders Functions: wnba_alltimeleadersgrids(), wnba_assistleaders(), wnba_assisttracker(), wnba_homepagewidget()

---

wnba_leaguelineupviz **Get WNBA Stats API League Lineup Visual Data**

Description

Get WNBA Stats API League Lineup Visual Data

Get WNBA Stats API League Lineup Visual Data

Usage

```
wnba_leaguelineupviz(
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  minutes_min = 10,
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

conference	conference
date_from	date_from
date_to	date_to
division	division
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
minutes_min	minutes_min
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leaguelineupviz(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: LeagueLineupViz

LeagueLineupViz

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_possession_lineups(), wnba_rapm(), wnba_shot_zones(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

`wnba_leagueplayerondetails`

Get WNBA Stats API League Player On/Off Details

Description

Get WNBA Stats API League Player On/Off Details

Get WNBA Stats API League Player On/Off Details

Usage

```
wnba_leagueplayerondetails(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "1611661313",
  vs_conference = "",
  vs_division = "",
```

```
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode
period	period
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_leagueplayerondetails(team_id = '1611661313', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: PlayersOnCourtLeaguePlayerDetails

PlayersOnCourtLeaguePlayerDetails

Columns as documented in the shared wnba_on_off_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycoll wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

`wnba_leagueseasonmatchups`

Get WNBA Stats API League Season Matchups

Description

Get WNBA Stats API League Season Matchups

Get WNBA Stats API League Season Matchups

Usage

```
wnba_leagueseasonmatchups(
  def_player_id = "",
  def_team_id = "",
  league_id = "10",
  off_player_id = "",
  off_team_id = "",
  per_mode = "Totals",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

`def_player_id`	def_player_id
`def_team_id`	def_team_id
`league_id`	league_id
`off_player_id`	off_player_id
`off_team_id`	off_team_id

per_mode	per_mode
season	season
season_type	season_type
...	Additional arguments passed to an underlying function like httr.

Details

(No Matchups Data for WNBA yet, so defunct)

```
wnba_leagueseasonmatchups(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a named list of data frames: SeasonMatchups

SeasonMatchups

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leaguestandingsv3(), wnba_shotchartleaguewide()

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_playerawards(), wnba_playercareerbycollege(), wnba_playercareerbycol wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

---

wnba_leaguestandingsv3

Get WNBA Stats API League Standings V3

Description

Get WNBA Stats API League Standings V3

Get WNBA Stats API League Standings V3

Usage

```
wnba_leaguestandingsv3(
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  season_year = "",
  ...
)
```

Arguments

league_id	league_id
season	season
season_type	season_type
season_year	season_year
...	Additional arguments passed to an underlying function like httr.

Details

League Standings

```
wnba_leaguestandingsv3(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: Standings

Standings

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_shotchartleaguewide()

`wnba_live_boxscore` **Get WNBA Stats API Live Boxscore**

Description

Get WNBA Stats API Live Boxscore

Get WNBA Stats API Live Boxscore

Usage

```
wnba_live_boxscore(game_id, ...)
```

Arguments

`game_id`	Game ID
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_live_boxscore(game_id = "1022200034")
```

Value

Returns a named list of data frames: game_details, arena, officials, home_team_boxscore, away_team_boxscore, home_team_player_boxscore, away_team_player_boxscore, home_team_linescores, away_team_linescores

game_details

See the HTML help or pkgdown reference for the column table.

arena

col_name	types	description
arena_id	integer	Unique identifier for arena.
arena_name	character	Arena name.
arena_city	character	Arena city.
arena_state	character	Arena state.
arena_country	character	Arena country.
arena_timezone	character	Arena timezone.

officials

col_name	types	description
person_id	integer	Unique player identifier (V3 endpoints).
name	character	Display name.
name_i	character	Initialed name (e.g. 'A. Wilson').
first_name	character	Player's first name.

family_name	character	Player's family / last name.
jersey_num	character	Jersey number worn by the player.
assignment	character	Assignment.

home_team_boxscore

See the HTML help or pkgdown reference for the column table.

away_team_boxscore

Same columns as the **home_team_boxscore** table above.

home_team_player_boxscore

See the HTML help or pkgdown reference for the column table.

away_team_player_boxscore

Same columns as the **home_team_player_boxscore** table above.

home_team_linescores

col_name	types	description
period	integer	Period of the game (1-4 quarters; 5+ for OT).
period_type	character	Period type.
score	integer	Final score.

away_team_linescores

Same columns as the **home_team_linescores** table above.

Author(s)

Saiem Gilani

`wnba_live_pbp` **Get WNBA Stats API Live play-by-play**

Description

Get WNBA Stats API Live play-by-play

Get WNBA Stats API Live play-by-play

Usage

```
wnba_live_pbp(game_id, ...)
```

Arguments

`game_id`	Game ID
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_live_pbp(game_id = "1022200034")
```

Value

Returns a data frame: PlayByPlay

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA PBP Functions: `wnba_data_pbp()`, `wnba_pbp()`, `wnba_pbps()`, `wnba_playbyplayv3()`

Other WNBA Live Functions: `wnba_todays_scoreboard()`

---

wnba_pbp — Get WNBA Stats API play-by-play

Description

Get WNBA Stats API play-by-play

Get WNBA Stats API play-by-play

Usage

```
wnba_pbp(game_id, on_court = TRUE, version = "v3", p = NULL, ...)
```

Arguments

game_id	Game ID
on_court	IF TRUE will be added ID of players on court
version	Play-by-play version - "v3" (default) or "v2". V3 returns richer data with shot coordinates, shot values, and V3 action types. V2 is available from 2016-17 onwards.
p	Progress bar
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_pbp(game_id = "1022200034", on_court = TRUE)
```

Value

Returns a data frame: PlayByPlay

See the HTML help or pkgdown reference for the column table.

See Also

Other WNBA PBP Functions: `wnba_data_pbp()`, `wnba_live_pbp()`, `wnba_pbps()`, `wnba_playbyplayv3()`

`wnba_pbps` **Get WNBA Stats API play-by-play (Multiple Games)**

Description

Get WNBA Stats API play-by-play (Multiple Games)

Get WNBA Stats API play-by-play (Multiple Games)

Usage

```
wnba_pbps(
  game_ids = NULL,
  on_court = TRUE,
  version = "v3",
  nest_data = FALSE,
  ...
)
```

Arguments

`game_ids`	Game IDs
`on_court`	IF TRUE will be added ID of players on court
`version`	Play-by-play version - `"v3"` (default) or `"v2"`. V3 returns richer data with shot coordinates, shot values, and V3 action types. V2 is available from 2016-17 onwards.
`nest_data`	If TRUE returns nested data by game
`...`	Additional arguments passed to an underlying function like httr.

Details

```
y <- c("1022200034", "1022200035" )

wnba_pbps(game_ids = y, version = "v2")
```

Value

Returns a data frame: PlayByPlay

Columns as documented in the shared wnba_players_on_court_schema table.

Author(s)

Jason Lee

See Also

Other WNBA PBP Functions: wnba_data_pbp(), wnba_live_pbp(), wnba_pbp(), wnba_playbyplayv3()

---

wnba_playbyplayv3 **Get WNBA Stats API Play-by-Play V3**

Description

Get WNBA Stats API Play-by-Play V3

Get WNBA Stats API Play-by-Play V3

Usage

```
wnba_playbyplayv3(game_id, start_period = 0, end_period = 0, ...)
```

Arguments

game_id	Game ID - 10-digit zero-padded ID (e.g., '1022200034')
start_period	Start period filter (default: 0 = all periods).
end_period	End period filter (default: 0 = all periods).
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playbyplayv3(game_id = "1022200034")
```

Value

Returns a named list of data frames: PlayByPlay, AvailableVideo

PlayByPlay

See the HTML help or pkgdown reference for the column table.

AvailableVideo

col_name	types	description
video_available	integer	Video available.

Author(s)

Saiem Gilani

See Also

Other WNBA PBP Functions: wnba_data_pbp(), wnba_live_pbp(), wnba_pbp(), wnba_pbps()

`wnba_playerawards` **Get WNBA Stats API Player Awards**

Description

Get WNBA Stats API Player Awards

Get WNBA Stats API Player Awards

Usage

```
wnba_playerawards(player_id, ...)
```

Arguments

`player_id`	Player ID
`...`	Additional arguments passed to an underlying function like httr.

Details

Player Awards

```
wnba_playerawards(player_id = '1628932')
```

Value

Return a named list of data frames: PlayerAwards

PlayerAwards

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: `wnba_infographicfanduelplayer()`, `wnba_leaguedashplayerbiostats()`, `wnba_leaguedashplayerclutch()`, `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashplayerstats()`, `wnba_leagueplayerondetails()`, `wnba_leagueseasonmatchups()`, `wnba_playercareerbycollege()`, `wnba_playercareerbycollegerollup()`, `wnba_playercareerstats()`, `wnba_playercompare()`, `wnba_playerdashboardbyclutch()`, `wnba_playerestimatedmetrics()`, `wnba_playerfantasyprofile()`, `wnba_playerfantasyprofilebargraph()`, `wnba_playergamelog()`, `wnba_playergamelogs()`, `wnba_playergamestreakfinder()`, `wnba_playerheadshot()`, `wnba_playerindex()`, `wnba_playernextngames()`, `wnba_playerprofilev2()`, `wnba_playervsplayer()`

wnba_playercareerbycollege

Get WNBA Stats API Player Career By College

Description

Get WNBA Stats API Player Career By College

Get WNBA Stats API Player Career By College

Usage

```
wnba_playercareerbycollege(
  college = "Florida State",
  league_id = "10",
  per_mode = "Totals",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

college	College Name
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playercareerbycollege(college = 'Florida State', per_mode = 'PerGame')
```

Value

Return a named list of data frames: PlayerCareerByCollege

PlayerCareerByCollege

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

`wnba_playercareerbycollegerollup`

Get WNBA Stats API Player Career By College Rollup

Description

Get WNBA Stats API Player Career By College Rollup

Get WNBA Stats API Player Career By College Rollup

Usage

```
wnba_playercareerbycollegerollup(
  league_id = "10",
  per_mode = "Totals",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playercareerbycollegerollup(per_mode = 'Totals')
```

Value

Return a named list of data frames: East, Midwest, South, West

East

See the HTML help or pkgdown reference for the column table.

South

Same columns as the **East** table above.

Midwest

Same columns as the **East** table above.

West

Same columns as the **East** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmet wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

`wnba_playercareerstats`

Get WNBA Stats API Player Career Stats

Description

Get WNBA Stats API Player Career Stats

Get WNBA Stats API Player Career Stats

Usage

```
wnba_playercareerstats(
  league_id = "10",
  per_mode = "Totals",
  player_id = "1628932",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Per Mode - PerGame, Totals
player_id	Player ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playercareerstats(player_id = '1628932')
```

Value

Return a named list of data frames: CareerTotalsAllStarSeason, CareerTotalsCollegeSeason, CareerTotalsPostSeason, CareerTotalsRegularSeason, SeasonRankingsPostSeason, SeasonRankingsRegularSeason, SeasonTotalsAllStarSeason, SeasonTotalsCollegeSeason, SeasonTotalsPostSeason, SeasonTotalsRegularSeason

SeasonTotalsRegularSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsRegularSeason

col_name	types	description
PLAYER_ID	character	Unique player identifier.
LEAGUE_ID	character	League identifier ('10' = WNBA).
Team_ID	character	Unique team identifier.
GP	character	Games played.
GS	character	Games started.
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
STL	character	Steals.
BLK	character	Blocks.
TOV	character	Turnovers.
PF	character	Personal fouls.
PTS	character	Points scored.

SeasonTotalsPostSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsPostSeason

Same columns as the **CareerTotalsRegularSeason** table above.

SeasonTotalsAllStarSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsAllStarSeason

Same columns as the **CareerTotalsRegularSeason** table above.

SeasonTotalsCollegeSeason

CareerTotalsCollegeSeason

SeasonTotalsShowcaseSeason

CareerTotalsShowcaseSeason

SeasonRankingsRegularSeason

Columns as documented in the shared wnba_playercareerstats_season_rankings_schema table.

SeasonRankingsPostSeason

Columns as documented in the shared wnba_playercareerstats_season_rankings_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: `wnba_infographicfanduelplayer()`, `wnba_leaguedashplayerbiostats()`, `wnba_leaguedashplayerclutch()`, `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashplayerstats()`, `wnba_leagueplayerondetails()`, `wnba_leagueseasonmatchups()`, `wnba_playerawards()`, `wnba_playercareerbycoll`
`wnba_playercareerbycollegerollup()`, `wnba_playercompare()`, `wnba_playerdashboardbyclutch()`, `wnba_playerestimatedmetrics()`, `wnba_playerfantasyprofile()`, `wnba_playerfantasyprofilebargraph()`, `wnba_playergamelog()`, `wnba_playergamelogs()`, `wnba_playergamestreakfinder()`, `wnba_playerheadshot()`, `wnba_playerindex()`, `wnba_playernextngames()`, `wnba_playerprofilev2()`, `wnba_playervsplayer()`

`wnba_playercompare` **Get WNBA Stats API Player Compare**

Description

Get WNBA Stats API Player Compare

Get WNBA Stats API Player Compare

Usage

```
wnba_playercompare(
  conference = "",
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id_list = "100720,202250,204319,1627668,1628931",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  vs_player_id_list = "202252,203399,1631022,1628878,204333",
  ...
)
```

Arguments

conference	conference
date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode

period	period
player_id_list	Player ID
plus_minus	plus_minus
rank	rank
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
vs_player_id_list	vs_player_id_list
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playercompare(player_id_list = '100720,202250,204319,1627668,1628931', vs_player_id_list = '202
```

Value

Return a named list of data frames: Individual, OverallCompare

OverallCompare

See the HTML help or pkgdown reference for the column table.

Individual

Same columns as the **OverallCompare** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycol wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

wnba_playerdashboardbyclutch

Get WNBA Stats API Player Dashboard by Clutch Splits

Description

Get WNBA Stats API Player Dashboard by Clutch Splits

Get WNBA Stats API Player Dashboard by Clutch Splits

Get WNBA Stats API Player Dashboard by Game Splits

Get WNBA Stats API Player Dashboard by General Splits

Get WNBA Stats API Player Dashboard by Last N Games

Get WNBA Stats API Player Dashboard by Opponent

Get WNBA Stats API Player Dashboard by Shooting Splits

Get WNBA Stats API Player Dashboard by Team Performance

Get WNBA Stats API Player Dashboard Year over Year

Usage

```
wnba_playerdashboardbyclutch(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

```
wnba_playerdashboardbygamesplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbygeneralsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
```

```
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbylastngames(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbyopponent(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
```

```
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbyshootingsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbyteamperformance(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
```

```
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_playerdashboardbyyearoveryear(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from

date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	player_id
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerdashboardbyclutch(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbygamesplits(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbygeneralsplits(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbylastngames(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbyopponent(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbyshootingsplits(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbyteamperformance(player_id = '1628932', season = most_recent_wnba_season() - 1)

wnba_playerdashboardbyyearoveryear(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: Last10Sec3Point2PlayerDashboard, Last10Sec3PointPlayerDashboard, Last1Min5PointPlayerDashboard, Last1MinPlusMinus5PointPlayerDashboard, Last30Sec3Point2PlayerDashboard, Last30Sec3PointPlayerDashboard, Last3Min5PointPlayerDashboard, Last3MinPlusMinus5PointPlayerDashboard, Last5Min5PointPlayerDashboard, Last5MinPlusMinus5PointPlayerDashboard, OverallPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last5Min5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last3Min5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last1Min5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last30Sec3PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last10Sec3PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last5MinPlusMinus5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last3MinPlusMinus5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last1MinPlusMinus5PointPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last30Sec3Point2PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last10Sec3Point2PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Return a named list of data frames: ByActualMarginPlayerDashboard, ByHalfPlayerDashboard, ByPeriodPlayerDashboard, ByScoreMarginPlayerDashboard, OverallPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ByHalfPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ByPeriodPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ByScoreMarginPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ByActualMarginPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Return a named list of data frames: DaysRestPlayerDashboard, LocationPlayerDashboard, MonthPlayerDashboard, OverallPlayerDashboard, PrePostAllStarPlayerDashboard, StartingPosition, WinsLossesPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

LocationPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

WinsLossesPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

MonthPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

PrePostAllStarPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

StartingPosition

Columns as documented in the shared wnba_player_dashboard_schema table.

DaysRestPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Return a named list of data frames: GameNumberPlayerDashboard, Last10PlayerDashboard, Last15PlayerDashboard, Last20PlayerDashboard, Last5PlayerDashboard, OverallPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last5PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last10PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last15PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Last20PlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

GameNumberPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Return a named list of data frames: ConferencePlayerDashboard, DivisionPlayerDashboard, OpponentPlayerDashboard, OverallPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ConferencePlayerDashboard

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.
STL	character	Steals.
BLK	character	Blocks.
BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
NBA_FANTASY_PTS	character	
DD2	character	
TD3	character	
WNBA_FANTASY_PTS	character	
GP_RANK	character	
W_RANK	character	
L_RANK	character	
W_PCT_RANK	character	
MIN_RANK	character	
FGM_RANK	character	
FGA_RANK	character	
FG_PCT_RANK	character	
FG3M_RANK	character	
FG3A_RANK	character	
FG3_PCT_RANK	character	
FTM_RANK	character	
FTA_RANK	character	
FT_PCT_RANK	character	
OREB_RANK	character	

DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character
WBA_FANTASY_PTS_RANK	character
DD2_RANK	character
TD3_RANK	character
WNBA_FANTASY_PTS_RANK	character

DivisionPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

OpponentPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

Return a named list of data frames: AssistedBy, AssitedShotPlayerDashboard, OverallPlayerDashboard, Shot5FTPlayerDashboard, Shot8FTPlayerDashboard, ShotAreaPlayerDashboard, ShotTypePlayerDashboard, ShotTypeSummaryPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

Shot5FTPlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

Shot8FTPlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

ShotAreaPlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

AssitedShotPlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

ShotTypeSummaryPlayerDashboard

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.

FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
EFG_PCT	character	Effective field goal percentage (0-1).
BLKA	character	
PCT_AST_2PM	character	
PCT_UAST_2PM	character	
PCT_AST_3PM	character	
PCT_UAST_3PM	character	
PCT_AST_FGM	character	
PCT_UAST_FGM	character	

ShotTypePlayerDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

AssistedBy

Columns as documented in the shared wnba_shooting_splits_assisted_by_schema table.

Return a named list of data frames: OverallPlayerDashboard, PointsScoredPlayerDashboard, PointsAgainstPlayerDashboard, ScoreDifferentialPlayerDashboard

OverallPlayerDashboard

Columns as documented in the shared wnba_player_dashboard_schema table.

ScoreDifferentialPlayerDashboard

col_name	types	description
GROUP_SET	character	
GROUP_VALUE_ORDER	character	
GROUP_VALUE	character	
GROUP_VALUE_2	character	
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.

STL	character	Steals.
BLK	character	Blocks.
BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
NBA_FANTASY_PTS	character	
DD2	character	
TD3	character	
WNBA_FANTASY_PTS	character	
GP_RANK	character	
W_RANK	character	
L_RANK	character	
W_PCT_RANK	character	
MIN_RANK	character	
FGM_RANK	character	
FGA_RANK	character	
FG_PCT_RANK	character	
FG3M_RANK	character	
FG3A_RANK	character	
FG3_PCT_RANK	character	
FTM_RANK	character	
FTA_RANK	character	
FT_PCT_RANK	character	
OREB_RANK	character	
DREB_RANK	character	
REB_RANK	character	
AST_RANK	character	
TOV_RANK	character	
STL_RANK	character	
BLK_RANK	character	
BLKA_RANK	character	
PF_RANK	character	
PFD_RANK	character	
PTS_RANK	character	
PLUS_MINUS_RANK	character	
NBA_FANTASY_PTS_RANK	character	
DD2_RANK	character	
TD3_RANK	character	
WNBA_FANTASY_PTS_RANK	character	

PointsScoredPlayerDashboard

Same columns as the **ScoreDifferentialPlayerDashboard** table above.

PontsAgainstPlayerDashboard

Same columns as the **ScoreDifferentialPlayerDashboard** table above.

Return a named list of data frames: ByYearPlayerDashboard, OverallPlayerDashboard

OverallPlayerDashboard

See the HTML help or pkgdown reference for the column table.

ByYearPlayerDashboard

Same columns as the **OverallPlayerDashboard** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Clutch Functions: wnba_leaguedashteamclutch(), wnba_teamdashboardbyclutch()

Other WNBA Shooting Functions: wnba_leaguedashplayershotlocations(), wnba_leaguedashteamshotlocations(), wnba_shotchartdetail(), wnba_shotchartleaguewide(), wnba_shotchartlineupdetail(), wnba_teamdashboardbyclutch()

`wnba_playerestimatedmetrics`

Get WNBA Stats API Player Estimated Metrics

Description

Get WNBA Stats API Player Estimated Metrics

Get WNBA Stats API Player Estimated Metrics

Usage

```
wnba_playerestimatedmetrics(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerestimatedmetrics()
```

Value

Return a named list of data frames: PlayerEstimatedMetrics

PlayerEstimatedMetrics

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

---

wnba_playerfantasyprofile

Get WNBA Stats API Player Fantasy Profile

Description

Get WNBA Stats API Player Fantasy Profile

Get WNBA Stats API Player Fantasy Profile

Usage

```
wnba_playerfantasyprofile(
  league_id = "10",
  measure_type = "Base",
  pace_adjust = "N",
  per_mode = "Totals",
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
measure_type	measure_type
pace_adjust	Pace Adjustment - Y/N
per_mode	Per Mode - PerGame, Totals
player_id	Player ID
plus_minus	Plus Minus - Y/N
rank	Rank - Y/N
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerfantasyprofile(player_id = '1628932')
```

Value

Return a named list of data frames: DaysRestModified, LastNGames, Location, Opponent, Overall

Overall

See the HTML help or pkgdown reference for the column table.

Location

Same columns as the **Overall** table above.

LastNGames

Same columns as the **Overall** table above.

DaysRestModified

See the HTML help or pkgdown reference for the column table.

Opponent

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Fantasy Functions: wnba_fantasywidget(), wnba_infographicfanduelplayer(), wnba_playerfantasyprofilebargraph()

`wnba_playerfantasyprofilebargraph`

Get WNBA Stats API Player Fantasy Profile Bar Graph

Description

Get WNBA Stats API Player Fantasy Profile Bar Graph

Get WNBA Stats API Player Fantasy Profile Bar Graph

Usage

```
wnba_playerfantasyprofilebargraph(
  league_id = "10",
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
player_id	Player ID
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerfantasyprofilebargraph(player_id = '1628932')
```

Value

Return a named list of data frames: LastFiveGamesAvg, SeasonAvg

SeasonAvg

See the HTML help or pkgdown reference for the column table.

LastFiveGamesAvg

Same columns as the **SeasonAvg** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Fantasy Functions: wnba_fantasywidget(), wnba_infographicfanduelplayer(), wnba_playerfantasyprofile()

---

wnba_playergamelog Get WNBA Stats API Player Game Log

Description

Get WNBA Stats API Player Game Log

Get WNBA Stats API Player Game Log

Usage

```
wnba_playergamelog(
  date_from = "",
  date_to = "",
  league_id = "10",
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
player_id	Player ID
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playergamelog(player_id = '1628932')
```

Value

Return a named list of data frames: PlayerGameLog

PlayerGameLog

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

---

wnba_playergamelogs **Get WNBA Stats API Player Game Logs**

Description

Get WNBA Stats API Player Game Logs

Get WNBA Stats API Player Game Logs

Usage

```
wnba_playergamelogs(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_id	Player ID
season	Season - format 2020-21
season_segment	season_segment

season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playergamelogs(player_id = '1628932')
```

Value

Return a named list of data frames: PlayerGameLogs

PlayerGameLogs

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycol wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

`wnba_playergamestreakfinder`

Get WNBA Stats API Player Game Streak Finder

Description

Get WNBA Stats API Player Game Streak Finder

Get WNBA Stats API Player Game Streak Finder

Usage

```
wnba_playergamestreakfinder(
  active_streaks_only = "",
  conference = "",
  date_from = "",
  date_to = "",
  division = "",
  draft_year = "",
  draft_team_id = "",
  draft_round = "",
  draft_number = "",
  et_ast = "",
  et_blk = "",
  et_dd = "",
  et_dreb = "",
  et_fg3a = "",
  et_fg3m = "",
  et_fg3_pct = "",
  et_fga = "",
  et_fgm = "",
  et_fg_pct = "",
  et_fta = "",
  et_ftm = "",
  et_ft_pct = "",
  et_minutes = "",
  et_oreb = "",
  et_pf = "",
  et_pts = "",
  et_reb = "",
  et_stl = "",
  et_td = "",
  et_tov = "",
  game_id = "",
  gt_ast = "",
  gt_blk = "",
  gt_dd = "",
  gt_dreb = "",
  gt_fg3a = "",
  gt_fg3m = "",
  gt_fg3_pct = "",
  gt_fga = "",
  gt_fgm = "",
  gt_fg_pct = "",
  gt_fta = "",
  gt_ftm = "",
  gt_ft_pct = "",
  gt_minutes = "",
  gt_oreb = "",
```

```
  gt_pf = "",
  gt_pts = "",
  gt_reb = "",
  gt_stl = "",
  gt_td = "",
  gt_tov = "",
  league_id = "10",
  location = "",
  lt_ast = "",
  lt_blk = "",
  lt_dd = "",
  lt_dreb = "",
  lt_fg3a = "",
  lt_fg3m = "",
  lt_fg3_pct = "",
  lt_fga = "",
  lt_fgm = "",
  lt_fg_pct = "",
  lt_fta = "",
  lt_ftm = "",
  lt_ft_pct = "",
  lt_minutes = "",
  lt_oreb = "",
  lt_pf = "",
  lt_pts = "",
  lt_reb = "",
  lt_stl = "",
  lt_td = "",
  lt_tov = "",
  min_games = "",
  outcome = "",
  po_round = "",
  player_id = "",
  rookie_year = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  starter_bench = "",
  team_id = "",
  vs_conference = "",
  vs_division = "",
  vs_team_id = "",
  years_experience = "",
  ...
)
```

Arguments

active_streaks_only	active_streaks_only
conference	conference
date_from	date_from
date_to	date_to
division	division
draft_year	draft_year
draft_team_id	draft_team_id
draft_round	draft_round
draft_number	draft_number
et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct
et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes
et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts
et_reb	et_reb
et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb

gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_oreb	gt_oreb
gt_pf	gt_pf
gt_pts	gt_pts
gt_reb	gt_reb
gt_stl	gt_stl
gt_td	gt_td
gt_tov	gt_tov
league_id	league_id
location	location
lt_ast	lt_ast
lt_blk	lt_blk
lt_dd	lt_dd
lt_dreb	lt_dreb
lt_fg3a	lt_fg3a
lt_fg3m	lt_fg3m
lt_fg3_pct	lt_fg3_pct
lt_fga	lt_fga
lt_fgm	lt_fgm
lt_fg_pct	lt_fg_pct
lt_fta	lt_fta
lt_ftm	lt_ftm
lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_reb	lt_reb

lt_stl	lt_stl
lt_td	lt_td
lt_tov	lt_tov
min_games	min_games
outcome	outcome
po_round	po_round
player_id	player_id
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
years_experience	years_experience
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playergamestreakfinder()
```

Value

Return a named list of data frames: PlayerGameStreakFinderResults

PlayerGameStreakFinderResults

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

Other WNBA Game Finder Functions: wnba_leaguegamefinder(), wnba_teamgamestreakfinder()

`wnba_playerheadshot` **Get WNBA Stats API Player Head-shot**

Description

Get WNBA Stats API Player Head-shot

Get WNBA Stats API Player Head-shot

Usage

```
wnba_playerheadshot(player_id = "1628932", ...)
```

Arguments

`player_id`	Player ID
`...`	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerheadshot(player_id = '1628932')
```

Value

Returns a url of the png for the player_id selected

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: `wnba_infographicfanduelplayer()`, `wnba_leaguedashplayerbiostats()`, `wnba_leaguedashplayerclutch()`, `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashplayerstats()`, `wnba_leagueplayerondetails()`, `wnba_leagueseasonmatchups()`, `wnba_playerawards()`, `wnba_playercareerbycoll`
`wnba_playercareerbycollegerollup()`, `wnba_playercareerstats()`, `wnba_playercompare()`, `wnba_playerdashboardbyclutch()`, `wnba_playerestimatedmetrics()`, `wnba_playerfantasyprofile()`, `wnba_playerfantasyprofilebargraph()`, `wnba_playergamelog()`, `wnba_playergamelogs()`, `wnba_playergamestreakfinder()`, `wnba_playerindex()`, `wnba_playernextngames()`, `wnba_playerprofilev2()`, `wnba_playervsplayer()`

wnba_playerindex **Get WNBA Stats API Player Index**

Description

Get WNBA Stats API Player Index

Get WNBA Stats API Player Index

Usage

```
wnba_playerindex(
  college = "",
  country = "",
  draft_pick = "",
  draft_round = "",
  draft_year = "",
  height = "",
  historical = 1,
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  team_id = "0",
  weight = "",
  ...
)
```

Arguments

college	Player College
country	Player Country
draft_pick	Draft Pick
draft_round	Draft Round
draft_year	Draft Year
height	Player Height
historical	Whether to include only current players (0) or all historical (1).
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID. Default: 0 (all teams).
weight	Player weight
...	Additional arguments passed to an underlying function like httr.

Details

wnba_playerindex()

Value

Return a named list of data frames: PlayerIndex

PlayerIndex

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playernextngames(), wnba_playerprofilev2(), wnba_playervsplayer()

---

wnba_playernextngames Get WNBA Stats API Player Next N Games

Description

Get WNBA Stats API Player Next N Games

Get WNBA Stats API Player Next N Games

Usage

```
wnba_playernextngames(
  league_id = "10",
  number_of_games = 2147483647,
  player_id = "1628932",
  season = most_recent_wnba_season() - 1,
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
number_of_games	N in number of games
player_id	Player ID
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playernextngames(player_id = '1628932', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: NextNGames

NextNGames

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playerprofilev2(), wnba_playervsplayer()

---

wnba_playerprofilev2 Get WNBA Stats API Player Profile V2

Description

Get WNBA Stats API Player Profile V2

Get WNBA Stats API Player Profile V2

Usage

```
wnba_playerprofilev2(
  league_id = "10",
  per_mode = "Totals",
  player_id = "1628932",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
per_mode	Season - format 2020-21
player_id	Player ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playerprofilev2(player_id = '1628932')
```

Value

Return a named list of data frames: CareerHighs, CareerTotalsAllStarSeason, CareerTotalsCollegeSeason, CareerTotalsPostSeason, CareerTotalsPreseason, CareerTotalsRegularSeason, NextGame, SeasonHighs, SeasonRankingsPostSeason, SeasonRankingsRegularSeason, SeasonTotalsAllStarSeason, SeasonTotalsCollegeSeason, SeasonTotalsPostSeason, SeasonTotalsPreseason, SeasonTotalsRegularSeason

SeasonTotalsRegularSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsRegularSeason

col_name	types	description
PLAYER_ID	character	Unique player identifier.
LEAGUE_ID	character	League identifier ('10' = WNBA).
TEAM_ID	character	Unique team identifier.
GP	character	Games played.
GS	character	Games started.
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.

DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
STL	character	Steals.
BLK	character	Blocks.
TOV	character	Turnovers.
PF	character	Personal fouls.
PTS	character	Points scored.

SeasonTotalsPostSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsPostSeason

Same columns as the **CareerTotalsRegularSeason** table above.

SeasonTotalsAllStarSeason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsAllStarSeason

Same columns as the **CareerTotalsRegularSeason** table above.

SeasonTotalsCollegeSeason

CareerTotalsCollegeSeason

SeasonTotalsPreseason

Columns as documented in the shared wnba_playercareerstats_season_totals_schema table.

CareerTotalsPreseason

Same columns as the **CareerTotalsRegularSeason** table above.

SeasonRankingsRegularSeason

Columns as documented in the shared wnba_playercareerstats_season_rankings_schema table.

SeasonRankingsPostSeason

Columns as documented in the shared wnba_playercareerstats_season_rankings_schema table.

SeasonHighs

col_name	types	description
PLAYER_ID	character	Unique player identifier.
GAME_ID	character	Unique game identifier.
GAME_DATE	character	Game date (YYYY-MM-DD).
VS_TEAM_ID	character	
VS_TEAM_CITY	character	
VS_TEAM_NAME	character	
VS_TEAM_ABBREVIATION	character	
STAT	character	
STAT_VALUE	character	Stat value.
STAT_ORDER	character	
DATE_EST	character	

CareerHighs

Same columns as the **SeasonHighs** table above.

NextGame

col_name	types	description
GAME_ID	character	Unique game identifier.
GAME_DATE	character	Game date (YYYY-MM-DD).
GAME_TIME	character	Game start time.
LOCATION	character	Filter results by game location.
PLAYER_TEAM_ID	character	
PLAYER_TEAM_CITY	character	
PLAYER_TEAM_NICKNAME	character	
PLAYER_TEAM_ABBREVIATION	character	
VS_TEAM_ID	character	
VS_TEAM_CITY	character	
VS_TEAM_NICKNAME	character	
VS_TEAM_ABBREVIATION	character	

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playervsplayer()

`wnba_playervsplayer` **Get WNBA Stats API Player vs Player**

Description

Get WNBA Stats API Player vs Player

Get WNBA Stats API Player vs Player

Usage

```
wnba_playervsplayer(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  per_mode = "Totals",
  period = 0,
  player_id = "1628932",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  vs_conference = "",
  vs_division = "",
  vs_player_id = "1629488",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	Player ID

plus_minus	plus_minus
rank	rank
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
vs_conference	vs_conference
vs_division	vs_division
vs_player_id	vs_player_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_playervsplayer(player_id = '1628932', vs_player_id = '1629488')
```

Value

Return a named list of data frames: OnOffCourt, Overall, PlayerInfo, ShotAreaOffCourt, ShotAreaOnCourt, ShotAreaOverall, ShotDistanceOffCourt, ShotDistanceOnCourt, ShotDistanceOverall, VsPlayerInfo

Overall

See the HTML help or pkgdown reference for the column table.

OnOffCourt

See the HTML help or pkgdown reference for the column table.

ShotDistanceOverall

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).

ShotDistanceOnCourt

See the HTML help or pkgdown reference for the column table.

ShotDistanceOffCourt

Same columns as the **ShotDistanceOnCourt** table above.

ShotAreaOverall

Same columns as the **ShotDistanceOverall** table above.

ShotAreaOnCourt

Same columns as the **ShotDistanceOnCourt** table above.

ShotAreaOffCourt

Same columns as the **ShotDistanceOnCourt** table above.

PlayerInfo

See the HTML help or pkgdown reference for the column table.

VsPlayerInfo

Same columns as the **PlayerInfo** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Player Functions: wnba_infographicfanduelplayer(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_playerawards(), wnba_playercareerbycoll wnba_playercareerbycollegerollup(), wnba_playercareerstats(), wnba_playercompare(), wnba_playerdashboardbyclutch(), wnba_playerestimatedmetrics(), wnba_playerfantasyprofile(), wnba_playerfantasyprofilebargraph(), wnba_playergamelog(), wnba_playergamelogs(), wnba_playergamestreakfinder(), wnba_playerheadshot(), wnba_playerindex(), wnba_playernextngames(), wnba_playerprofilev2()

---

wnba_player_crosswalk Get the WNBA cross-source player crosswalk

---

Description

Build a wide, one-row-per-player-per-team crosswalk linking ESPN, WNBA Stats, and Fox player identities for a season. Matching is deterministic: normalized exact name within a team block, then Jaro-Winkler fuzzy with jersey/DOB tiebreakers. Yahoo columns are NA placeholders.

Usage

```
wnba_player_crosswalk(
  season = most_recent_wnba_season(),
  min_confidence = 0.92
)
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.
min_confidence	Jaro-Winkler similarity floor for fuzzy matches (default 0.92).

Value

A wehoop_data tibble, one row per player per team (ESPN-anchored).

See Also

Other WNBA Crosswalk Functions: load_wnba_team_crosswalk(), wnba_schedule_crosswalk(), wnba_team_crosswalk()

Examples

```
try(wnba_player_crosswalk(season = 2024))
```

---

wnba_possession_lineups

Get WNBA Possession-Level Stint Matrix

Description

Get WNBA Possession-Level Stint Matrix

Get WNBA Possession-Level Stint Matrix

Usage

```
wnba_possession_lineups(game_id, ...)
```

Arguments

game_id	WNBA Stats game id. 10-character zero-padded string (e.g., "1022400001").
...	reserved for future use.

Value

Returns a data frame with one row per possession:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_rapm(), wnba_shot_zones(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

wnba_rapm **Fit a Ridge-Regression RAPM Model from WNBA Possession Data**

Description

Fit a Ridge-Regression RAPM Model from WNBA Possession Data

Fit a Ridge-Regression RAPM Model from WNBA Possession Data

Usage

```
wnba_rapm(possessions, ...)
```

Arguments

possessions	A possession-level stint matrix as produced by wnba_possession_lineups(), with columns off_player_1 through off_player_5, def_player_1 through def_player_5 (integer WNBA Stats person IDs), and points (numeric, points scored on that possession).
...	Reserved for future keyword arguments (currently ignored).

Value

Returns a data.frame with one row per player:

col_name	types	description
player_id	integer	WNBA Stats person ID. Rows are sorted ascending by player_id.
o_rapm	numeric	Offensive RAPM (per-100-possession points added on offense). Positive = better offensive player.
d_rapm	numeric	Defensive RAPM (per-100-possession points saved on defense). Positive = better defensive player (sig
rapm	numeric	Total RAPM = o_rapm + d_rapm. Positive = net positive impact.
off_poss	integer	Number of possessions the player appeared on offense.
def_poss	integer	Number of possessions the player appeared on defense.

Returns a 0-row frame with the same schema when input is empty or all possessions have NA lineup cells (never-raise).

Note: RAPM is expressed in per-100-possession units. A **full season** of possessions (~3,000–5,000) is needed for statistically meaningful estimates. Results from a single game (~120–200 possessions) are highly unstable and are provided here for pipeline illustration only.

Results are **deterministic**: the cross-validation uses fixed, construction-based folds (not random), so repeated calls on the same possessions return identical output with no need to set a seed.

Author(s)

Saiem Gilani

See Also

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_possession_lineups(), wnba_shot_zones(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

---

wnba_schedule **Get WNBA Stats API Season Schedule**

Description

Get WNBA Stats API Season Schedule

Get WNBA Stats API Season Schedule

Usage

```
wnba_schedule(league_id = "10", season = most_recent_wnba_season() - 1, ...)
```

Arguments

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_schedule(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Returns a tibble with the following columns:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Schedule Functions: wnba_scoreboardv2(), wnba_scoreboardv3(), wnba_todays_scoreboard()

wnba_schedule_crosswalk

Get the WNBA cross-source schedule crosswalk

Description

Build a wide, one-row-per-game crosswalk linking ESPN and WNBA Stats game ids (with NA Fox/Yahoo placeholders) for a season. Dates from both sources are reduced to the local Eastern-Time game date before joining. Note: the WNBA Stats CDN serves the current season only, so the live builder is effectively current-season; historical coverage comes from cached release artifacts.

Usage

```
wnba_schedule_crosswalk(season = most_recent_wnba_season())
```

Arguments

season	Season year (numeric). Defaults to the most recent WNBA season.

Value

A wehoop_data tibble, one row per game (columns: season, season_type, game_date, resolved home_espn_team_id/away_espn_team_id, espn_game_id, wnba_game_id, wnba_game_code, Fox/Yahoo placeholders, match_method, match_confidence).

See Also

Other WNBA Crosswalk Functions: load_wnba_team_crosswalk(), wnba_player_crosswalk(), wnba_team_crosswalk()

Examples

```
try(wnba_schedule_crosswalk(season = 2024))
```

wnba_scoreboardv2 **Get WNBA Stats API Scoreboard V2**

Description

Get WNBA Stats API Scoreboard V2

Get WNBA Stats API Scoreboard V2

Usage

```
wnba_scoreboardv2(
  league_id = "10",
  game_date = "2022-07-20",
  day_offset = 0,
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WWNBA, '20': G-League
game_date	Game Date, format: 2022/05/17
day_offset	Day Offset (integer 0,-1)
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_scoreboardv2(league_id = '10', game_date = '2022-07-20')
```

Value

Return a named list of data frames: Available, EastConfStandingsByDay, GameHeader, LastMeeting, LineScore, SeriesStandings, TeamLeaders, TicketLinks, WestConfStandingsByDay, WinProbability

GameHeader

col_name	types	description
GAME_DATE_EST	character	Game date est.
GAME_SEQUENCE	character	Game sequence.
GAME_ID	character	Unique game identifier.
GAME_STATUS_ID	character	Numeric game status identifier.
GAME_STATUS_TEXT	character	Game status display text (e.g. 'Final', '4:32 - 4th').
GAMECODE	character	Gamecode.
HOME_TEAM_ID	character	Unique identifier for the home team.
VISITOR_TEAM_ID	character	Unique identifier for visitor team.
SEASON	character	Season identifier (4-digit year or 'YYYY-YY' string).
LIVE_PERIOD	character	Live period.
LIVE_PC_TIME	character	Time / clock value.
NATL_TV_BROADCASTER_ABBREVIATION	character	Natl tv broadcaster abbreviation.
HOME_TV_BROADCASTER_ABBREVIATION	character	Home team's tv broadcaster abbreviation.
AWAY_TV_BROADCASTER_ABBREVIATION	character	Away team's tv broadcaster abbreviation.
LIVE_PERIOD_TIME_BCAST	character	Live period time bcast.
ARENA_NAME	character	Arena name.
WH_STATUS	character	Wh status.
WNBA_COMMISSIONER_FLAG	character	

LineScore

col_name	types	description
GAME_DATE_EST	character	Game date est.
GAME_SEQUENCE	character	Game sequence.
GAME_ID	character	Unique game identifier.
TEAM_ID	character	Unique team identifier.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
TEAM_CITY_NAME	character	Team city name.
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
TEAM_WINS_LOSSES	character	Team wins losses.
PTS_QTR1	character	Pts qtr1.
PTS_QTR2	character	Pts qtr2.
PTS_QTR3	character	Pts qtr3.
PTS_QTR4	character	Pts qtr4.
PTS_OT1	character	Pts ot1.
PTS_OT2	character	
PTS_OT3	character	
PTS_OT4	character	
PTS_OT5	character	
PTS_OT6	character	
PTS_OT7	character	
PTS_OT8	character	
PTS_OT9	character	
PTS_OT10	character	
PTS	character	Points scored.
FG_PCT	character	Field goal percentage (0-1).
FT_PCT	character	Free throw percentage (0-1).
FG3_PCT	character	Three-point field goal percentage (0-1).
AST	character	Assists.
REB	character	Total rebounds.
TOV	character	Turnovers.

SeriesStandings

Columns as documented in the shared wnba_boxscoresummaryv2_season_series_schema table.

LastMeeting

Columns as documented in the shared wnba_boxscoresummaryv2_last_meeting_schema table.

EastConfStandingsByDay

Columns as documented in the shared wnba_scoreboard_east_conf_standings_by_day_schema table.

WestConfStandingsByDay

Columns as documented in the shared wnba_scoreboard_east_conf_standings_by_day_schema table.

Available

col_name	types	description

GAME_ID	character	Unique game identifier.
PT_AVAILABLE	character	

TeamLeaders

col_name	types	description
GAME_ID	character	Unique game identifier.
TEAM_ID	character	Unique team identifier.
TEAM_CITY	character	Team city or region (e.g. 'Las Vegas').
TEAM_NICKNAME	character	Team nickname.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
PTS_PLAYER_ID	character	
PTS_PLAYER_NAME	character	
PTS	character	Points scored.
REB_PLAYER_ID	character	
REB_PLAYER_NAME	character	
REB	character	Total rebounds.
AST_PLAYER_ID	character	
AST_PLAYER_NAME	character	
AST	character	Assists.

TicketLinks

WinProbability

Author(s)

Saiem Gilani

See Also

Other WNBA Schedule Functions: `wnba_schedule()`, `wnba_scoreboardv3()`, `wnba_todays_scoreboard()`

`wnba_scoreboardv3` **Get WNBA Stats API Scoreboard V3**

Description

Get WNBA Stats API Scoreboard V3

Get WNBA Stats API Scoreboard V3

Usage

```
wnba_scoreboardv3(league_id = "10", game_date = "2022-06-26", ...)
```

Arguments

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
game_date	Game Date
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_scoreboardv3(league_id = '10', game_date = '2022-06-26')
```

Value

Return a tibble with the following scoreboard data:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Schedule Functions: wnba_schedule(), wnba_scoreboardv2(), wnba_todays_scoreboard()

---

wnba_shotchartdetail Get WNBA Stats API Shot Chart Detail

Description

Get WNBA Stats API Shot Chart Detail

Get WNBA Stats API Shot Chart Detail

Usage

```
wnba_shotchartdetail(
  context_measure = "FGA",
  date_from = "",
  date_to = "",
  game_id = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  period = 0,
  player_id = "1628932",
```

```
  player_position = "",
  rookie_year = "",
  season = most_recent_wnba_season() - 1,
  season_segment = "",
  season_type = "Regular Season",
  team_id = 0,
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

context_measure	context_measure
date_from	date_from
date_to	date_to
game_id	game_id
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
month	month
opponent_team_id	opponent_team_id
outcome	outcome
period	period
player_id	player_id
player_position	player_position
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_shotchartdetail(league_id = '10', player_id = '1628932', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: LeagueAverages, Shot_Chart_Detail

Shot_Chart_Detail

col_name	types	description
GRID_TYPE	character	
GAME_ID	character	Unique game identifier.
GAME_EVENT_ID	character	Unique identifier for game event.
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
TEAM_ID	character	Unique team identifier.
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
PERIOD	character	Period of the game (1-4 quarters; 5+ for OT).
MINUTES_REMAINING	character	Minutes remaining.
SECONDS_REMAINING	character	Seconds remaining in the period.
EVENT_TYPE	character	Event / play type code (V2 PBP).
ACTION_TYPE	character	Action type label (e.g. 'Made Shot', 'Substitution').
SHOT_TYPE	character	Shot type label (e.g. 'Jump Shot', 'Layup').
SHOT_ZONE_BASIC	character	Shot zone (e.g. 'Restricted Area', 'Mid-Range', 'Above the Break 3').
SHOT_ZONE_AREA	character	Shot zone area ('Left Side', 'Right Side', 'Center').
SHOT_ZONE_RANGE	character	Shot zone range ('Less Than 8 ft.', '8-16 ft.', '16-24 ft.', etc.).
SHOT_DISTANCE	character	Shot distance from the basket, in feet.
LOC_X	character	X coordinate on the court (units of inches; 0 = basket center).
LOC_Y	character	Y coordinate on the court (units of inches; baseline at 0).
SHOT_ATTEMPTED_FLAG	character	1 if a shot was attempted on this event.
SHOT_MADE_FLAG	character	1 if the shot was made; 0 if missed.
GAME_DATE	character	Game date (YYYY-MM-DD).
HTM	character	
VTM	character	

LeagueAverages

Columns as documented in the shared wnba_shotchartdetail_league_averages_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA Shooting Functions: `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashteamshotlocations()`, `wnba_playerdashboardbyclutch()`, `wnba_shotchartleaguewide()`, `wnba_shotchartlineupdetail()`, `wnba_teamdashboardbyclutch()`

wnba_shotchartleaguewide

Get WNBA Stats API Shot Chart League-Wide

Description

Get WNBA Stats API Shot Chart League-Wide

Get WNBA Stats API Shot Chart League-Wide

Usage

```
wnba_shotchartleaguewide(
  league_id = "10",
  season = most_recent_wnba_season() - 1,
  ...
)
```

Arguments

league_id	League - default: '10'. Other options include '00': NBA, '20': G-League
season	season
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_shotchartleaguewide(league_id = '10', season = most_recent_wnba_season() - 1)
```

Value

Return a named list of data frames: League_Wide

League_Wide

Columns as documented in the shared wnba_shotchartdetail_league_averages_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA Shooting Functions: wnba_leaguedashplayershotlocations(), wnba_leaguedashteamshotlocations(), wnba_playerdashboardbyclutch(), wnba_shotchartdetail(), wnba_shotchartlineupdetail(), wnba_teamdashboardbyclutch()

Other WNBA League Functions: wnba_leaguedashlineups(), wnba_leaguedashplayerbiostats(), wnba_leaguedashplayerclutch(), wnba_leaguedashplayershotlocations(), wnba_leaguedashplayerstats(), wnba_leaguedashteamclutch(), wnba_leaguedashteamshotlocations(), wnba_leaguedashteamstats(), wnba_leaguegamefinder(), wnba_leaguegamelog(), wnba_leaguelineupviz(), wnba_leagueplayerondetails(), wnba_leagueseasonmatchups(), wnba_leaguestandingsv3()

wnba_shotchartlineupdetail

Get WNBA Stats API Shot Chart for Lineups

Description

Get WNBA Stats API Shot Chart for Lineups

Get WNBA Stats API Shot Chart for Lineups

Usage

```
wnba_shotchartlineupdetail(
  ahead_behind = "",
  cfid = "",
  cfparams = "",
  clutch_time = "",
  conference = "",
  context_filter = "",
  context_measure = "FGA",
  date_from = "",
  date_to = "",
  division = "",
  end_period = "10",
  end_range = "28800",
  group_id = "-1628899-1629481-1630096-1631019-1642784-",
  game_event_id = "",
  game_id = "",
  game_segment = "",
  group_mode = "",
  group_quantity = "5",
  last_n_games = "0",
  league_id = "10",
  location = "",
  month = "0",
  on_off = "",
  opp_player_id = "",
  opponent_team_id = "0",
  outcome = "",
  po_round = "0",
  period = "0",
  player_id = "0",
  player_id1 = "",
  player_id2 = "",
  player_id3 = "",
  player_id4 = "",
  player_id5 = "",
```

```
  player_position = "",
  point_diff = "",
  position = "",
  range_type = "0",
  rookie_year = "",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  start_period = "1",
  start_range = "0",
  starter_bench = "",
  team_id = "1611661321",
  vs_conference = "",
  vs_division = "",
  vs_player_id1 = "",
  vs_player_id2 = "",
  vs_player_id3 = "",
  vs_player_id4 = "",
  vs_player_id5 = "",
  vs_team_id = "",
  ...
)
```

Arguments

ahead_behind	ahead_behind
cfid	cfid
cfparams	cfparams
clutch_time	clutch_time
conference	conference
context_filter	context_filter
context_measure	context_measure
date_from	date_from
date_to	date_to
division	division
end_period	end_period
end_range	end_range
group_id	group_id
game_event_id	game_event_id
game_id	game_id
game_segment	game_segment
group_mode	group_mode

group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
month	month
on_off	on_off
opp_player_id	opp_player_id
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
period	period
player_id	player_id
player_id1	player_id1
player_id2	player_id2
player_id3	player_id3
player_id4	player_id4
player_id5	player_id5
player_position	player_position
point_diff	point_diff
position	position
range_type	range_type
rookie_year	rookie_year
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
start_period	start_period
start_range	start_range
starter_bench	starter_bench
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_player_id1	vs_player_id1
vs_player_id2	vs_player_id2
vs_player_id3	vs_player_id3
vs_player_id4	vs_player_id4
vs_player_id5	vs_player_id5
vs_team_id	vs_team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_shotchartlineupdetail(group_id = '-1628899-1629481-1630096-1631019-1642784-', opponent_team_id
```

Value

Return a named list of data frames: ShotChartLineupDetail, ShotChartLineupLeagueAverage

ShotChartLineupDetail

col_name	types	description
GRID_TYPE	character	
GAME_ID	character	Unique game identifier.
GAME_EVENT_ID	character	Unique identifier for game event.
GROUP_ID	character	Group identifier (e.g. conference group_id).
GROUP_NAME	character	Group name.
PLAYER_ID	character	Unique player identifier.
PLAYER_NAME	character	Player name.
TEAM_ID	character	Unique team identifier.
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
PERIOD	character	Period of the game (1-4 quarters; 5+ for OT).
MINUTES_REMAINING	character	Minutes remaining.
SECONDS_REMAINING	character	Seconds remaining in the period.
EVENT_TYPE	character	Event / play type code (V2 PBP).
ACTION_TYPE	character	Action type label (e.g. 'Made Shot', 'Substitution').
SHOT_TYPE	character	Shot type label (e.g. 'Jump Shot', 'Layup').
SHOT_ZONE_BASIC	character	Shot zone (e.g. 'Restricted Area', 'Mid-Range', 'Above the Break 3').
SHOT_ZONE_AREA	character	Shot zone area ('Left Side', 'Right Side', 'Center').
SHOT_ZONE_RANGE	character	Shot zone range ('Less Than 8 ft.', '8-16 ft.', '16-24 ft.', etc.).
SHOT_DISTANCE	character	Shot distance from the basket, in feet.
LOC_X	character	X coordinate on the court (units of inches; 0 = basket center).
LOC_Y	character	Y coordinate on the court (units of inches; baseline at 0).
SHOT_ATTEMPTED_FLAG	character	1 if a shot was attempted on this event.
SHOT_MADE_FLAG	character	1 if the shot was made; 0 if missed.
GAME_DATE	character	Game date (YYYY-MM-DD).
HTM	character	
VTM	character	

ShotChartLineupLeagueAverage

Columns as documented in the shared wnba_shotchartdetail_league_averages_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA Shooting Functions: `wnba_leaguedashplayershotlocations()`, `wnba_leaguedashteamshotlocations()`, `wnba_playerdashboardbyclutch()`, `wnba_shotchartdetail()`, `wnba_shotchartleaguewide()`, `wnba_teamdashboardbyclutch()`

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_possession_lineups(), wnba_rapm(), wnba_shot_zones(), wnba_teamdashlineups()

---

wnba_shot_zones **Fetch WNBA Play-by-Play and Classify Field-Goal Attempts by Shot Zone**

Description

Fetch WNBA Play-by-Play and Classify Field-Goal Attempts by Shot Zone

Fetch WNBA Play-by-Play and Classify Field-Goal Attempts by Shot Zone

Usage

```
wnba_shot_zones(game_id, ...)
```

Arguments

game_id	A length-1 character string — the ten-character WNBA Stats game identifier (e.g. "1022400003" for a 2024 WNBA game).
...	Reserved for future keyword arguments (currently ignored).

Details

```
df <- wnba_shot_zones(game_id = "1022400003")
print(table(df$shot_zone, useNA = "ifany"))
```

Value

Returns a data.frame containing the full V3 play-by-play for game_id with an appended shot_zone column:

col_name	types	description
event_type	character	Play event type code. "1" = MadeShot, "2" = MissedShot, "3" = FreeThrow, etc.
shot_value	integer	Point value of the shot attempt (2 or 3); 0 for non-FGA events.
x_legacy	numeric	Horizontal court coordinate (legacy units). Negative = left side of the court.
y_legacy	numeric	Vertical court coordinate (legacy units). Values near 0 = baseline.
shot_distance	numeric	Distance from the basket in feet.
shot_zone	character	Shot-zone classification. One of "corner_3", "above_the_break_3", "restricted_area", "in

All other columns from the V3 PBP schema (wnba_pbp()) are also present. Returns a 0-row frame when the game cannot be fetched (never-raise).

Shot zone definitions (pbpstats-core aligned):

- "corner_3" — three-point attempt with abs(x_legacy) >= 220 and y_legacy <= 87.5 (baseline corner area).

- "above_the_break_3" — all other three-point attempts.
- "restricted_area" — two-point attempt within 4 ft of the basket.
- "in_the_paint_non_ra" — two-point attempt 4–8 ft from the basket and within 80 legacy units of the paint center (abs(x_legacy) <= 80).
- "mid_range" — all remaining two-point attempts.

Author(s)

Saiem Gilani

See Also

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_possession_lineups(), wnba_rapm(), wnba_shotchartlineupdetail(), wnba_teamdashlineups()

Examples

```
try({
  df <- wnba_shot_zones(game_id = "1022400003")
  print(df[!is.na(df$shot_zone), c("shot_distance", "shot_zone")])
})
```

---

wnba_stats **WNBA Stats API Endpoint Overview**

Description

Wrappers around the WNBA Stats backend at stats.wnba.com/stats/.... All requests go through request_with_proxy() in utils_wnba_stats.R which sets the required WNBA-side headers (Origin: https://stats.wnba.com, Referer: https://www.wnba.com/) and threads a proxy via getOption("wehoop.proxy") / env vars / explicit proxy = arg.

WNBA-specific differences vs the NBA Stats API: quarters are 10 minutes (not 12), regulation is 40 minutes (not 48), game IDs start with "10", LeagueID = "10".

Details

Boxscores (V2):

Tabular resultSets[] responses parsed via wnba_stats_map_result_sets(). See wnba_boxscoreadvancedv2(), wnba_boxscoretraditionalv2(), wnba_boxscorefourfactorsv2(), wnba_boxscoremiscv2(), wnba_boxscoreplayertrackv2(), wnba_boxscorescoringv2(), wnba_boxscoresummaryv2(), wnba_boxscoreusagev2(), wnba_hustlestatsboxscore().

Boxscores (V3):

Nested JSON parsed via purrr::pluck(). See wnba_boxscoreadvancedv3(), wnba_boxscoretraditionalv3(), wnba_boxscorefourfactorsv3(), wnba_boxscoremiscv3(), wnba_boxscoreplayertrackv3(), wnba_boxscorescoringv3(), wnba_boxscoreusagev3().

Play-by-play:

Function	Purpose
wnba_pbp()	V2 + V3 PBP (with V3-to-V2 conversion pipeline)
wnba_pbps()	Multi-game PBP loader
wnba_playbyplayv3()	V3-only PBP

Leaders, standings, league:

wnba_leagueleaders(), wnba_leaguestandingsv3(), wnba_homepageleaders(), wnba_leaderstiles().

Player + team season + game stats:

Full per-mode / per-split families. Search the reference index for wnba_playerdashboard*, wnba_teamdashboard*, wnba_leaguedashplayerstats(), wnba_leaguedashteamstats(), wnba_playergamelogs(), wnba_teamgamelogs(), wnba_playerprofile*.

Schedule + scoreboard:

wnba_schedule(), wnba_scoreboard(), wnba_scoreboardv2(), wnba_scoreboardv3(), wnba_todays_scoreboard()

Draft + franchise + reference:

wnba_draftboard(), wnba_drafthistory(), wnba_draftcombinestats(), wnba_franchisehistory(), wnba_franchiseleaders().

---

wnba_teamdashboardbyclutch

Get WNBA Stats API Team Dashboard by Clutch Splits

Description

Get WNBA Stats API Team Dashboard by Clutch Splits

Get WNBA Stats API Team Dashboard by Clutch Splits

Get WNBA Stats API Team Dashboard by Game Splits

Get WNBA Stats API Team Dashboard by General Splits

Get WNBA Stats API Team Dashboard by Last N Games

Get WNBA Stats API Team Dashboard by Opponent

Get WNBA Stats API Team Dashboard by Shooting Splits

Get WNBA Stats API Team Dashboard by Team Performance

Get WNBA Stats API Team Dashboard Year over Year

Usage

```
wnba_teamdashboardbyclutch(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbygamesplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
```

```
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbygeneralsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbylastngames(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
```

```
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbyopponent(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbyshootingsplits(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
```

```
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbyteamperformance(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamdashboardbyyearoveryear(
  date_from = "",
```

```
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank

season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamdashboardbyclutch(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbygamesplits(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbygeneralsplits(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbylastngames(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbyopponent(team_id = '1611661328', season = most_recent_wnba_season())
```

Team Dashboard by Shooting Splits

```
wnba_teamdashboardbyshootingsplits(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbyteamperformance(team_id = '1611661328', season = most_recent_wnba_season())

wnba_teamdashboardbyyearoveryear(team_id = '1611661328', season = most_recent_wnba_season())
```

Value

Return a named list of data frames: Last10Sec3Point2TeamDashboard, Last10Sec3PointTeamDashboard, Last1Min5PointTeamDashboard, Last1MinPlusMinus5PointTeamDashboard, Last30Sec3Point2TeamDashboard, Last30Sec3PointTeamDashboard, Last3Min5PointTeamDashboard, Last3MinPlusMinus5PointTeamDashboard, Last5Min5PointTeamDashboard, Last5MinPlusMinus5PointTeamDashboard, OverallTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last5Min5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last3Min5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last1Min5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last30Sec3PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last10Sec3PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last5MinPlusMinus5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last3MinPlusMinus5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last1MinPlusMinus5PointTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last30Sec3Point2TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last10Sec3Point2TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Return a named list of data frames: ByActualMarginTeamDashboard, ByHalfTeamDashboard, ByPeriodTeamDashboard, ByScoreMarginTeamDashboard, OverallTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ByHalfTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ByPeriodTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ByScoreMarginTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ByActualMarginTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Return a named list of data frames: DaysRestTeamDashboard, LocationTeamDashboard, MonthTeamDashboard, OverallTeamDashboard, PrePostAllStarTeamDashboard, WinsLossesTeamDashboard

OverallTeamDashboard

See the HTML help or pkgdown reference for the column table.

LocationTeamDashboard

See the HTML help or pkgdown reference for the column table.

WinsLossesTeamDashboard

See the HTML help or pkgdown reference for the column table.

MonthTeamDashboard

See the HTML help or pkgdown reference for the column table.

PrePostAllStarTeamDashboard

See the HTML help or pkgdown reference for the column table.

DaysRestTeamDashboard

See the HTML help or pkgdown reference for the column table.

Return a named list of data frames: GameNumberTeamDashboard, Last10TeamDashboard, Last15TeamDashboard, Last20TeamDashboard, Last5TeamDashboard, OverallTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last5TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last10TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last15TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Last20TeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

GameNumberTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Return a named list of data frames: ConferenceTeamDashboard, DivisionTeamDashboard, OpponentTeamDashboard, OverallTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ConferenceTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

DivisionTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

OpponentTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Return a named list of data frames: AssistedBy, AssitedShotTeamDashboard, OverallTeamDashboard, Shot5FTTeamDashboard, Shot8FTTeamDashboard, ShotAreaTeamDashboard, ShotTypeTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

Shot5FTTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

Shot8FTTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

ShotAreaTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

AssitedShotTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

ShotTypeTeamDashboard

Columns as documented in the shared wnba_shooting_splits_schema table.

AssistedBy

Columns as documented in the shared wnba_shooting_splits_assisted_by_schema table.

Return a named list of data frames: OverallTeamDashboard, PointsScoredTeamDashboard, PontsAgainstTeamDashboard, ScoreDifferentialTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ScoreDifferentialTeamDashboard

col_name	types	description
GROUP_SET	character	
GROUP_VALUE_ORDER	character	
GROUP_VALUE	character	
GROUP_VALUE_2	character	
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.
STL	character	Steals.
BLK	character	Blocks.
BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
GP_RANK	character	

W_RANK	character
L_RANK	character
W_PCT_RANK	character
MIN_RANK	character
FGM_RANK	character
FGA_RANK	character
FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

PointsScoredTeamDashboard

Same columns as the **ScoreDifferentialTeamDashboard** table above.

PontsAgainstTeamDashboard

Same columns as the **ScoreDifferentialTeamDashboard** table above.

Return a named list of data frames: ByYearTeamDashboard, OverallTeamDashboard

OverallTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

ByYearTeamDashboard

Columns as documented in the shared wnba_team_dashboard_schema table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: `wnba_leaguedashteamstats()`, `wnba_teamdashlineups()`, `wnba_teamdetails()`, `wnba_teamestimatedmetrics()`, `wnba_teamgamelog()`, `wnba_teamgamelogs()`, `wnba_teamgamestreakfinder()`,

wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

Other WNBA Clutch Functions: wnba_leaguedashteamclutch(), wnba_playerdashboardbyclutch()

Other WNBA Shooting Functions: wnba_leaguedashplayershotlocations(), wnba_leaguedashteamshotlocations(), wnba_playerdashboardbyclutch(), wnba_shotchartdetail(), wnba_shotchartleaguewide(), wnba_shotchartlineupdetail()

---

wnba_teamdashlineups **Get WNBA Stats API Team Dashboard - Lineups**

Description

Get WNBA Stats API Team Dashboard - Lineups

Get WNBA Stats API Team Dashboard - Lineups

Usage

```
wnba_teamdashlineups(
  date_from = "",
  date_to = "",
  game_id = "",
  game_segment = "",
  group_quantity = 5,
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_id	game_id
game_segment	game_segment
group_quantity	group_quantity
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamdashlineups(team_id = '1611661328', season = most_recent_wnba_season())
```

Value

Return a named list of data frames: Lineups, Overall

Overall

Columns as documented in the shared wnba_team_summary_overall_schema table.

Lineups

col_name	types	description
GROUP_SET	character	
GROUP_ID	character	Group identifier (e.g. conference group_id).
GROUP_NAME	character	Group name.
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.
STL	character	Steals.
BLK	character	Blocks.
BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
GP_RANK	character	
W_RANK	character	
L_RANK	character	
W_PCT_RANK	character	
MIN_RANK	character	
FGM_RANK	character	
FGA_RANK	character	
FG_PCT_RANK	character	
FG3M_RANK	character	
FG3A_RANK	character	
FG3_PCT_RANK	character	
FTM_RANK	character	
FTA_RANK	character	
FT_PCT_RANK	character	
OREB_RANK	character	
DREB_RANK	character	
REB_RANK	character	
AST_RANK	character	

TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

Other WNBA Lineup Functions: wnba_gamerotation(), wnba_leaguedashlineups(), wnba_leaguelineupviz(), wnba_possession_lineups(), wnba_rapm(), wnba_shot_zones(), wnba_shotchartlineupdetail()

---

wnba_teamdetails Get WNBA Stats API Team Details

Description

Get WNBA Stats API Team Details

Get WNBA Stats API Team Details

Usage

```
wnba_teamdetails(team_id = "1611661328", ...)
```

Arguments

team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamdetails(team_id = '1611661328')
```

Value

Return a named list of data frames: TeamAwardsChampionships, TeamAwardsConf, TeamAwards-Div, TeamBackground, TeamHistory, TeamHof, TeamRetired, TeamSocialSites

TeamBackground

See the HTML help or pkgdown reference for the column table.

TeamHistory

col_name	types	description
TEAM_ID	character	Unique team identifier.
CITY	character	City.
NICKNAME	character	Team or athlete nickname.
YEARFOUNDED	character	
YEARACTIVETILL	character	

TeamSocialSites

col_name	types	description
ACCOUNTTYPE	character	
WEBSITE_LINK	character	

TeamAwardsChampionships

col_name	types	description
YEARAWARDED	character	
OPPOSITETEAM	character	

TeamAwardsConf

col_name	types	description
YEARAWARDED	integer	
OPPOSITETEAM	integer	

TeamAwardsDiv

Same columns as the **TeamAwardsConf** table above.

TeamHof

col_name	types	description
PLAYERID	character	
PLAYER	character	
POSITION	character	Listed roster position (G, F, C, etc.).
JERSEY	character	Jersey number worn by the player.

SEASONSWITHTEAM	character	
YEAR	character	4-digit year.

TeamRetired

Same columns as the **TeamHof** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

`wnba_teamestimatedmetrics`

Get WNBA Stats API Team Estimated Metrics

Description

Get WNBA Stats API Team Estimated Metrics

Get WNBA Stats API Team Estimated Metrics

Usage

```
wnba_teamestimatedmetrics(
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamestimatedmetrics()
```

Value

Return a named list of data frames: TeamEstimatedMetrics

TeamEstimatedMetrics

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_teamgamelog Get WNBA Stats API Team Game Log

Description

Get WNBA Stats API Team Game Log

Get WNBA Stats API Team Game Log

Usage

```
wnba_teamgamelog(
  date_from = "",
  date_to = "",
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  team_id = "1611661328",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamgamelog(team_id = '1611661328')
```

Value

Return a named list of data frames: TeamGameLog

TeamGameLog

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_teamgamelogs Get WNBA Stats API Team Game Logs

Description

Get WNBA Stats API Team Game Logs

Get WNBA Stats API Team Game Logs

Usage

```
wnba_teamgamelogs(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  player_id = "",
  season = most_recent_wnba_season(),
```

```
  season_segment = "",
  season_type = "Regular Season",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
per_mode	per_mode
period	period
player_id	Player ID
season	Season - format 2020-21
season_segment	season_segment
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

Teams Game Log

```
wnba_teamgamelogs(team_id = '1611661328')
```

Value

Return a named list of data frames: TeamGameLogs

TeamGameLogs

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_teamgamestreakfinder

Get WNBA Stats API Team Game Streak Finder

Description

Get WNBA Stats API Team Game Streak Finder

Get WNBA Stats API Team Game Streak Finder

Usage

```
wnba_teamgamestreakfinder(
  active_streaks_only = "",
  active_teams_only = "",
  btr_opp_ast = "",
  btr_opp_blk = "",
  btr_opp_dreb = "",
  btr_opp_fg3a = "",
  btr_opp_fg3m = "",
  btr_opp_fg3_pct = "",
  btr_opp_fga = "",
  btr_opp_fgm = "",
  btr_opp_fg_pct = "",
  btr_opp_fta = "",
  btr_opp_ftm = "",
  btr_opp_ft_pct = "",
  btr_opp_oreb = "",
  btr_opp_pf = "",
  btr_opp_pts = "",
  btr_opp_pts2nd_chance = "",
  btr_opp_pts_fb = "",
  btr_opp_pts_off_tov = "",
  btr_opp_pts_paint = "",
  btr_opp_reb = "",
  btr_opp_stl = "",
  btr_opp_tov = "",
```

```
    conference = "",
    date_from = "",
    date_to = "",
    division = "",
    et_ast = "",
    et_blk = "",
    et_dd = "",
    et_dreb = "",
    et_fg3a = "",
    et_fg3m = "",
    et_fg3_pct = "",
    et_fga = "",
    et_fgm = "",
    et_fg_pct = "",
    et_fta = "",
    et_ftm = "",
    et_ft_pct = "",
    et_minutes = "",
    eq_opp_pts2nd_chance = "",
    eq_opp_pts_fb = "",
    eq_opp_pts_off_tov = "",
    eq_opp_pts_paint = "",
    et_oreb = "",
    et_pf = "",
    et_pts = "",
    eq_pts2nd_chance = "",
    eq_pts_fb = "",
    eq_pts_off_tov = "",
    eq_pts_paint = "",
    et_reb = "",
    et_stl = "",
    et_td = "",
    et_tov = "",
    game_id = "",
    gt_ast = "",
    gt_blk = "",
    gt_dd = "",
    gt_dreb = "",
    gt_fg3a = "",
    gt_fg3m = "",
    gt_fg3_pct = "",
    gt_fga = "",
    gt_fgm = "",
    gt_fg_pct = "",
    gt_fta = "",
    gt_ftm = "",
    gt_ft_pct = "",
    gt_minutes = "",
```

```
    gt_opp_ast = "",
    gt_opp_blk = "",
    gt_opp_dreb = "",
    gt_opp_fg3a = "",
    gt_opp_fg3m = "",
    gt_opp_fg3_pct = "",
    gt_opp_fga = "",
    gt_opp_fgm = "",
    gt_opp_fg_pct = "",
    gt_opp_fta = "",
    gt_opp_ftm = "",
    gt_opp_ft_pct = "",
    gt_opp_oreb = "",
    gt_opp_pf = "",
    gt_opp_pts = "",
    gt_opp_pts2nd_chance = "",
    gt_opp_pts_fb = "",
    gt_opp_pts_off_tov = "",
    gt_opp_pts_paint = "",
    gt_opp_reb = "",
    gt_opp_stl = "",
    gt_opp_tov = "",
    gt_oreb = "",
    gt_pf = "",
    gt_pts = "",
    gt_pts2nd_chance = "",
    gt_pts_fb = "",
    gt_pts_off_tov = "",
    gt_pts_paint = "",
    gt_reb = "",
    gt_stl = "",
    gt_td = "",
    gt_tov = "",
    lstreak = "",
    league_id = "10",
    location = "",
    lt_ast = "",
    lt_blk = "",
    lt_dd = "",
    lt_dreb = "",
    lt_fg3a = "",
    lt_fg3m = "",
    lt_fg3_pct = "",
    lt_fga = "",
    lt_fgm = "",
    lt_fg_pct = "",
    lt_fta = "",
    lt_ftm = "",
```

```
    lt_ft_pct = "",
    lt_minutes = "",
    lt_opp_ast = "",
    lt_opp_blk = "",
    lt_opp_dreb = "",
    lt_opp_fg3a = "",
    lt_opp_fg3m = "",
    lt_opp_fg3_pct = "",
    lt_opp_fga = "",
    lt_opp_fgm = "",
    lt_opp_fg_pct = "",
    lt_opp_fta = "",
    lt_opp_ftm = "",
    lt_opp_ft_pct = "",
    lt_opp_oreb = "",
    lt_opp_pf = "",
    lt_opp_pts = "",
    lt_opp_pts2nd_chance = "",
    lt_opp_pts_fb = "",
    lt_opp_pts_off_tov = "",
    lt_opp_pts_paint = "",
    lt_opp_reb = "",
    lt_opp_stl = "",
    lt_opp_tov = "",
    lt_oreb = "",
    lt_pf = "",
    lt_pts = "",
    lt_pts2nd_chance = "",
    lt_pts_fb = "",
    lt_pts_off_tov = "",
    lt_pts_paint = "",
    lt_reb = "",
    lt_stl = "",
    lt_td = "",
    lt_tov = "",
    min_games = "",
    outcome = "",
    po_round = "",
    season = most_recent_wnba_season(),
    season_segment = "",
    season_type = "Regular Season",
    team_id = "",
    vs_conference = "",
    vs_division = "",
    vs_team_id = "",
    wstreak = "",
    wrs_opp_ast = "",
    wrs_opp_blk = "",
```

```
  wrs_opp_dreb = "",
  wrs_opp_fg3a = "",
  wrs_opp_fg3m = "",
  wrs_opp_fg3_pct = "",
  wrs_opp_fga = "",
  wrs_opp_fgm = "",
  wrs_opp_fg_pct = "",
  wrs_opp_fta = "",
  wrs_opp_ftm = "",
  wrs_opp_ft_pct = "",
  wrs_opp_oreb = "",
  wrs_opp_pf = "",
  wrs_opp_pts = "",
  wrs_opp_pts2nd_chance = "",
  wrs_opp_pts_fb = "",
  wrs_opp_pts_off_tov = "",
  wrs_opp_pts_paint = "",
  wrs_opp_reb = "",
  wrs_opp_stl = "",
  wrs_opp_tov = "",
  ...
)
```

Arguments

active_streaks_only	active_streaks_only
active_teams_only	active_teams_only
btr_opp_ast	btr_opp_ast
btr_opp_blk	btr_opp_blk
btr_opp_dreb	btr_opp_dreb
btr_opp_fg3a	btr_opp_fg3a
btr_opp_fg3m	btr_opp_fg3m
btr_opp_fg3_pct	btr_opp_fg3_pct
btr_opp_fga	btr_opp_fga
btr_opp_fgm	btr_opp_fgm
btr_opp_fg_pct	btr_opp_fg_pct
btr_opp_fta	btr_opp_fta
btr_opp_ftm	btr_opp_ftm
btr_opp_ft_pct	btr_opp_ft_pct
btr_opp_oreb	btr_opp_oreb
btr_opp_pf	btr_opp_pf

btr_opp_pts	btr_opp_pts
btr_opp_pts2nd_chance	btr_opp_pts2nd_chance
btr_opp_pts_fb	btr_opp_pts_fb
btr_opp_pts_off_tov	btr_opp_pts_off_tov
btr_opp_pts_paint	btr_opp_pts_paint
btr_opp_reb	btr_opp_reb
btr_opp_stl	btr_opp_stl
btr_opp_tov	btr_opp_tov
conference	conference
date_from	date_from
date_to	date_to
division	division
et_ast	et_ast
et_blk	et_blk
et_dd	et_dd
et_dreb	et_dreb
et_fg3a	et_fg3a
et_fg3m	et_fg3m
et_fg3_pct	et_fg3_pct
et_fga	et_fga
et_fgm	et_fgm
et_fg_pct	et_fg_pct
et_fta	et_fta
et_ftm	et_ftm
et_ft_pct	et_ft_pct
et_minutes	et_minutes
eq_opp_pts2nd_chance	eq_opp_pts2nd_chance
eq_opp_pts_fb	eq_opp_pts_fb
eq_opp_pts_off_tov	eq_opp_pts_off_tov
eq_opp_pts_paint	eq_opp_pts_paint
et_oreb	et_oreb
et_pf	et_pf
et_pts	et_pts

eq_pts2nd_chance	eq_pts2nd_chance
eq_pts_fb	eq_pts_fb
eq_pts_off_tov	eq_pts_off_tov
eq_pts_paint	eq_pts_paint
et_reb	et_reb
et_stl	et_stl
et_td	et_td
et_tov	et_tov
game_id	game_id
gt_ast	gt_ast
gt_blk	gt_blk
gt_dd	gt_dd
gt_dreb	gt_dreb
gt_fg3a	gt_fg3a
gt_fg3m	gt_fg3m
gt_fg3_pct	gt_fg3_pct
gt_fga	gt_fga
gt_fgm	gt_fgm
gt_fg_pct	gt_fg_pct
gt_fta	gt_fta
gt_ftm	gt_ftm
gt_ft_pct	gt_ft_pct
gt_minutes	gt_minutes
gt_opp_ast	gt_opp_ast
gt_opp_blk	gt_opp_blk
gt_opp_dreb	gt_opp_dreb
gt_opp_fg3a	gt_opp_fg3a
gt_opp_fg3m	gt_opp_fg3m
gt_opp_fg3_pct	gt_opp_fg3_pct
gt_opp_fga	gt_opp_fga
gt_opp_fgm	gt_opp_fgm
gt_opp_fg_pct	gt_opp_fg_pct
gt_opp_fta	gt_opp_fta
gt_opp_ftm	gt_opp_ftm
gt_opp_ft_pct	gt_opp_ft_pct
gt_opp_oreb	gt_opp_oreb
gt_opp_pf	gt_opp_pf

gt_opp_pts gt_opp_pts

gt_opp_pts2nd_chance gt_opp_pts2nd_chance

gt_opp_pts_fb gt_opp_pts_fb

gt_opp_pts_off_tov gt_opp_pts_off_tov

gt_opp_pts_paint gt_opp_pts_paint

gt_opp_reb gt_opp_reb

gt_opp_stl gt_opp_stl

gt_opp_tov gt_opp_tov

gt_oreb gt_oreb

gt_pf gt_pf

gt_pts gt_pts

gt_pts2nd_chance gt_pts2nd_chance

gt_pts_fb gt_pts_fb

gt_pts_off_tov gt_pts_off_tov

gt_pts_paint gt_pts_paint

gt_reb gt_reb

gt_stl gt_stl

gt_td gt_td

gt_tov gt_tov

lstreak lstreak

league_id league_id

location location

lt_ast lt_ast

lt_blk lt_blk

lt_dd lt_dd

lt_dreb lt_dreb

lt_fg3a lt_fg3a

lt_fg3m lt_fg3m

lt_fg3_pct lt_fg3_pct

lt_fga lt_fga

lt_fgm lt_fgm

lt_fg_pct lt_fg_pct

lt_fta lt_fta

lt_ftm lt_ftm

lt_ft_pct	lt_ft_pct
lt_minutes	lt_minutes
lt_opp_ast	lt_opp_ast
lt_opp_blk	lt_opp_blk
lt_opp_dreb	lt_opp_dreb
lt_opp_fg3a	lt_opp_fg3a
lt_opp_fg3m	lt_opp_fg3m
lt_opp_fg3_pct	lt_opp_fg3_pct
lt_opp_fga	lt_opp_fga
lt_opp_fgm	lt_opp_fgm
lt_opp_fg_pct	lt_opp_fg_pct
lt_opp_fta	lt_opp_fta
lt_opp_ftm	lt_opp_ftm
lt_opp_ft_pct	lt_opp_ft_pct
lt_opp_oreb	lt_opp_oreb
lt_opp_pf	lt_opp_pf
lt_opp_pts	lt_opp_pts
lt_opp_pts2nd_chance	lt_opp_pts2nd_chance
lt_opp_pts_fb	lt_opp_pts_fb
lt_opp_pts_off_tov	lt_opp_pts_off_tov
lt_opp_pts_paint	lt_opp_pts_paint
lt_opp_reb	lt_opp_reb
lt_opp_stl	lt_opp_stl
lt_opp_tov	lt_opp_tov
lt_oreb	lt_oreb
lt_pf	lt_pf
lt_pts	lt_pts
lt_pts2nd_chance	lt_pts2nd_chance
lt_pts_fb	lt_pts_fb
lt_pts_off_tov	lt_pts_off_tov
lt_pts_paint	lt_pts_paint
lt_reb	lt_reb
lt_stl	lt_stl
lt_td	lt_td

lt_tov	lt_tov
min_games	min_games
outcome	outcome
po_round	po_round
season	season
season_segment	season_segment
season_type	season_type
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_team_id	vs_team_id
wstreak	wstreak
wrs_opp_ast	wrs_opp_ast
wrs_opp_blk	wrs_opp_blk
wrs_opp_dreb	wrs_opp_dreb
wrs_opp_fg3a	wrs_opp_fg3a
wrs_opp_fg3m	wrs_opp_fg3m
wrs_opp_fg3_pct	wrs_opp_fg3_pct
wrs_opp_fga	wrs_opp_fga
wrs_opp_fgm	wrs_opp_fgm
wrs_opp_fg_pct	wrs_opp_fg_pct
wrs_opp_fta	wrs_opp_fta
wrs_opp_ftm	wrs_opp_ftm
wrs_opp_ft_pct	wrs_opp_ft_pct
wrs_opp_oreb	wrs_opp_oreb
wrs_opp_pf	wrs_opp_pf
wrs_opp_pts	wrs_opp_pts
wrs_opp_pts2nd_chance	wrs_opp_pts2nd_chance
wrs_opp_pts_fb	wrs_opp_pts_fb
wrs_opp_pts_off_tov	wrs_opp_pts_off_tov
wrs_opp_pts_paint	wrs_opp_pts_paint
wrs_opp_reb	wrs_opp_reb
wrs_opp_stl	wrs_opp_stl
wrs_opp_tov	wrs_opp_tov
...	Additional arguments passed to an underlying function like httr.

Details

wnba_teamgamestreakfinder()

Value

Return a named list of data frames: TeamGameStreakFinderParametersResults

TeamGameStreakFinderParametersResults

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

Other WNBA Game Finder Functions: wnba_leaguegamefinder(), wnba_playergamestreakfinder()

---

wnba_teamhistoricalleaders

Get WNBA Stats API Team Historical Leaders

Description

Get WNBA Stats API Team Historical Leaders

Get WNBA Stats API Team Historical Leaders

Usage

```
wnba_teamhistoricalleaders(
  league_id = "10",
  season_id = "22022",
  team_id = "1611661328",
  ...
)
```

Arguments

league_id	league_id
season_id	season_id
team_id	team_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamhistoricalleaders(team_id = '1611661328')
```

Value

Return a named list of data frames: CareerLeadersByTeam

CareerLeadersByTeam

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_teaminfocommon **Get WNBA Stats API Team Common Info**

Description

Get WNBA Stats API Team Common Info

Get WNBA Stats API Team Common Info

Usage

```
wnba_teaminfocommon(
  league_id = "10",
  season = most_recent_wnba_season(),
  season_type = "Regular Season",
  team_id = "1611661328",
  ...
)
```

Arguments

league_id	League - default: '10'. Other options include '00': NBA, '20': G-League
season	Season - format 2020-21
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teaminfocommon(team_id = '1611661328')
```

Value

Return a named list of data frames: AvailableSeasons, TeamInfoCommon, TeamSeasonRanks

TeamInfoCommon

See the HTML help or pkgdown reference for the column table.

TeamSeasonRanks

See the HTML help or pkgdown reference for the column table.

AvailableSeasons

col_name	types	description
SEASON_ID	character	Unique season identifier.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teamplayeronoffdet wnba_teams(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

`wnba_teamplayeronoffdetails`

Get WNBA Stats API Team Player On/Off Details

Description

Get WNBA Stats API Team Player On/Off Details

Get WNBA Stats API Team Player On/Off Summary

Get WNBA Stats API Team Player Dashboard

Get WNBA Stats API Team Player Dashboard

Usage

```
wnba_teamplayeronoffdetails(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamplayeronoffsummary(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
```

```
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)

wnba_teamplayerdashboard(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  pace_adjust = "N",
  plus_minus = "N",
  po_round = "",
  per_mode = "Totals",
  period = 0,
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id

outcome	outcome
pace_adjust	pace_adjust
plus_minus	plus_minus
po_round	po_round
per_mode	per_mode
period	period
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamplayeronoffdetails(team_id = '1611661328')

wnba_teamplayeronoffsummary(team_id = '1611661328')

wnba_teamplayerdashboard(team_id = '1611661328')
```

Value

Return a named list of data frames: OverallTeamPlayerOnOffDetails, PlayersOffCourtTeamPlayerOnOffDetails, PlayersOnCourtTeamPlayerOnOffDetails

OverallTeamPlayerOnOffDetails

Columns as documented in the shared wnba_team_summary_overall_schema table.

PlayersOnCourtTeamPlayerOnOffDetails

Columns as documented in the shared wnba_on_off_schema table.

PlayersOffCourtTeamPlayerOnOffDetails

Columns as documented in the shared wnba_on_off_schema table.

Return a named list of data frames: OverallTeamPlayerOnOffSummary, PlayersOffCourtTeamPlayerOnOffSummary, PlayersOnCourtTeamPlayerOnOffSummary

OverallTeamPlayerOnOffSummary

Columns as documented in the shared wnba_team_summary_overall_schema table.

PlayersOnCourtTeamPlayerOnOffSummary

col_name	types	description
GROUP_SET	character	
TEAM_ID	character	Unique team identifier.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
VS_PLAYER_ID	character	
VS_PLAYER_NAME	character	
COURT_STATUS	character	
GP	character	Games played.
MIN	character	Minutes played.
PLUS_MINUS	character	Plus/minus point differential while on court.
OFF_RATING	character	Offensive rating (points produced per 100 possessions).
DEF_RATING	character	Defensive rating (points allowed per 100 possessions).
NET_RATING	character	Net rating (off rating - def rating).

PlayersOffCourtTeamPlayerOnOffSummary

Same columns as the **PlayersOnCourtTeamPlayerOnOffSummary** table above.

Return a named list of data frames: PlayersSeasonTotals, TeamOverall

TeamOverall

See the HTML help or pkgdown reference for the column table.

PlayersSeasonTotals

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: `wnba_leaguedashteamstats()`, `wnba_teamdashboardbyclutch()`, `wnba_teamdashlineups()`, `wnba_teamdetails()`, `wnba_teamestimatedmetrics()`, `wnba_teamgamelog()`, `wnba_teamgamelogs()`, `wnba_teamgamestreakfinder()`, `wnba_teamhistoricalleaders()`, `wnba_teaminfocommon()`, `wnba_teams()`, `wnba_teamvsplayer()`, `wnba_teamyearbyyearstats()`

`wnba_teams` **Get WNBA Stats API Teams**

Description

Get WNBA Stats API Teams

Get WNBA Stats API Teams

Usage

```
wnba_teams(...)
```

Arguments

...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teams()
```

Value

Return a data frame with the following columns:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teamvsplayer(), wnba_teamyearbyyearstats()

---

wnba_teamvsplayer Get WNBA Stats API Team vs Player

Description

Get WNBA Stats API Team vs Player

Get WNBA Stats API Team vs Player

Usage

```
wnba_teamvsplayer(
  date_from = "",
  date_to = "",
  game_segment = "",
  last_n_games = 0,
  league_id = "10",
  location = "",
  measure_type = "Base",
  month = 0,
  opponent_team_id = 0,
  outcome = "",
  po_round = "",
  pace_adjust = "N",
  per_mode = "Totals",
```

```
  period = 0,
  player_id = "",
  plus_minus = "N",
  rank = "N",
  season = most_recent_wnba_season(),
  season_segment = "",
  season_type = "Regular Season",
  shot_clock_range = "",
  team_id = "1611661328",
  vs_conference = "",
  vs_division = "",
  vs_player_id = "1628932",
  ...
)
```

Arguments

date_from	date_from
date_to	date_to
game_segment	game_segment
last_n_games	last_n_games
league_id	league_id
location	location
measure_type	measure_type
month	month
opponent_team_id	opponent_team_id
outcome	outcome
po_round	po_round
pace_adjust	pace_adjust
per_mode	per_mode
period	period
player_id	Player ID
plus_minus	plus_minus
rank	rank
season	season
season_segment	season_segment
season_type	season_type
shot_clock_range	shot_clock_range
team_id	team_id
vs_conference	vs_conference
vs_division	vs_division
vs_player_id	vs_player_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamvsplayer(team_id = '1611661328', vs_player_id = '1628932')
```

Value

Return a named list of data frames: OnOffCourt, Overall, ShotAreaOffCourt, ShotAreaOnCourt, ShotAreaOverall, ShotDistanceOffCourt, ShotDistanceOnCourt, ShotDistanceOverall, vsPlayerOverall

Overall

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	
TEAM_ID	character	Unique team identifier.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.
STL	character	Steals.
BLK	character	Blocks.
BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
GP_RANK	character	
W_RANK	character	
L_RANK	character	
W_PCT_RANK	character	
MIN_RANK	character	
FGM_RANK	character	
FGA_RANK	character	

FG_PCT_RANK	character
FG3M_RANK	character
FG3A_RANK	character
FG3_PCT_RANK	character
FTM_RANK	character
FTA_RANK	character
FT_PCT_RANK	character
OREB_RANK	character
DREB_RANK	character
REB_RANK	character
AST_RANK	character
TOV_RANK	character
STL_RANK	character
BLK_RANK	character
BLKA_RANK	character
PF_RANK	character
PFD_RANK	character
PTS_RANK	character
PLUS_MINUS_RANK	character

vsPlayerOverall

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	
PLAYER_ID	character	Unique player identifier.
GP	character	Games played.
W	character	Wins.
L	character	Losses.
W_PCT	character	Wins percentage (0-1 decimal).
MIN	character	Minutes played.
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).
FG3M	character	Three-point field goals made.
FG3A	character	Three-point field goal attempts.
FG3_PCT	character	Three-point field goal percentage (0-1).
FTM	character	Free throws made.
FTA	character	Free throw attempts.
FT_PCT	character	Free throw percentage (0-1).
OREB	character	Offensive rebounds.
DREB	character	Defensive rebounds.
REB	character	Total rebounds.
AST	character	Assists.
TOV	character	Turnovers.
STL	character	Steals.
BLK	character	Blocks.

BLKA	character	
PF	character	Personal fouls.
PFD	character	
PTS	character	Points scored.
PLUS_MINUS	character	Plus/minus point differential while on court.
NBA_FANTASY_PTS	character	
DD2	character	
TD3	character	
WNBA_FANTASY_PTS	character	
GP_RANK	character	
W_RANK	character	
L_RANK	character	
W_PCT_RANK	character	
MIN_RANK	character	
FGM_RANK	character	
FGA_RANK	character	
FG_PCT_RANK	character	
FG3M_RANK	character	
FG3A_RANK	character	
FG3_PCT_RANK	character	
FTM_RANK	character	
FTA_RANK	character	
FT_PCT_RANK	character	
OREB_RANK	character	
DREB_RANK	character	
REB_RANK	character	
AST_RANK	character	
TOV_RANK	character	
STL_RANK	character	
BLK_RANK	character	
BLKA_RANK	character	
PF_RANK	character	
PFD_RANK	character	
PTS_RANK	character	
PLUS_MINUS_RANK	character	
NBA_FANTASY_PTS_RANK	character	
DD2_RANK	character	
TD3_RANK	character	
WNBA_FANTASY_PTS_RANK	character	

OnOffCourt

Columns as documented in the shared wnba_on_off_schema table.

ShotDistanceOverall

col_name	types	description
GROUP_SET	character	
GROUP_VALUE	character	

TEAM_ID	character	Unique team identifier.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).

ShotDistanceOnCourt

col_name	types	description
GROUP_SET	character	
TEAM_ID	character	Unique team identifier.
TEAM_ABBREVIATION	character	Short team abbreviation (e.g. 'LAS').
TEAM_NAME	character	Full team display name (e.g. 'Las Vegas Aces').
VS_PLAYER_ID	character	
VS_PLAYER_NAME	character	
COURT_STATUS	character	
GROUP_VALUE	character	
FGM	character	Field goals made.
FGA	character	Field goal attempts.
FG_PCT	character	Field goal percentage (0-1).

ShotDistanceOffCourt

Same columns as the **ShotDistanceOnCourt** table above.

ShotAreaOverall

Same columns as the **ShotDistanceOverall** table above.

ShotAreaOnCourt

Same columns as the **ShotDistanceOnCourt** table above.

ShotAreaOffCourt

Same columns as the **ShotDistanceOnCourt** table above.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: `wnba_leaguedashteamstats()`, `wnba_teamdashboardbyclutch()`, `wnba_teamdashlineups()`, `wnba_teamdetails()`, `wnba_teamestimatedmetrics()`, `wnba_teamgamelog()`, `wnba_teamgamelogs()`, `wnba_teamgamestreakfinder()`, `wnba_teamhistoricalleaders()`, `wnba_teaminfocommon()`, `wnba_teamplayeronoffdetails()`, `wnba_teams()`, `wnba_teamyearbyyearstats()`

wnba_teamyearbyyearstats

Get WNBA Stats API Team Year by Year Stats

Description

Get WNBA Stats API Team Year by Year Stats

Get WNBA Stats API Team Year by Year Stats

Usage

```
wnba_teamyearbyyearstats(
  league_id = "10",
  per_mode = "Totals",
  season_type = "Regular Season",
  team_id = "1611661328",
  ...
)
```

Arguments

league_id	League - default: '00'. Other options include '10': WNBA, '20': G-League
per_mode	Per Mode
season_type	Season Type - Regular Season, Playoffs, All-Star
team_id	Team ID
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_teamyearbyyearstats(team_id = '1611661328')
```

Value

Return a named list of data frames: TeamStats

TeamStats

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Team Functions: wnba_leaguedashteamstats(), wnba_teamdashboardbyclutch(), wnba_teamdashlineups(), wnba_teamdetails(), wnba_teamestimatedmetrics(), wnba_teamgamelog(), wnba_teamgamelogs(), wnba_teamgamestreakfinder(), wnba_teamhistoricalleaders(), wnba_teaminfocommon(), wnba_teamplayeronoffdetails(), wnba_teams(), wnba_teamvsplayer()

wnba_team_crosswalk Get the WNBA cross-source team crosswalk

Description

Build a wide, one-row-per-team-per-season crosswalk linking ESPN, the WNBA Stats API, and Fox Sports team identities, keyed on `espn_team_id`. Yahoo columns are placeholders (NA) until that source is implemented.

Usage

```
wnba_team_crosswalk(season = most_recent_wnba_season(), .schedule = NULL)
```

Arguments

`season`	Season year (numeric). Defaults to the most recent WNBA season.
`.schedule`	Internal. An already-fetched `wnba_schedule()` frame, supplied by `wnba_schedule_crosswalk()` to avoid a duplicate CDN request. Leave `NULL`.

Value

A `wehoop_data` tibble, one row per team:

See the HTML help or pkgdown reference for the column table.

See Also

Other WNBA Crosswalk Functions: `load_wnba_team_crosswalk()`, `wnba_player_crosswalk()`, `wnba_schedule_crosswalk()`

Examples

```
try(wnba_team_crosswalk(season = 2024))
```

wnba_todays_scoreboard Get WNBA Stats API Today's Scoreboard

Description

Get WNBA Stats API Today's Scoreboard

Get WNBA Stats API Today's Scoreboard

Usage

```
wnba_todays_scoreboard(...)
```

Arguments

...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_todays_scoreboard()
```

Value

Return a data frame with the following columns:

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Schedule Functions: wnba_schedule(), wnba_scoreboardv2(), wnba_scoreboardv3()

Other WNBA Live Functions: wnba_live_pbp()

---

wnba_videoevents Get WNBA Stats API Video Events

Description

Get WNBA Stats API Video Events

Get WNBA Stats API Video Events

Usage

```
wnba_videoevents(game_id = "1022200075", game_event_id = "10", ...)
```

Arguments

game_id	game_id
game_event_id	game_event_id
...	Additional arguments passed to an underlying function like httr.

Details

(Possibly Defunct)

```
wnba_videoevents(game_id = '1022200075', game_event_id = '10')
```

Value

Return a list of tibbles: videoUrls, playlist

Author(s)

Saiem Gilani

See Also

Other WNBA Video Functions: wnba_videodetailsasset(), wnba_videostatus()

---

wnba_videostatus **Get WNBA Stats API Video Status**

Description

Get WNBA Stats API Video Status

Get WNBA Stats API Video Status

Usage

```
wnba_videostatus(game_date = "2022-06-10", league_id = "10", ...)
```

Arguments

game_date	game_date
league_id	league_id
...	Additional arguments passed to an underlying function like httr.

Details

```
wnba_videostatus(game_date = '2022-06-10', league_id = '10')
```

Value

Return a list of tibbles: VideoStatus

VideoStatus

See the HTML help or pkgdown reference for the column table.

Author(s)

Saiem Gilani

See Also

Other WNBA Video Functions: wnba_videodetailsasset(), wnba_videoevents()

year_to_season **Convert a calendar year to a WNBA / NBA season string**

Description

Returns a season string of the form YYYY-YY (e.g. 2024 -> "2024-25"). WNBA seasons span a single calendar year, but several Stats API endpoints (and several NBA-derived endpoints used in load helpers) accept the two-year season-string form, so this helper is provided for parity with the analogous helper in the hoopR package.

Usage

```
year_to_season(year)
```

Arguments

year	a four-digit calendar year (numeric or character).

Value

A character season string, e.g. "2024-25".

Index

∗ **API**
wnba_stats, 379
∗ **Bart Torvik Functions**
bart_wbb_game_schedule, 8
bart_wbb_ratings, 8
∗ **Box**
espn_wbb_game_all, 27
espn_wnba_game_all, 117
∗ **Conferences**
espn_wbb_conferences, 24
espn_wnba_conferences, 106
∗ **ESPN Basketball**
espn_basketball, 12
espn_basketball_player_core, 13
∗ **ESPN WBB Functions**
espn_wbb_athletes_index, 15
espn_wbb_award, 16
espn_wbb_calendar, 17
espn_wbb_coach, 19
espn_wbb_coach_record, 21
espn_wbb_coach_season, 22
espn_wbb_coaches, 20
espn_wbb_conferences, 24
espn_wbb_franchise, 25
espn_wbb_franchises, 26
espn_wbb_game_all, 27
espn_wbb_game_odds, 29
espn_wbb_game_official_detail, 31
espn_wbb_game_play, 32
espn_wbb_game_play_personnel, 35
espn_wbb_game_player_box, 33
espn_wbb_game_probabilities, 36
espn_wbb_game_propbets, 37
espn_wbb_game_team_linescores, 38
espn_wbb_game_team_roster_entry, 40
espn_wbb_injuries, 41
espn_wbb_leaders, 43
espn_wbb_news, 44
espn_wbb_player_awards, 45
espn_wbb_player_career_stats, 46
espn_wbb_player_eventlog_v2, 47
espn_wbb_player_info, 49
espn_wbb_player_overview, 51
espn_wbb_player_seasons, 54
espn_wbb_player_stats, 55
espn_wbb_position, 56
espn_wbb_positions, 57
espn_wbb_powerindex, 58
espn_wbb_rankings, 59
espn_wbb_scoreboard, 60
espn_wbb_season_awards, 62
espn_wbb_season_group, 64
espn_wbb_season_groups, 66
espn_wbb_season_info, 67
espn_wbb_season_leaders, 69
espn_wbb_season_ranking, 70
espn_wbb_season_rankings, 71
espn_wbb_season_type, 73
espn_wbb_season_types, 74
espn_wbb_season_week, 75
espn_wbb_season_weeks, 76
espn_wbb_seasons, 61
espn_wbb_standings, 78
espn_wbb_team, 79
espn_wbb_team_injuries, 82
espn_wbb_team_news, 83
espn_wbb_team_record_detail, 84
espn_wbb_team_schedule, 86
espn_wbb_team_season_roster, 87
espn_wbb_team_season_statistics, 88
espn_wbb_team_stats, 90
espn_wbb_teams, 81
espn_wbb_tournament, 91
espn_wbb_tournament_season, 93
espn_wbb_tournament_seasons, 94
espn_wbb_tournaments, 92

espn_wbb_venues, 95
espn_wbb_week_ranking, 97
espn_wbb_week_rankings, 98
* **ESPN WNBA Functions**
espn_wnba_athletes_index, 99
espn_wnba_award, 101
espn_wnba_calendar, 102
espn_wnba_coach_season, 104
espn_wnba_coaches, 103
espn_wnba_conferences, 106
espn_wnba_draft, 107
espn_wnba_draft_athlete_detail, 108
espn_wnba_draft_pick, 109
espn_wnba_draft_rounds, 111
espn_wnba_franchise, 112
espn_wnba_franchises, 113
espn_wnba_freeagents, 115
espn_wnba_futures, 116
espn_wnba_game_all, 117
espn_wnba_game_odds, 119
espn_wnba_game_official_detail, 121
espn_wnba_game_play, 122
espn_wnba_game_play_personnel, 125
espn_wnba_game_player_box, 123
espn_wnba_game_probabilities, 126
espn_wnba_game_propbets, 127
espn_wnba_game_team_linescores, 128
espn_wnba_game_team_roster_entry, 130
espn_wnba_injuries, 132
espn_wnba_leaders, 133
espn_wnba_news, 134
espn_wnba_player_awards, 135
espn_wnba_player_career_stats, 136
espn_wnba_player_eventlog_v2, 138
espn_wnba_player_info, 139
espn_wnba_player_overview, 141
espn_wnba_player_seasons, 144
espn_wnba_player_stats, 145
espn_wnba_position, 147
espn_wnba_positions, 148
espn_wnba_powerindex, 149
espn_wnba_scoreboard, 150
espn_wnba_season_awards, 153
espn_wnba_season_group, 154
espn_wnba_season_groups, 156
espn_wnba_season_info, 158
espn_wnba_season_leaders, 159
espn_wnba_season_ranking, 160
espn_wnba_season_rankings, 162
espn_wnba_season_type, 163
espn_wnba_season_types, 164
espn_wnba_season_week, 165
espn_wnba_season_weeks, 167
espn_wnba_seasons, 151
espn_wnba_standings, 168
espn_wnba_team, 169
espn_wnba_team_injuries, 172
espn_wnba_team_news, 174
espn_wnba_team_record, 175
espn_wnba_team_record_detail, 176
espn_wnba_team_schedule, 177
espn_wnba_team_season_roster, 179
espn_wnba_team_season_statistics, 180
espn_wnba_team_stats, 181
espn_wnba_teams, 171
espn_wnba_transactions, 183
espn_wnba_venues, 184
espn_wnba_week_ranking, 185
espn_wnba_week_rankings, 187
* **ESPN**
espn_basketball, 12
* **Fox Sports Functions**
fox_basketball_league_leaders, 188
fox_wbb_teams_all, 189
fox_wnba_pbp, 190
fox_wnba_team_roster, 191
* **Functions**
wnba_possession_lineups, 363
wnba_rapm, 364
wnba_shot_zones, 378
* **Game**
espn_wbb_game_all, 27
espn_wnba_game_all, 117
* **Her Hoop Stats Functions**
hhs_team_roster, 195
hhs_team_stats, 196
hhs_teams, 194
* **Internal**
check_status, 12
csv_from_url, 12
parquet_from_url, 230

progressively, 230
rds_from_url, 231
year_to_season, 427
* **Lineup**
wnba_possession_lineups, 363
wnba_rapm, 364
wnba_shot_zones, 378
* **Loaders**
wehoop_loaders, 238
* **Model Dataset loader functions**
load_wnba_player_impact, 214
* **NBA Boxscore Functions**
wnba_live_boxscore, 315
* **NBA Live Functions**
wnba_live_boxscore, 315
* **NCAA WBB Functions**
ncaa_wbb_NET_rankings, 228
* **NCAA WBB loader functions**
load_ncaa_wbb_pbp, 197
* **NCAA WBB**
ncaa_wbb, 227
* **NCAA**
ncaa_wbb, 227
ncaa_wbb_NET_rankings, 228
* **NET**
ncaa_wbb_NET_rankings, 228
* **PBP**
espn_wbb_game_all, 27
espn_wnba_game_all, 117
* **Player**
espn_wbb_game_all, 27
espn_wbb_player_stats, 55
espn_wnba_game_all, 117
espn_wnba_player_stats, 145
* **Rankings**
espn_wbb_rankings, 59
ncaa_wbb_NET_rankings, 228
* **Roster**
espn_wbb_game_all, 27
espn_wnba_game_all, 117
* **Scoreboard**
espn_wbb_scoreboard, 60
espn_wnba_scoreboard, 150
* **Standings**
espn_wbb_standings, 78
espn_wnba_standings, 168
* **Stats**
espn_wbb_player_stats, 55
espn_wbb_team_stats, 90
espn_wnba_player_stats, 145
espn_wnba_team_stats, 181
wnba_stats, 379
* **Teams**
espn_wbb_teams, 81
espn_wnba_teams, 171
* **Team**
espn_wbb_game_all, 27
espn_wbb_team_stats, 90
espn_wnba_game_all, 117
espn_wnba_team_stats, 181
* **WBB Crosswalk Functions**
load_wnba_team_crosswalk, 224
wbb_player_crosswalk, 235
wbb_schedule_crosswalk, 236
wbb_team_crosswalk, 237
* **WBB loader functions**
load_wbb_pbp, 203
* **WBB**
espn_wbb_conferences, 24
espn_wbb_game_all, 27
espn_wbb_player_stats, 55
espn_wbb_rankings, 59
espn_wbb_scoreboard, 60
espn_wbb_standings, 78
espn_wbb_team_stats, 90
espn_wbb_teams, 81
ncaa_wbb, 227
ncaa_wbb_NET_rankings, 228
* **WNBA Basketball-Reference Functions**
bref_wnba_player_stats, 9
bref_wnba_standings, 10
bref_wnba_team_stats, 11
* **WNBA Boxscore Functions**
wnba_boxscoretraditionalv2, 247
wnba_gamerotation, 275
* **WNBA Boxscore V3 Functions**
wnba_boxscoresummaryv3, 246
wnba_boxscoretraditionalv3, 250
* **WNBA Clutch Functions**
wnba_leaguedashteamclutch, 293
wnba_playerdashboardbyclutch, 328
wnba_teamdashboardbyclutch, 380
* **WNBA Crosswalk Functions**
load_wnba_team_crosswalk, 224
wnba_player_crosswalk, 362
wnba_schedule_crosswalk, 366

wnba_team_crosswalk, 424
* **WNBA Cume Functions**
wnba_cumestatsplayer, 259
wnba_cumestatsplayergames, 260
wnba_cumestatsteam, 261
wnba_cumestatsteamgames, 262
* **WNBA Draft Functions**
wnba_draftboard, 265
wnba_draftcombinestats, 266
wnba_drafthistory, 268
* **WNBA Fantasy Functions**
wnba_fantasywidget, 269
wnba_infographicfanduelplayer, 278
wnba_playerfantasyprofile, 341
wnba_playerfantasyprofilebargraph, 343
* **WNBA Franchise Functions**
wnba_franchisehistory, 271
wnba_franchiseleaders, 272
wnba_franchiseleaderswrank, 273
wnba_franchiseplayers, 274
* **WNBA Game Finder Functions**
wnba_leaguegamefinder, 300
wnba_playergamestreakfinder, 347
wnba_teamgamestreakfinder, 400
* **WNBA Leaders Functions**
wnba_alltimeleadersgrids, 238
wnba_assistleaders, 243
wnba_assisttracker, 245
wnba_homepagewidget, 276
wnba_leagueleaders, 307
* **WNBA League Functions**
wnba_leaguedashlineups, 279
wnba_leaguedashplayerbiostats, 281
wnba_leaguedashplayerclutch, 284
wnba_leaguedashplayershotlocations, 287
wnba_leaguedashplayerstats, 290
wnba_leaguedashteamclutch, 293
wnba_leaguedashteamshotlocations, 295
wnba_leaguedashteamstats, 298
wnba_leaguegamefinder, 300
wnba_leaguegamelog, 305
wnba_leaguelineupviz, 308
wnba_leagueplayerondetails, 310
wnba_leagueseasonmatchups, 312
wnba_leaguestandingsv3, 313
wnba_shotchartleaguewide, 373
* **WNBA Lineup Functions**
wnba_gamerotation, 275
wnba_leaguedashlineups, 279
wnba_leaguelineupviz, 308
wnba_possession_lineups, 363
wnba_rapm, 364
wnba_shot_zones, 378
wnba_shotchartlineupdetail, 374
wnba_teamdashlineups, 391
* **WNBA Live Functions**
wnba_live_pbp, 316
wnba_todays_scoreboard, 424
* **WNBA PBP Functions**
wnba_data_pbp, 264
wnba_live_pbp, 316
wnba_pbp, 317
wnba_pbps, 318
wnba_playbyplayv3, 319
* **WNBA Player Functions**
wnba_infographicfanduelplayer, 278
wnba_leaguedashplayerbiostats, 281
wnba_leaguedashplayerclutch, 284
wnba_leaguedashplayershotlocations, 287
wnba_leaguedashplayerstats, 290
wnba_leagueplayerondetails, 310
wnba_leagueseasonmatchups, 312
wnba_playerawards, 320
wnba_playercareerbycollege, 321
wnba_playercareerbycollegerollup, 322
wnba_playercareerstats, 323
wnba_playercompare, 325
wnba_playerdashboardbyclutch, 328
wnba_playerestimatedmetrics, 340
wnba_playerfantasyprofile, 341
wnba_playerfantasyprofilebargraph, 343
wnba_playergamelog, 344
wnba_playergamelogs, 345
wnba_playergamestreakfinder, 347
wnba_playerheadshot, 353
wnba_playerindex, 354
wnba_playernextngames, 355
wnba_playerprofilev2, 356
wnba_playervsplayer, 359
* **WNBA Roster Functions**

wnba_commonallplayers, 255
wnba_commonplayerinfo, 256
wnba_commonteamroster, 258
* **WNBA Schedule Functions**
wnba_schedule, 365
wnba_scoreboardv2, 366
wnba_scoreboardv3, 369
wnba_todays_scoreboard, 424
* **WNBA Shooting Functions**
wnba_leaguedashplayershotlocations, 287
wnba_leaguedashteamshotlocations, 295
wnba_playerdashboardbyclutch, 328
wnba_shotchartdetail, 370
wnba_shotchartleaguewide, 373
wnba_shotchartlineupdetail, 374
wnba_teamdashboardbyclutch, 380
* **WNBA Stats loader functions**
load_wnba_stats_leaguedash, 215
load_wnba_stats_rosters, 217
* **WNBA Stats**
wnba_stats, 379
* **WNBA Team Functions**
wnba_leaguedashteamstats, 298
wnba_teamdashboardbyclutch, 380
wnba_teamdashlineups, 391
wnba_teamdetails, 394
wnba_teamestimatedmetrics, 396
wnba_teamgamelog, 397
wnba_teamgamelogs, 398
wnba_teamgamestreakfinder, 400
wnba_teamhistoricalleaders, 410
wnba_teaminfocommon, 411
wnba_teamplayeronoffdetails, 412
wnba_teams, 416
wnba_teamvsplayer, 417
wnba_teamyearbyyearstats, 423
* **WNBA Video Functions**
wnba_videoevents, 425
wnba_videostatus, 426
* **WNBA loader functions**
load_wnba_pbp, 208
* **WNBA**
espn_wnba_conferences, 106
espn_wnba_game_all, 117
espn_wnba_player_stats, 145
espn_wnba_scoreboard, 150
espn_wnba_standings, 168
espn_wnba_team_stats, 181
espn_wnba_teams, 171
wnba_possession_lineups, 363
wnba_rapm, 364
wnba_shot_zones, 378
wnba_stats, 379
* **datasets**
parameter_descriptions, 229
* **wehoop Loaders**
wehoop_loaders, 238
.players_on_court, 7

arrow::read_parquet(), *230*

bart_wbb_game_schedule, 8
bart_wbb_game_schedule(), *9*
bart_wbb_ratings, 8
bart_wbb_ratings(), *8*
basketball_load_wbb_game_rosters_schema, *207*, *213*
basketball_load_wbb_officials_schema, *207*, *213*
basketball_load_wbb_shots_schema, *207*, *213*
basketball_load_wbb_standings_schema, *207*, *212*
basketball_load_wbb_team_stats_schema, *207*, *212*
bref_wnba_player_stats, 9
bref_wnba_player_stats(), *10, 11*
bref_wnba_standings, 10
bref_wnba_standings(), *10, 11*
bref_wnba_team_stats, 11
bref_wnba_team_stats(), *10*

check_status, 12
csv_from_url, 12

DBI::dbConnect(), *201*, *207*, *212*, *215, 216*, *222*, *232, 233*

espn_basketball, 12, *14*
espn_basketball_athletes_index_schema, *16*, *100*
espn_basketball_calendar_schema, *18*, *102*
espn_basketball_coach_season_schema, *23*, *105*

espn_basketball_conferences_schema, *24*, *106*
espn_basketball_game_all_player_player_schema, *28*
espn_basketball_game_all_player_schema, *118*
espn_basketball_game_all_plays_plays_schema, *28*
espn_basketball_game_all_plays_schema, *118*
espn_basketball_game_broadcasts_schema, *30*, *120*
espn_basketball_game_odds_schema, *30*, *120*
espn_basketball_game_officials_schema, *30*, *120*
espn_basketball_game_probabilities_schema, *36*, *126*
espn_basketball_injuries_schema, *42*, *132*
espn_basketball_leaders_schema, *43*, *133*
espn_basketball_news_schema, *44*, *84*, *135*, *174*
espn_basketball_player_awards_schema, *45*, *136*
espn_basketball_player_career_stats_schema, *47*, *137*
espn_basketball_player_core, 13
espn_basketball_player_core(), *13*
espn_basketball_player_info_bio_schema, *49*, *140*
espn_basketball_player_overview_next_game_schema, *52*, *79*, *142*, *170*
espn_basketball_player_overview_statistics_schema, *51*, *52*, *142*
espn_basketball_scoreboard_schema, *61*, *150*
espn_basketball_season_group_schema, *65*, *155*
espn_basketball_season_leaders_schema, *69*, *160*
espn_basketball_season_ranking_schema, *71*, *161*
espn_basketball_season_type_schema, *73*, *163*
espn_basketball_season_week_schema, *76*, *166*
espn_basketball_team_box_schema, *28*, *118*
espn_basketball_team_info_schema, *79*, *170*
espn_basketball_team_injuries_injuries_schema, *82*, *173*
espn_basketball_team_leaders_schema, *80*, *170*
espn_basketball_team_roster_schema, *80*, *170*
espn_basketball_team_schedule_schema, *86*, *178*
espn_basketball_venues_schema, *96*, *184*
espn_basketball_week_ranking_schema, *97*, *186*
espn_wbb *(*espn_basketball*)*, 12
espn_wbb_athletes_index, 15
espn_wbb_athletes_index(), *17–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_award, 16
espn_wbb_award(), *16*, *18, 19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_calendar, 17
espn_wbb_calendar(), *16, 17*, *19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_coach, 19
espn_wbb_coach(), *16–18*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_coach_record, 21
espn_wbb_coach_record(), *16–19*, *21*, *23–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_coach_season, 22
espn_wbb_coach_season(), *16–19*, *21, 22*, *24–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*,

46–48, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_coaches, 20
espn_wbb_coaches(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_conferences, 24
espn_wbb_conferences(), *13*, *16–19*, *21–23*, *25, 26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_franchise, 25
espn_wbb_franchise(), *16–19*, *21–24*, *26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_franchises, 26
espn_wbb_franchises(), *16–19*, *21–25*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_all, 27
espn_wbb_game_all(), *13*, *16–19*, *21–26*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_broadcasts *(*espn_wbb_game_odds*)*, 29
espn_wbb_game_odds, 29
espn_wbb_game_odds(), *16–19*, *21–26*, *28*, *32–39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_official_detail, 31
espn_wbb_game_official_detail(), *16–19*, *21–26*, *28*, *30*, *33–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_officials *(*espn_wbb_game_odds*)*, 29
espn_wbb_game_officials(), *31*
espn_wbb_game_play, 32
espn_wbb_game_play(), *16–19*, *21–26*, *28*, *30*, *32*, *34–36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_play_personnel, 35
espn_wbb_game_play_personnel(), *16–19*, *21–26*, *28*, *30*, *32–34*, *36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_player_box, 33
espn_wbb_game_player_box(), *16–19*, *21–26*, *28*, *30*, *32, 33*, *35, 36*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_powerindex *(*espn_wbb_game_odds*)*, 29
espn_wbb_game_predictor *(*espn_wbb_game_odds*)*, 29
espn_wbb_game_probabilities, 36
espn_wbb_game_probabilities(), *16–19*, *21–26*, *28*, *30*, *32–35*, *38, 39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_propbets, 37
espn_wbb_game_propbets(), *16–19*, *21–26*, *28*, *30*, *32–36*, *39*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*, *93–97*, *99*
espn_wbb_game_rosters *(*espn_wbb_game_all*)*, 27
espn_wbb_game_rosters(), *13*
espn_wbb_game_situation *(*espn_wbb_game_odds*)*, 29
espn_wbb_game_team_leaders *(*espn_wbb_game_team_linescores*)*, 38
espn_wbb_game_team_linescores, 38
espn_wbb_game_team_linescores(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *41–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–91*,

93–96, *98*, *99*
espn_wbb_game_team_records *(*espn_wbb_game_team_linescores*)*, 38
espn_wbb_game_team_roster *(*espn_wbb_game_team_linescores*)*, 38
espn_wbb_game_team_roster(), *40*
espn_wbb_game_team_roster_entry, 40
espn_wbb_game_team_roster_entry(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *42–44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_game_team_score *(*espn_wbb_game_team_linescores*)*, 38
espn_wbb_game_team_statistics *(*espn_wbb_game_team_linescores*)*, 38
espn_wbb_game_team_statistics(), *33*
espn_wbb_injuries, 41
espn_wbb_injuries(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41*, *43*, *44*, *46–48*, *50*, *53–55*, *57–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_leaders, 43
espn_wbb_leaders(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41*, *42*, *44*, *46–48*, *50*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_news, 44
espn_wbb_news(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–43*, *46–48*, *50*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_pbp *(*espn_wbb_game_all*)*, 27
espn_wbb_pbp(), *13*, *32*
espn_wbb_player_awards, 45
espn_wbb_player_awards(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *47*, *48*, *50*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_player_box *(*espn_wbb_game_all*)*, 27
espn_wbb_player_box(), *13*
espn_wbb_player_career_stats, 46
espn_wbb_player_career_stats(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46*, *48*, *50*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_player_eventlog *(*espn_wbb_player_overview*)*, 51
espn_wbb_player_eventlog(), *48*
espn_wbb_player_eventlog_v2, 47
espn_wbb_player_eventlog_v2(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46*, *47*, *50*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_player_gamelog *(*espn_wbb_player_overview*)*, 51
espn_wbb_player_info, 49
espn_wbb_player_info(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46–48*, *53*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_player_overview, 51
espn_wbb_player_overview(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46–48*, *50*, *54*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–91*, *93–96*, *98*, *99*
espn_wbb_player_seasons, 54
espn_wbb_player_seasons(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46–48*, *50*, *53*, *56–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–90*, *92–96*, *98*, *99*
espn_wbb_player_splits *(*espn_wbb_player_overview*)*, 51
espn_wbb_player_statisticslog *(*espn_wbb_player_overview*)*, 51
espn_wbb_player_stats, 55
espn_wbb_player_stats(), *13*, *16–19*, *21–26*, *28*, *30*, *32–36*, *38*, *39*, *41–44*, *46–48*, *50*, *53*, *54*, *57–63*, *65*, *67*, *68*, *70–73*, *75–78*, *80*, *81*, *83–86*, *88–90*, *92–96*, *98*, *99*
espn_wbb_player_stats_v3 *(*espn_wbb_player_overview*)*, 51
espn_wbb_position, 56

espn_wbb_position(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_positions, 57
espn_wbb_positions(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56, 57*, *59–63*, *65*, *67, 68*, *70–73*, *75–78*, *80, 81*, *83–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_powerindex, 58
espn_wbb_powerindex(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–58*, *60–63*, *65*, *67*, *69–72*, *74–78*, *80*, *82–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_rankings, 59
espn_wbb_rankings(), *13*, *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–59*, *61–63*, *65*, *67*, *69–72*, *74–78*, *80*, *82–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_scoreboard, 60
espn_wbb_scoreboard(), *13*, *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–60*, *62, 63*, *65*, *67*, *69–72*, *74–78*, *80*, *82–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_season_awards, 62
espn_wbb_season_awards(), *16–19*, *21–26*, *28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–62*, *65*, *67*, *69–72*, *74–78*, *80*, *82–86*, *88–90*, *92–96*, *98, 99*
espn_wbb_season_group, 64
espn_wbb_season_group(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–63*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_group_children (espn_wbb_season_group), 64
espn_wbb_season_group_teams (espn_wbb_season_group), 64
espn_wbb_season_groups, 66
espn_wbb_season_groups(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–44*, *46–48*, *50*, *53, 54*, *56–63*, *66*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_info, 67
espn_wbb_season_info(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *70–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_leaders, 69
espn_wbb_season_leaders(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69*, *71, 72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_ranking, 70
espn_wbb_season_ranking(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_rankings, 71
espn_wbb_season_rankings(), *16–19*, *21–25*, *27, 28*, *30*, *32–36*, *38, 39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69–71*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_type, 73
espn_wbb_season_type(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_types, 74
espn_wbb_season_types(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69–72*, *74*, *76–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_week, 75
espn_wbb_season_week(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53, 54*, *56–63*, *66, 67*, *69–72*, *74, 75*, *77, 78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_season_weeks, 76
espn_wbb_season_weeks(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53*, *55–63*, *66, 67*, *69–72*,

74–76, *78*, *80*, *82–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_seasons, 61
espn_wbb_seasons(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53*, *55–61*, *63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_standings, 78
espn_wbb_standings(), *13*, *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–77*, *80*, *82–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_team, 79
espn_wbb_team(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *82–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_team_box *(*espn_wbb_game_all*)*, 27
espn_wbb_team_box(), *13*
espn_wbb_team_injuries, 82
espn_wbb_team_injuries(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37–39*, *41–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82*, *84*, *85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_team_leaders *(*espn_wbb_team*)*, 79
espn_wbb_team_news, 83
espn_wbb_team_news(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82*, *83*, *85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_team_record_detail, 84
espn_wbb_team_record_detail(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–84*, *87–90*, *92–96*, *98*, *99*
espn_wbb_team_roster *(*espn_wbb_team*)*, 79
espn_wbb_team_roster(), *87*
espn_wbb_team_schedule, 86
espn_wbb_team_schedule(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *88–90*, *92–96*, *98*, *99*
espn_wbb_team_season_profile *(*espn_wbb_team*)*, 79
espn_wbb_team_season_roster, 87
espn_wbb_team_season_roster(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87*, *89*, *90*, *92–96*, *98*, *99*
espn_wbb_team_season_statistics, 88
espn_wbb_team_season_statistics(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87*, *88*, *90*, *92–96*, *98*, *99*
espn_wbb_team_stats, 90
espn_wbb_team_stats(), *13*, *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–89*, *92–96*, *98*, *99*
espn_wbb_teams, 81
espn_wbb_teams(), *13*, *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *83–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_tournament, 91
espn_wbb_tournament(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98*, *99*
espn_wbb_tournament_season, 93
espn_wbb_tournament_season(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92*, *93*, *95*, *96*, *98*, *99*
espn_wbb_tournament_seasons, 94
espn_wbb_tournament_seasons(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–94*, *96*, *98*, *99*
espn_wbb_tournaments, 92
espn_wbb_tournaments(), *16–19*, *21–25*, *27*, *28*, *30*, *32–35*, *37*, *38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66*, *67*, *69–72*, *74–78*, *80*, *82–85*, *87–92*, *94–96*, *98*, *99*
espn_wbb_venues, 95

espn_wbb_venues(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37, 38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66, 67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–95*, *98, 99*
espn_wbb_week_ranking, 97
espn_wbb_week_ranking(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37, 38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66, 67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98, 99*
espn_wbb_week_rankings, 98
espn_wbb_week_rankings(), *16–19*, *21–25*, *27, 28*, *30*, *32–35*, *37, 38*, *40–43*, *45–48*, *50*, *53*, *55–63*, *66, 67*, *69–72*, *74–78*, *80*, *82–85*, *87–90*, *92–96*, *98*
espn_wnba *(*espn_basketball*)*, 12
espn_wnba_athletes_index, 99
espn_wnba_athletes_index(), *101*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_award, 101
espn_wnba_award(), *100*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_calendar, 102
espn_wnba_calendar(), *100, 101*, *104–106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_coach_season, 104
espn_wnba_coach_season(), *100, 101*, *103, 104*, *106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_coaches, 103
espn_wnba_coaches(), *100, 101*, *103*, *105, 106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_conferences, 106
espn_wnba_conferences(), *100, 101*, *103–105*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_draft, 107
espn_wnba_draft(), *100, 101*, *103–106*, *109, 110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_draft_athlete_detail, 108
espn_wnba_draft_athlete_detail(), *100, 101*, *103–106*, *108*, *110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_draft_athletes *(*espn_wnba_draft_rounds*)*, 111
espn_wnba_draft_athletes(), *108*, *111*
espn_wnba_draft_pick, 109
espn_wnba_draft_pick(), *100, 101*, *103–106*, *108, 109*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*

espn_wnba_draft_rounds, 111
espn_wnba_draft_rounds(), *100, 101*, *103–106*, *108–111*, *113–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_draft_status (espn_wnba_draft_rounds), 111
espn_wnba_draft_status(), *111*
espn_wnba_franchise, 112
espn_wnba_franchise(), *100, 101*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_franchises, 113
espn_wnba_franchises(), *100, 101*, *103–106*, *108–110*, *112, 113*, *115*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_freeagents, 115
espn_wnba_freeagents(), *100, 101*, *103–106*, *108–110*, *112–114*, *117, 118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_futures, 116
espn_wnba_futures(), *100, 101*, *103–106*, *108–110*, *112–115*, *118*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_all, 117
espn_wnba_game_all(), *13*, *100, 101*, *103–106*, *108–110*, *112–115*, *117*, *120*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_broadcasts (espn_wnba_game_odds), 119
espn_wnba_game_odds, 119
espn_wnba_game_odds(), *100, 101*, *103–106*, *108–110*, *112–115*, *117, 118*, *122–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_official_detail, 121
espn_wnba_game_official_detail(), *100, 101*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *123–125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_officials (espn_wnba_game_odds), 119
espn_wnba_game_officials(), *121*
espn_wnba_game_play, 122
espn_wnba_game_play(), *100, 101*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *122*, *124, 125*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_play_personnel, 125
espn_wnba_game_play_personnel(), *100, 101*, *103–106*, *108–110*, *112–115*, *117, 118*, *120*, *122–124*, *127, 128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156, 157*, *159–162*, *164–166*, *168, 169*, *171–174*, *176–178*, *180–183*, *185, 186*, *188*
espn_wnba_game_player_box, 123
espn_wnba_game_player_box(), *100, 101*, *103–106*, *108–110*, *112–115*, *117,*

118, *120*, *122*, *123*, *125*, *127*, *128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–162*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_game_powerindex *(*espn_wnba_game_odds*)*, 119
espn_wnba_game_predictor *(*espn_wnba_game_odds*)*, 119
espn_wnba_game_probabilities, 126
espn_wnba_game_probabilities(), *100*, *101*, *103–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *128*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–162*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_game_propbets, 127
espn_wnba_game_propbets(), *100*, *101*, *103–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *130–132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–162*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_game_rosters *(*espn_wnba_game_all*)*, 117
espn_wnba_game_rosters(), *13*
espn_wnba_game_situation *(*espn_wnba_game_odds*)*, 119
espn_wnba_game_team_leaders *(*espn_wnba_game_team_linescores*)*, 128
espn_wnba_game_team_linescores, 128
espn_wnba_game_team_linescores(), *100*, *101*, *103–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127–129*, *131*, *132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–162*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_game_team_records *(*espn_wnba_game_team_linescores*)*, 128
espn_wnba_game_team_roster *(*espn_wnba_game_team_linescores*)*, 128
espn_wnba_game_team_roster(), *131*
espn_wnba_game_team_roster_entry, 130
espn_wnba_game_team_roster_entry(), *100*, *101*, *103–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *132*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–162*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_game_team_score *(*espn_wnba_game_team_linescores*)*, 128
espn_wnba_game_team_statistics *(*espn_wnba_game_team_linescores*)*, 128
espn_wnba_game_team_statistics(), *124*
espn_wnba_injuries, 132
espn_wnba_injuries(), *100*, *101*, *103–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *134–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_leaders, 133
espn_wnba_leaders(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130–132*, *135–137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_news, 134
espn_wnba_news(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130–132*, *134*, *136*, *137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_pbp *(*espn_wnba_game_all*)*, 117
espn_wnba_pbp(), *13*, *122*
espn_wnba_player_awards, 135
espn_wnba_player_awards(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*,

122–125, *127*, *128*, *130–132*, *134*, *135*, *137*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_box *(*espn_wnba_game_all*)*, 117
espn_wnba_player_box(), *13*
espn_wnba_player_career_stats, 136
espn_wnba_player_career_stats(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130–132*, *134–136*, *139*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_eventlog *(*espn_wnba_player_overview*)*, 141
espn_wnba_player_eventlog(), *138*
espn_wnba_player_eventlog_v2, 138
espn_wnba_player_eventlog_v2(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *141*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_gamelog *(*espn_wnba_player_overview*)*, 141
espn_wnba_player_info, 139
espn_wnba_player_info(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *143*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_overview, 141
espn_wnba_player_overview(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *145–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_seasons, 144
espn_wnba_player_seasons(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *143*, *146–148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_splits *(*espn_wnba_player_overview*)*, 141
espn_wnba_player_statisticslog *(*espn_wnba_player_overview*)*, 141
espn_wnba_player_stats, 145
espn_wnba_player_stats(), *13*, *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *143*, *145*, *147*, *148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–183*, *185*, *186*, *188*
espn_wnba_player_stats_v3 *(*espn_wnba_player_overview*)*, 141
espn_wnba_position, 147
espn_wnba_position(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *143*, *145*, *146*, *148*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_positions, 148
espn_wnba_positions(), *100*, *102–106*, *108–110*, *112–115*, *117*, *118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *143*, *145–147*, *150–153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_powerindex, 149
espn_wnba_powerindex(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*,

151–153, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_scoreboard, 150
espn_wnba_scoreboard(), *13*, *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150*, *152*, *153*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_awards, 153
espn_wnba_season_awards(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150–152*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_draft *(*espn_wnba_draft_rounds*)*, 111
espn_wnba_season_group, 154
espn_wnba_season_group(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–125*, *127*, *128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150–152*, *154*, *157*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_group_children *(*espn_wnba_season_group*)*, 154
espn_wnba_season_group_teams *(*espn_wnba_season_group*)*, 154
espn_wnba_season_groups, 156
espn_wnba_season_groups(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150–152*, *154*, *156*, *159–161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_info, 158
espn_wnba_season_info(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150–152*, *154*, *156*, *157*, *160*, *161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_leaders, 159
espn_wnba_season_leaders(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–148*, *150–152*, *154*, *156*, *157*, *159*, *161*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_ranking, 160
espn_wnba_season_ranking(), *100*, *102–106*, *108–110*, *112–114*, *116–118*, *120*, *122–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–147*, *149–152*, *154*, *156*, *157*, *159*, *160*, *163–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_rankings, 162
espn_wnba_season_rankings(), *101–106*, *108–110*, *112–114*, *116–118*, *121–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–147*, *149–152*, *154*, *156*, *157*, *159–161*, *164–166*, *168*, *169*, *171–174*, *176–178*, *180–182*, *184–186*, *188*
espn_wnba_season_type, 163
espn_wnba_season_type(), *101–106*, *108–110*, *112–114*, *116–118*, *121–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–147*, *149–152*, *154*, *156*, *157*, *159–161*, *163–166*, *168*, *169*, *171–173*, *175–178*, *180–182*, *184–186*, *188*
espn_wnba_season_types, 164
espn_wnba_season_types(), *101–106*, *108–110*, *112–114*, *116–118*, *121–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–147*, *149–152*, *154*, *156*, *157*, *159–161*, *163*, *164*, *166*, *168*, *169*, *171–173*, *175–178*, *180–182*, *184–186*, *188*
espn_wnba_season_week, 165
espn_wnba_season_week(), *101–106*, *108–110*, *112–114*, *116–118*, *121–124*, *126–128*, *130*, *131*, *133–137*, *139*, *141*, *144–147*,

149–152, 154, 156, 157, 159–161, 163–165, 168, 169, 171–173, 175–178, 180–182, 184–186, 188
espn_wnba_season_weeks, 167
espn_wnba_season_weeks(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–137, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 169, 171–173, 175–178, 180–182, 184–186, 188
espn_wnba_seasons, 151
espn_wnba_seasons(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–137, 139, 141, 144–147, 149–151, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 175–178, 180–182, 184–186, 188
espn_wnba_standings, 168
espn_wnba_standings(), 13, 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–137, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 171–173, 175–178, 180–182, 184–186, 188
espn_wnba_team, 169
espn_wnba_team(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–137, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 172, 173, 175–178, 180–182, 184–186, 188
espn_wnba_team_box (espn_wnba_game_all), 117
espn_wnba_team_box(), 13
espn_wnba_team_injuries, 172
espn_wnba_team_injuries(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171, 172, 175–178, 180–182, 184–186, 188
espn_wnba_team_leaders (espn_wnba_team), 169
espn_wnba_team_news, 174
espn_wnba_team_news(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 176–178, 180–182, 184–186, 188
espn_wnba_team_record, 175
espn_wnba_team_record(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 175–178, 180–182, 184–186, 188
espn_wnba_team_record_detail, 176
espn_wnba_team_record_detail(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 175, 176, 178, 180–182, 184–186, 188
espn_wnba_team_roster (espn_wnba_team), 169
espn_wnba_team_roster(), 179
espn_wnba_team_schedule, 177
espn_wnba_team_schedule(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–147, 149–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 175–177, 180–182, 184–186, 188
espn_wnba_team_season_profile (espn_wnba_team), 169
espn_wnba_team_season_roster, 179
espn_wnba_team_season_roster(), 101–106, 108–110, 112–114, 116, 117, 119, 121–124, 126–128, 130, 131, 133–136, 138, 139, 141, 144–146, 148–152, 154, 156, 157, 159–161, 163–166, 168, 169, 171–173, 175–178, 181, 182, 184–186, 188
espn_wnba_team_season_statistics, 180

espn_wnba_team_season_statistics(), *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180*, *182*, *184–186*, *188*
espn_wnba_team_stats, 181
espn_wnba_team_stats(), *13*, *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180, 181*, *184–186*, *188*
espn_wnba_teams, 171
espn_wnba_teams(), *13*, *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171*, *173*, *175–178*, *180–182*, *184–186*, *188*
espn_wnba_transactions, 183
espn_wnba_transactions(), *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180–182*, *185, 186*, *188*
espn_wnba_venues, 184
espn_wnba_venues(), *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180–182*, *184*, *186*, *188*
espn_wnba_week_ranking, 185
espn_wnba_week_ranking(), *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180–182*, *184, 185*, *188*
espn_wnba_week_rankings, 187
espn_wnba_week_rankings(), *101–106*, *108–110*, *112–114*, *116, 117*, *119*, *121–124*, *126–128*, *130, 131*, *133–136*, *138, 139*, *141*, *144–146*, *148–152*, *154*, *156, 157*, *159–161*, *163–166*, *168, 169*, *171–173*, *175–178*, *180–182*, *184–186*

fox_basketball_boxscore *(*fox_wnba_pbp*)*, 190
fox_basketball_league_leaders, 188, *189*, *190*, *192*
fox_basketball_standings *(*fox_wnba_team_roster*)*, 191
fox_wbb_boxscore *(*fox_wnba_pbp*)*, 190
fox_wbb_league_leaders *(*fox_basketball_league_leaders*)*, 188
fox_wbb_odds *(*fox_wnba_pbp*)*, 190
fox_wbb_pbp *(*fox_wnba_pbp*)*, 190
fox_wbb_standings *(*fox_wnba_team_roster*)*, 191
fox_wbb_team_gamelog *(*fox_wnba_team_roster*)*, 191
fox_wbb_team_roster *(*fox_wnba_team_roster*)*, 191
fox_wbb_team_stats *(*fox_wnba_team_roster*)*, 191
fox_wbb_teams *(*fox_wnba_team_roster*)*, 191
fox_wbb_teams_all, 189
fox_wbb_teams_all(), *189, 190*, *192*
fox_wnba_boxscore *(*fox_wnba_pbp*)*, 190
fox_wnba_league_leaders *(*fox_basketball_league_leaders*)*, 188
fox_wnba_odds *(*fox_wnba_pbp*)*, 190
fox_wnba_pbp, 190
fox_wnba_pbp(), *189*, *192*
fox_wnba_standings *(*fox_wnba_team_roster*)*, 191
fox_wnba_team_gamelog *(*fox_wnba_team_roster*)*, 191
fox_wnba_team_roster, 191
fox_wnba_team_roster(), *189, 190*
fox_wnba_team_stats *(*fox_wnba_team_roster*)*, 191

fox_wnba_teams (fox_wnba_team_roster), 191

helper_espn_wbb_pbp, 193
helper_espn_wbb_player_box (helper_espn_wbb_pbp), 193
helper_espn_wbb_team_box (helper_espn_wbb_pbp), 193
helper_espn_wnba_pbp, 194
helper_espn_wnba_player_box (helper_espn_wnba_pbp), 194
helper_espn_wnba_team_box (helper_espn_wnba_pbp), 194
hhs_team_roster, 195
hhs_team_roster(), *194*, *195*, *197*
hhs_team_stats, 196
hhs_team_stats(), *194–196*
hhs_teams, 194
hhs_teams(), *195–197*

janitor::make_clean_names(), *52*, *143*

load_ncaa_wbb_lineups (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_matchup_stints (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_pbp, 197
load_ncaa_wbb_player_box (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_possessions (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_rapm (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_rapm_within_team (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_rapm_within_team(), *201*
load_ncaa_wbb_rosters (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_schedule (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_shots (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_team_box (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_team_ids (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_team_rosters (load_ncaa_wbb_pbp), 197
load_ncaa_wbb_team_rosters(), *198*
load_wbb (wehoop_loaders), 238
load_wbb_game_rosters (load_wbb_pbp), 203
load_wbb_game_rosters_manifest (load_wbb_pbp), 203
load_wbb_officials (load_wbb_pbp), 203
load_wbb_officials_manifest (load_wbb_pbp), 203
load_wbb_pbp, 203
load_wbb_pbp(), *238*
load_wbb_player_box (load_wbb_pbp), 203
load_wbb_player_box(), *238*
load_wbb_player_core (load_wbb_pbp), 203
load_wbb_player_crosswalk (load_wnba_team_crosswalk), 224
load_wbb_player_stats (load_wbb_pbp), 203
load_wbb_player_stats_manifest (load_wbb_pbp), 203
load_wbb_player_value (load_wnba_player_impact), 214
load_wbb_ratings (load_wnba_player_impact), 214
load_wbb_rosters (load_wbb_pbp), 203
load_wbb_rosters_manifest (load_wbb_pbp), 203
load_wbb_schedule (load_wbb_pbp), 203
load_wbb_schedule(), *238*
load_wbb_schedule_crosswalk (load_wnba_team_crosswalk), 224
load_wbb_shots (load_wbb_pbp), 203
load_wbb_shots_manifest (load_wbb_pbp), 203
load_wbb_standings (load_wbb_pbp), 203
load_wbb_standings_manifest (load_wbb_pbp), 203
load_wbb_team_box (load_wbb_pbp), 203
load_wbb_team_box(), *238*
load_wbb_team_crosswalk (load_wnba_team_crosswalk), 224
load_wbb_team_stats (load_wbb_pbp), 203
load_wbb_team_stats_manifest (load_wbb_pbp), 203
load_wnba (wehoop_loaders), 238
load_wnba_draft (load_wnba_pbp), 208
load_wnba_draft_manifest (load_wnba_pbp), 208
load_wnba_game_rosters (load_wnba_pbp),

208
load_wnba_game_rosters_manifest (load_wnba_pbp), 208
load_wnba_officials (load_wnba_pbp), 208
load_wnba_officials_manifest (load_wnba_pbp), 208
load_wnba_pbp, 208
load_wnba_pbp(), *238*
load_wnba_player_box (load_wnba_pbp), 208
load_wnba_player_box(), *238*
load_wnba_player_core (load_wnba_pbp), 208
load_wnba_player_crosswalk (load_wnba_team_crosswalk), 224
load_wnba_player_impact, 214
load_wnba_player_stats (load_wnba_pbp), 208
load_wnba_player_stats_manifest (load_wnba_pbp), 208
load_wnba_rosters (load_wnba_pbp), 208
load_wnba_rosters_manifest (load_wnba_pbp), 208
load_wnba_schedule (load_wnba_pbp), 208
load_wnba_schedule(), *238*
load_wnba_schedule_crosswalk (load_wnba_team_crosswalk), 224
load_wnba_shots (load_wnba_pbp), 208
load_wnba_shots_manifest (load_wnba_pbp), 208
load_wnba_standings (load_wnba_pbp), 208
load_wnba_standings_manifest (load_wnba_pbp), 208
load_wnba_stats_coaches (load_wnba_stats_rosters), 217
load_wnba_stats_coaches_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_draft (load_wnba_stats_rosters), 217
load_wnba_stats_draft_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_game_rosters (load_wnba_stats_rosters), 217
load_wnba_stats_game_rosters_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_leaguedash, 215
load_wnba_stats_leaguedash(), *217*, *223*
load_wnba_stats_lineups (load_wnba_stats_rosters), 217
load_wnba_stats_lineups(), *215*
load_wnba_stats_lineups_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_officials (load_wnba_stats_rosters), 217
load_wnba_stats_officials_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_pbp (load_wnba_stats_rosters), 217
load_wnba_stats_pbp_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_player_game_logs (load_wnba_stats_rosters), 217
load_wnba_stats_player_game_logs(), *218*
load_wnba_stats_player_game_logs_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_player_stats (load_wnba_stats_rosters), 217
load_wnba_stats_player_stats(), *215*
load_wnba_stats_player_stats_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_possessions (load_wnba_stats_rosters), 217
load_wnba_stats_rosters, 217
load_wnba_stats_rosters(), *216*
load_wnba_stats_rosters_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_schedule (load_wnba_stats_rosters), 217
load_wnba_stats_schedule_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_shots (load_wnba_stats_rosters), 217
load_wnba_stats_shots_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_standings (load_wnba_stats_rosters), 217
load_wnba_stats_standings(), *215*
load_wnba_stats_standings_manifest (load_wnba_stats_rosters), 217
load_wnba_stats_team_stats (load_wnba_stats_rosters), 217
load_wnba_stats_team_stats(), *215*
load_wnba_stats_team_stats_manifest (load_wnba_stats_rosters), 217
load_wnba_team_box (load_wnba_pbp), 208

load_wnba_team_box(), *238*
load_wnba_team_crosswalk, 224
load_wnba_team_crosswalk(), *236, 237*, *363*, *366*, *424*
load_wnba_team_stats *(*load_wnba_pbp*)*, 208
load_wnba_team_stats_manifest *(*load_wnba_pbp*)*, 208

most_recent_wbb_season, 226
most_recent_wnba_season, 226
most_recent_wnba_season(), *227*
most_recent_wnba_stats_season, 227

ncaa *(*ncaa_wbb*)*, 227
ncaa_wbb, 227
ncaa_wbb_NET_rankings, 228
ncaa_wbb_NET_rankings(), *227*
ncaa_wbb_teams, 228
ncaa_wbb_teams(), *227*
ncaa_womens *(*ncaa_wbb*)*, 227

parameter_descriptions, 229
parquet_from_url, 230
progressively, 230

rds_from_url, 231
rds_from_url(), *230*
readRDS(), *231*

update_wbb_db, 231
update_wbb_db(), *238*
update_wnba_db, 233
update_wnba_db(), *238*
update_wnba_stats_db, 234

wbb_player_crosswalk, 235
wbb_player_crosswalk(), *225*, *236, 237*
wbb_schedule_crosswalk, 236
wbb_schedule_crosswalk(), *225*, *236, 237*
wbb_team_crosswalk, 237
wbb_team_crosswalk(), *225*, *236*
wehoop_loaders, 238
wehoop_wnba_stats *(*wnba_stats*)*, 379
wnba_alltimeleadersgrids, 238
wnba_alltimeleadersgrids(), *244, 245*, *277*, *308*
wnba_assistleaders, 243
wnba_assistleaders(), *243*, *245*, *277*, *308*
wnba_assisttracker, 245
wnba_assisttracker(), *243, 244*, *277*, *308*
wnba_boxscoreadvancedv2 *(*wnba_boxscoretraditionalv2*)*, 247
wnba_boxscoreadvancedv2(), *379*
wnba_boxscoreadvancedv3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscoreadvancedv3(), *379*
wnba_boxscorefourfactorsv2 *(*wnba_boxscoretraditionalv2*)*, 247
wnba_boxscorefourfactorsv2(), *379*
wnba_boxscorefourfactorsv3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscorefourfactorsv3(), *379*
wnba_boxscorehustlev2(), *246*, *254*
wnba_boxscoremiscv2 *(*wnba_boxscoretraditionalv2*)*, 247
wnba_boxscoremiscv2(), *379*
wnba_boxscoremiscv3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscoremiscv3(), *379*
wnba_boxscoreplayertrackv2(), *379*
wnba_boxscoreplayertrackv3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscoreplayertrackv3(), *379*
wnba_boxscorescoringv2 *(*wnba_boxscoretraditionalv2*)*, 247
wnba_boxscorescoringv2(), *379*
wnba_boxscorescoringv3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscorescoringv3(), *379*
wnba_boxscoresummaryv2(), *250*, *275*, *379*
wnba_boxscoresummaryv2_last_meeting_schema, *368*
wnba_boxscoresummaryv2_season_series_schema, *368*
wnba_boxscoresummaryv3, 246
wnba_boxscoresummaryv3(), *254*
wnba_boxscoretraditionalv2, 247
wnba_boxscoretraditionalv2(), *275*, *379*

wnba_boxscoretraditionalv3, 250
wnba_boxscoretraditionalv3(), *246*, *379*
wnba_boxscoreusagev2 *(*wnba_boxscoretraditionalv2*)*, 247
wnba_boxscoreusagev2(), *379*
wnba_boxscoreusagev3 *(*wnba_boxscoretraditionalv3*)*, 250
wnba_boxscoreusagev3(), *379*
wnba_commonallplayers, 255
wnba_commonallplayers(), *257*, *259*
wnba_commonplayerinfo, 256
wnba_commonplayerinfo(), *255*, *259*
wnba_commonplayoffseries, 257
wnba_commonteamroster, 258
wnba_commonteamroster(), *255*, *257*
wnba_cumestatsplayer, 259
wnba_cumestatsplayer(), *261, 262*, *264*
wnba_cumestatsplayergames, 260
wnba_cumestatsplayergames(), *260*, *262*, *264*
wnba_cumestatsteam, 261
wnba_cumestatsteam(), *260, 261*, *264*
wnba_cumestatsteamgames, 262
wnba_cumestatsteamgames(), *260–262*
wnba_data_pbp, 264
wnba_data_pbp(), *317–319*
wnba_draftboard, 265
wnba_draftboard(), *268, 269*, *380*
wnba_draftcombinedrillresults *(*wnba_draftcombinestats*)*, 266
wnba_draftcombinenonstationaryshooting *(*wnba_draftcombinestats*)*, 266
wnba_draftcombineplayeranthro *(*wnba_draftcombinestats*)*, 266
wnba_draftcombinespotshooting *(*wnba_draftcombinestats*)*, 266
wnba_draftcombinestats, 266
wnba_draftcombinestats(), *266*, *269*, *380*
wnba_drafthistory, 268
wnba_drafthistory(), *266*, *268*, *380*
wnba_fantasywidget, 269
wnba_fantasywidget(), *278*, *343, 344*
wnba_franchisehistory, 271
wnba_franchisehistory(), *272–274*, *380*
wnba_franchiseleaders, 272
wnba_franchiseleaders(), *271*, *273, 274*, *380*
wnba_franchiseleaderswrank, 273
wnba_franchiseleaderswrank(), *271, 272*, *274*
wnba_franchiseplayers, 274
wnba_franchiseplayers(), *271–273*
wnba_gamerotation, 275
wnba_gamerotation(), *250*, *281*, *310*, *363*, *365*, *378, 379*, *394*
wnba_homepageleaders(), *380*
wnba_homepagewidget, 276
wnba_homepagewidget(), *243–245*, *308*
wnba_hustlestatsboxscore(), *379*
wnba_infographicfanduelplayer, 278
wnba_infographicfanduelplayer(), *270*, *283*, *286*, *289*, *292*, *312, 313*, *320*, *322, 323*, *325*, *327*, *340, 341*, *343–345*, *347*, *352, 353*, *355, 356*, *359*, *362*
wnba_leaderstiles(), *380*
wnba_leaguedashlineups, 279
wnba_leaguedashlineups(), *275*, *283*, *286*, *289*, *292*, *295*, *297*, *300*, *305, 306*, *310*, *312–314*, *363*, *365*, *373*, *378, 379*, *394*
wnba_leaguedashplayerbiostats, 281
wnba_leaguedashplayerbiostats(), *278*, *281*, *286*, *289*, *292*, *295*, *297*, *300*, *305, 306*, *310*, *312–314*, *320*, *322, 323*, *325*, *327*, *340, 341*, *343–345*, *347*, *352, 353*, *355, 356*, *359*, *362*, *373*
wnba_leaguedashplayerclutch, 284
wnba_leaguedashplayerclutch(), *278*, *281*, *283*, *289*, *292*, *295*, *297*, *300*, *305, 306*, *310*, *312–314*, *320*, *322, 323*, *325*, *327*, *340, 341*, *343–345*, *347*, *352, 353*, *355, 356*, *359*, *362*, *373*
wnba_leaguedashplayershotlocations, 287
wnba_leaguedashplayershotlocations(), *278*, *281*, *283*, *286*, *292*, *295*, *297*, *300*, *305, 306*, *310*, *312–314*, *320*, *322, 323*, *325*, *327*, *340, 341*, *343–345*, *347*, *352, 353*, *355, 356*, *359*, *362*, *372, 373*, *377*, *391*
wnba_leaguedashplayerstats, 290
wnba_leaguedashplayerstats(), *278*, *281*,

283, 286, 289, 295, 297, 300, 305, 306, 310, 312–314, 320, 322, 323, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362, 373
wnba_leaguedashteamclutch, 293
wnba_leaguedashteamclutch(), 281, 283, 286, 289, 292, 297, 300, 305, 306, 310, 312–314, 340, 373, 391
wnba_leaguedashteamclutch_league_dash_team_clutch_schema, 295, 299
wnba_leaguedashteamshotlocations, 295
wnba_leaguedashteamshotlocations(), 281, 283, 286, 289, 292, 295, 300, 305, 306, 310, 312–314, 340, 372, 373, 377, 391
wnba_leaguedashteamstats, 298
wnba_leaguedashteamstats(), 281, 283, 286, 289, 292, 295, 297, 305, 306, 310, 312–314, 373, 390, 394, 396–398, 400, 410–412, 416, 417, 422, 423
wnba_leaguegamefinder, 300
wnba_leaguegamefinder(), 281, 283, 286, 289, 292, 295, 297, 300, 306, 310, 312–314, 352, 373, 410
wnba_leaguegamelog, 305
wnba_leaguegamelog(), 281, 283, 286, 289, 292, 295, 297, 300, 305, 310, 312–314, 373
wnba_leagueleaders, 307
wnba_leagueleaders(), 243–245, 277, 380
wnba_leaguelineupviz, 308
wnba_leaguelineupviz(), 275, 281, 283, 286, 289, 292, 295, 297, 300, 305, 306, 312–314, 363, 365, 373, 378, 379, 394
wnba_leagueplayerondetails, 310
wnba_leagueplayerondetails(), 278, 281, 283, 286, 289, 292, 295, 297, 300, 305, 306, 310, 313, 314, 320, 322, 323, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362, 373
wnba_leagueseasonmatchups, 312
wnba_leagueseasonmatchups(), 278, 281, 283, 286, 289, 292, 295, 297, 300, 305, 306, 310, 312, 314, 320, 322, 323, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362, 373
wnba_leaguestandingsv3, 313
wnba_leaguestandingsv3(), 281, 283, 286, 289, 292, 295, 297, 300, 305, 306, 310, 312, 313, 373, 380
wnba_live_boxscore, 315
wnba_live_pbp, 316
wnba_live_pbp(), 265, 318, 319, 425
wnba_on_off_schema, 311, 415, 421
wnba_pbp, 317
wnba_pbp(), 218, 265, 317, 319, 380
wnba_pbps, 318
wnba_pbps(), 265, 317–319, 380
wnba_playbyplayv3, 319
wnba_playbyplayv3(), 265, 317–319, 380
wnba_player_crosswalk, 362
wnba_player_crosswalk(), 225, 366, 424
wnba_player_dashboard_schema, 334, 335, 337, 338
wnba_playerawards, 320
wnba_playerawards(), 278, 283, 286, 289, 292, 312, 313, 322, 323, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362
wnba_playercareerbycollege, 321
wnba_playercareerbycollege(), 278, 283, 286, 289, 292, 312, 313, 320, 323, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362
wnba_playercareerbycollegerollup, 322
wnba_playercareerbycollegerollup(), 278, 283, 286, 289, 292, 312, 313, 320, 322, 325, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362
wnba_playercareerstats, 323
wnba_playercareerstats(), 278, 283, 286, 289, 292, 312, 313, 320, 322, 323, 327, 340, 341, 343–345, 347, 352, 353, 355, 356, 359, 362
wnba_playercareerstats_season_rankings_schema, 325, 358
wnba_playercareerstats_season_totals_schema, 324, 325, 357, 358
wnba_playercompare, 325
wnba_playercompare(), 278, 283, 286, 289, 292, 312, 313, 320, 322, 323, 325,

340, *341*, *343–345*, *347*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playerdashboardbyclutch, 328
wnba_playerdashboardbyclutch(), *278*, *283*, *286*, *289*, *292*, *295*, *297*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *341*, *343–345*, *347*, *352*, *353*, *355*, *356*, *359*, *362*, *372*, *373*, *377*, *391*
wnba_playerdashboardbygamesplits *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbygeneralsplits *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbylastngames *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbyopponent *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbyshootingsplits *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbyteamperformance *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerdashboardbyyearoveryear *(*wnba_playerdashboardbyclutch*)*, 328
wnba_playerestimatedmetrics, 340
wnba_playerestimatedmetrics(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *343–345*, *347*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playerfantasyprofile, 341
wnba_playerfantasyprofile(), *270*, *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *344*, *345*, *347*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playerfantasyprofilebargraph, 343
wnba_playerfantasyprofilebargraph(), *270*, *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343*, *345*, *347*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playergamelog, 344
wnba_playergamelog(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343*, *344*, *347*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playergamelogs, 345
wnba_playergamelogs(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *352*, *353*, *355*, *356*, *359*, *362*
wnba_playergamestreakfinder, 347
wnba_playergamestreakfinder(), *278*, *283*, *286*, *289*, *292*, *305*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *353*, *355*, *356*, *359*, *362*, *410*
wnba_playerheadshot, 353
wnba_playerheadshot(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *352*, *355*, *356*, *359*, *362*
wnba_playerindex, 354
wnba_playerindex(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *352*, *353*, *356*, *359*, *362*
wnba_playernextngames, 355
wnba_playernextngames(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *352*, *353*, *355*, *359*, *362*
wnba_playerprofilev2, 356
wnba_playerprofilev2(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *352*, *353*, *355*, *356*, *362*
wnba_players_on_court_schema, *318*
wnba_playervsplayer, 359
wnba_playervsplayer(), *278*, *283*, *286*, *289*, *292*, *312*, *313*, *320*, *322*, *323*, *325*, *327*, *340*, *341*, *343–345*, *347*, *352*, *353*, *355*, *356*, *359*
wnba_possession_lineups, 363
wnba_possession_lineups(), *275*, *281*, *310*, *365*, *378*, *379*, *394*
wnba_rapm, 364
wnba_rapm(), *275*, *281*, *310*, *363*, *378*, *379*, *394*
wnba_schedule, 365
wnba_schedule(), *369*, *370*, *380*, *425*

wnba_schedule_crosswalk, 366
wnba_schedule_crosswalk(), *225*, *363*, *424*
wnba_scoreboard(), *380*
wnba_scoreboard_east_conf_standings_by_day_schema, *368*
wnba_scoreboardv2, 366
wnba_scoreboardv2(), *365*, *370*, *380*, *425*
wnba_scoreboardv3, 369
wnba_scoreboardv3(), *365*, *369*, *380*, *425*
wnba_shooting_splits_assisted_by_schema, *338*, *389*
wnba_shooting_splits_schema, *337, 338*, *388, 389*
wnba_shot_zones, 378
wnba_shot_zones(), *275*, *281*, *310*, *363*, *365*, *378*, *394*
wnba_shotchartdetail, 370
wnba_shotchartdetail(), *289*, *297*, *340*, *373*, *377*, *391*
wnba_shotchartdetail_league_averages_schema, *372, 373*, *377*
wnba_shotchartleaguewide, 373
wnba_shotchartleaguewide(), *281*, *283*, *286*, *289*, *292*, *295*, *297*, *300*, *305, 306*, *310*, *312–314*, *340*, *372*, *377*, *391*
wnba_shotchartlineupdetail, 374
wnba_shotchartlineupdetail(), *275*, *281*, *289*, *297*, *310*, *340*, *363*, *365*, *372, 373*, *379*, *391*, *394*
wnba_stats, 379
wnba_team_crosswalk, 424
wnba_team_crosswalk(), *225*, *363*, *366*
wnba_team_dashboard_schema, *386–390*
wnba_team_summary_overall_schema, *392*, *415*
wnba_teamdashboardbyclutch, 380
wnba_teamdashboardbyclutch(), *289*, *295*, *297*, *300*, *340*, *372, 373*, *377*, *394*, *396–398*, *400*, *410–412*, *416, 417*, *422, 423*
wnba_teamdashboardbygamesplits *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbygeneralsplits *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbylastngames *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbyopponent *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbyshootingsplits *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbyteamperformance *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashboardbyyearoveryear *(*wnba_teamdashboardbyclutch*)*, 380
wnba_teamdashlineups, 391
wnba_teamdashlineups(), *275*, *281*, *300*, *310*, *363*, *365*, *378, 379*, *390*, *396–398*, *400*, *410–412*, *416, 417*, *422, 423*
wnba_teamdetails, 394
wnba_teamdetails(), *300*, *390*, *394*, *397, 398*, *400*, *410–412*, *416, 417*, *422, 423*
wnba_teamestimatedmetrics, 396
wnba_teamestimatedmetrics(), *300*, *390*, *394*, *396*, *398*, *400*, *410–412*, *416, 417*, *422, 423*
wnba_teamgamelog, 397
wnba_teamgamelog(), *300*, *390*, *394*, *396, 397*, *400*, *410–412*, *416, 417*, *422, 423*
wnba_teamgamelogs, 398
wnba_teamgamelogs(), *300*, *390*, *394*, *396–398*, *410–412*, *416, 417*, *422, 423*
wnba_teamgamestreakfinder, 400
wnba_teamgamestreakfinder(), *300*, *305*, *352*, *390*, *394*, *396–398*, *400*, *411, 412*, *416, 417*, *422, 423*
wnba_teamhistoricalleaders, 410
wnba_teamhistoricalleaders(), *300*, *391*, *394*, *396–398*, *400*, *410*, *412*, *416, 417*, *422, 423*
wnba_teaminfocommon, 411
wnba_teaminfocommon(), *300*, *391*, *394*, *396–398*, *400*, *410, 411*, *416, 417*, *422, 423*
wnba_teamplayerdashboard

(wnba_teamplayeronoffdetails), 412
wnba_teamplayeronoffdetails, 412
wnba_teamplayeronoffdetails(), 300, 391, 394, 396–398, 400, 410–412, 417, 422, 423
wnba_teamplayeronoffsummary (wnba_teamplayeronoffdetails), 412
wnba_teams, 416
wnba_teams(), 300, 391, 394, 396–398, 400, 410–412, 416, 422, 423
wnba_teamvsplayer, 417
wnba_teamvsplayer(), 300, 391, 394, 396–398, 400, 410–412, 416, 417, 423
wnba_teamyearbyyearstats, 423
wnba_teamyearbyyearstats(), 300, 391, 394, 396–398, 400, 410–412, 416, 417, 422
wnba_todays_scoreboard, 424
wnba_todays_scoreboard(), 317, 365, 369, 370, 380
wnba_videodetailsasset(), 426
wnba_videoevents, 425
wnba_videoevents(), 426
wnba_videostatus, 426
wnba_videostatus(), 426

year_to_season, 427